

# TI-30X PlusMultiView™ Calculator

Important information .....	2
Examples .....	3
Switching the calculator on and off .....	3
Display contrast .....	3
Home screen .....	4
2nd functions .....	6
Modes .....	6
Multi-tap keys .....	9
Menus .....	10
Scrolling expressions and history .....	11
Answer toggle .....	12
Last answer .....	12
Order of operations .....	13
Clearing and correcting .....	15
Fractions .....	16
Percentages .....	18
EE key .....	19
Powers, roots and inverses .....	20
Pi .....	21
Math .....	22
Number functions .....	23
Angles .....	24
Rectangular to polar .....	27
Trigonometry .....	29
Hyperbolics .....	31
Logarithm and exponential functions .....	32
Stored operations .....	32
Memory and stored variables .....	34
Data editor and list formulas .....	37

Statistics, regressions, and distributions .....	40
Probability .....	54
Function table .....	56
Number bases .....	59
Expression evaluation .....	61
Constants .....	62
Conversions .....	65
Complex numbers .....	68
Errors .....	72
Battery information .....	77
Texas Instruments Support and Service .....	79

## ***Important information***

Texas Instruments makes no warranty, either express or implied, including but not limited to any implied warranties of merchantability and fitness for a particular purpose, regarding any programs or book materials and makes such materials available solely on an "as-is" basis. In no event shall Texas Instruments be liable to anyone for special, collateral, incidental, or consequential damages in connection with or arising out of the purchase or use of these materials, and the sole and exclusive liability of Texas Instruments, regardless of the form of action, shall not exceed the purchase price of this product. Moreover, Texas Instruments shall not be liable for any claim of any kind whatsoever against the use of these materials by any other party.

MathPrint, APD, Automatic Power Down, EOS, and MultiView are trademarks of Texas Instruments Incorporated.

Copyright © 2014 Texas Instruments Incorporated

---

## ***Examples***

Each section is followed by instructions for keystroke examples that demonstrate the TI-30X Plus MultiView™ functions.

Examples assume all default settings, as shown in the Modes section.

Some screen elements may differ from those shown in this document.

## ***Switching the calculator on and off***

**[on]** turns on the calculator. **[2nd] [off]** turns it off. The display is cleared, but the history, settings, and memory are retained.

The APD™ (Automatic Power Down™) feature turns off the calculator automatically if no key is pressed for about 5 minutes. Press **[on]** after APD. The display, pending operations, settings, and memory are retained.

## ***Display contrast***

The brightness and contrast of the display can depend on room lighting, battery freshness, and viewing angle.

To adjust the contrast:

1. Press and release the **[2nd]** key.
2. Press **[+] [-]** (to darken the screen) or **[-]** (to lighten the screen).

## Home screen


On the Home screen, you can enter mathematical expressions and functions, along with other instructions. The answers are displayed on the Home screen. The TI-30X Plus MultiView™ screen can display a maximum of four lines with a maximum of 16 characters per line. For entries and expressions of more than 16 characters, you can scroll left and right (◀ and ▶) to view the entire entry or expression.

In the MathPrint™ mode, you can enter up to four levels of consecutive nested functions and expressions, which include fractions, square roots, exponents with  $^$ ,  $\sqrt[y]{x}$ ,  $e^x$ , and  $10^x$ .

When you calculate an entry on the Home screen, depending upon space, the answer is displayed either directly to the right of the entry or on the right side of the next line.

Special indicators and cursors may display on the screen to provide additional information concerning functions or results.

Indicator	Definition
2ND	2nd function.
FIX	Fixed-decimal setting. (See Mode section.)
SCI, ENG	Scientific or engineering notation. (See Mode section.)
DEG, RAD, GRAD	Angle mode (degrees, radians, or gradians). (See

Indicator	Definition (Mode section.)
L1, L2, L3	Displays above the lists in data editor.
H, B, O	Indicates HEX, BIN, or OCT number-base mode. No indicator displayed for default DEC mode.
	The calculator is performing an operation.
▲ ▼	An entry is stored in memory before and/or after the active screen. Press ▲ and ▼ to scroll.
◀ ▶	An entry or menu displays beyond 16 digits. Press ◀ or ▶ to scroll.
■	Normal cursor. Shows where the next item you type will appear.
⊞	Entry-limit cursor. No additional characters can be entered.
⋮	Placeholder box for empty MathPrint™ element. Use arrow keys to move into the box.
⊞	MathPrint™ cursor. Continue entering the current MathPrint™ element, or press

Indicator	Definition
	an arrow key to exit the element.

## 2nd functions

**2nd**


Most keys can perform more than one function. The primary function is indicated on the key and the secondary function is displayed above it. Press **2nd** to activate the secondary function of a given key. Notice that **2ND** appears as an indicator on the screen. To cancel it before entering data, press **2nd** again. For example, **2nd**  $\sqrt{\phantom{x}}$  25 **enter** calculates the square root of 25 and returns the result, 5.

## Modes

**mode**

Use **mode** to choose modes. Press  $\downarrow$   $\uparrow$   $\leftarrow$   $\rightarrow$  to choose a mode, and **enter** to select it. Press **clear** or **2nd** **[quit]** to return to the Home screen and perform your work using the chosen mode settings.

Default settings are highlighted in these sample screens.



**DEG RAD GRAD** Sets the angle mode to degrees, radians, or gradians.

**NORM SCI ENG** Sets the numeric notation mode. Numeric notation modes affect only the display of results, and not the accuracy of the values stored in the unit, which remain maximal.

**NORM** displays results with digits to the left and right of the decimal, as in 123456.78.

**SCI** expresses numbers with one digit to the left of the decimal and the appropriate power of 10, as in  $1.2345678 \times 5$  (which is the same as  $1.2345678 \times 10^5$ ).

**ENG** displays results as a number from 1 to 999 times 10 to an integer power. The integer power is always a multiple of 3.

**Note:**  $\boxed{EE}$  is a shortcut key to enter a number in scientific notation format. The result displays in the numeric notation format selected in the mode menu.

**FLOAT0 1 2 3 4 5 6 7 8 9** Sets the decimal notation mode.

**FLOAT** (floating decimal point) displays up to 10 digits, plus the sign and decimal.

**0 1 2 3 4 5 6 7 8 9** (fixed decimal point) specifies the number of digits (0 through 9) to display to the right of the decimal.

**REALa+bir $\angle$  $\theta$**  Sets the format of complex number results.

**REAL** real results

**a+bi** rectangular results

**r $\angle$  $\theta$**  polar results

**DECHEXBINOCT** Sets the number base used for calculations.

**DEC** decimal

**HEX** hexadecimal (To enter hex digits A through F, use  $\boxed{2\text{nd}}$  [A],  $\boxed{2\text{nd}}$  [B], and so on.)

**BIN** binary









**OCT** octal

## CLASSICMATHPRINT

**CLASSIC** mode displays inputs and outputs in a single line.

**MATHPRINT** mode displays most inputs and outputs in textbook format.

### *Examples of Classic and MathPrint™ modes*

Classic mode	MathPrint™ mode
Sci 	Sci 
Float mode and answer toggle key. 	Float mode and answer toggle key. 
Fix 2 	Fix 2 and answer toggle key. 
U n/d 	U n/d 



Classic mode	MathPrint™ mode
<p>Exponent example</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <math>2^5</math> <span style="float: right; margin-left: 100px;"><math>2^5</math></span> </div>	<p>Exponent example</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <math>2^5</math> <span style="float: right; margin-left: 100px;"><math>2^5</math></span> </div>
<p>Square root example</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <math>\sqrt{2}</math> <span style="float: right; margin-left: 100px;"><math>\sqrt{2}</math></span> </div>	<p>Square root example</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <math>\sqrt{2}</math> <span style="float: right; margin-left: 100px;"><math>\sqrt{2}</math></span> </div>
<p>Cube root example</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <math>\sqrt[3]{64}</math> <span style="float: right; margin-left: 100px;"><math>\sqrt[3]{64}</math></span> </div>	<p>Cube root example</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <math>\sqrt[3]{64}</math> <span style="float: right; margin-left: 100px;"><math>\sqrt[3]{64}</math></span> </div>

## Multi-tap keys

A multi-tap key is one that cycles through multiple functions when you press it.

For example, the  $\left[ \begin{smallmatrix} \sin \\ \sin^{-1} \end{smallmatrix} \right]$  key contains the trigonometry functions **sin** and **sin<sup>-1</sup>** as well as the hyperbolic functions **sinh** and **sinh<sup>-1</sup>**. Press the key repeatedly to display the function that you want to enter.

Multi-tap keys include  $\left[ \begin{smallmatrix} x^y \\ \frac{1}{abcd} \end{smallmatrix} \right]$ ,  $\left[ \begin{smallmatrix} \sin \\ \sin^{-1} \end{smallmatrix} \right]$ ,  $\left[ \begin{smallmatrix} \cos \\ \cos^{-1} \end{smallmatrix} \right]$ ,  $\left[ \begin{smallmatrix} \tan \\ \tan^{-1} \end{smallmatrix} \right]$ ,  $e^{\square} 10^{\square}$ ,  $\ln \log$ ,  $\left[ \begin{smallmatrix} nCr \\ nPr \end{smallmatrix} \right]$ , and  $\left[ \begin{smallmatrix} \pi \\ i \end{smallmatrix} \right]$ . Applicable sections of this guidebook describe how to use the keys.

## Menus

Menus give you access to a large number of calculator functions. Some menu keys, such as  $\boxed{2\text{nd}}$  [recall], display a single menu. Others, such as  $\boxed{\text{math}}$ , display multiple menus.

Press  $\odot$  and  $\ominus$  to scroll and select a menu item, or press the corresponding number next to the item. To return to the previous screen without selecting the item, press  $\boxed{\text{clear}}$ . To exit a menu and return to the Home screen, press  $\boxed{2\text{nd}}$  [quit].

$\boxed{2\text{nd}}$  [recall] (key with a single menu):

### RECALL VAR (with values set to default of 0)

1:  $x = 0$

2:  $y = 0$

3:  $z = 0$

4:  $t = 0$

5:  $a = 0$

6:  $b = 0$

7:  $c = 0$

8:  $d = 0$

$\boxed{\text{math}}$  (key with multiple menus):

#### MATH

1:  $\blacktriangleright n / \blacktriangleleft U^n / \blacktriangleleft d$

2: lcm(

3: gcd(

4:  $\blacktriangleright$ Pfactor

#### NUM

1: abs(

2: round(

3: iPart(

4: fPart(

#### DMS

1:  $^\circ$

2:  $'$

3:  $''$

4: r

#### R $\leftrightarrow$ P

1: P  $\blacktriangleright$  Rx(

2: P  $\blacktriangleright$  Ry(

3: R  $\blacktriangleright$  Pr(

4: R  $\blacktriangleright$  P $\theta$ (

**MATH****NUM****DMS****R ◀ P**

5: sum(

5: int(

5: g

6: prod(

6: min(

6: ▶ DMS

7: max(

8: mod(

**Scrolling expressions and history**

Press or to move the cursor within an expression that you are entering or editing. Press or to move the cursor directly to the beginning or end of the expression.


After you evaluate an expression, the expression and its result are added automatically to the history. Use and to scroll through the history. You can reuse a previous entry by pressing to paste it on the bottom line, where you can edit it and evaluate a new expression.


**Example**

Scroll	$7 \boxed{x^2} - 4$ $( 3 ) ( 1 ) \text{enter}$	$7^2 - 4(3)(1) \quad \text{M} \quad \text{R}$ $37$
	$\text{2nd} \boxed{\sqrt{\quad}} \uparrow \uparrow \text{enter}$ $\text{enter}$	$7^2 - 4(3)(1) \quad \text{M} \quad \text{R}$ $\frac{7^2 - 4(3)(1)}{\sqrt{7^2 - 4(3)(1)}} \quad \frac{37}{\sqrt{37}}$
	$\leftarrow \approx$	$7^2 - 4(3)(1) \quad \text{M} \quad \text{R}$ $\frac{7^2 - 4(3)(1)}{\sqrt{7^2 - 4(3)(1)}} \quad \frac{37}{\sqrt{37}}$ $\sqrt{37} \approx 6.08276253$







## Answer toggle





Press the  key to toggle the display result (when possible) between fraction and decimal answers, exact square root and decimal, and exact pi and decimal.

Pressing  displays the last result in the full precision of its stored value, which may not match the rounded value.





### Example

Answer toggle	  8 	
		

## Last answer

The last entry performed on the home screen is stored to the variable **ans**. This variable is retained in memory, even after the calculator is turned off. To recall the value of **ans**:

- Press   (**ans** displays on the screen), or
- Press any operations key ( , , and so forth) as the first part of an entry. **ans** and the operator are both displayed.

### Examples

ans	<b>3</b> $\times$ <b>3</b> <b>enter</b>	$3 \times 3$ $^{\text{HE}}$ $^{\text{A}}$ 9
	$\times$ <b>3</b> <b>enter</b>	$3 \times 3$ $^{\text{HE}}$ $^{\text{A}}$ ans $\times 3$ 9 27
	<b>3</b> <b>2nd</b> [ $\square\sqrt{\phantom{x}}$ ] <b>2nd</b> [answer]	$3 \times 3$ $^{\text{HE}}$ $^{\text{A}}$ ans $\times 3$ 9 $\sqrt[3]{\text{ans}}$ 27 3

## Order of operations

The TI-30X Plus MultiView™ calculator uses Equation Operating System (EOS™) to evaluate expressions. Within a priority level, EOS evaluates functions from left to right and in the following order.

1st	Expressions inside parentheses.
2nd	Functions that need a ) and precede the argument, such as <b>sin</b> , <b>log</b> , and all <b>R↔P</b> menu items.
3rd	Fractions.
4th	Functions that are entered after the argument, such as $x^2$ and angle unit modifiers.
5th	Exponentiation (^) and roots ( $\sqrt{x}$ ). <b>Note:</b> In Classic mode, exponentiation using the $x^{\square}$ key is evaluated from left to right. The expression $2^3^2$ is evaluated as $(2^3)^2$ , with a result of 64.

$2^{3^2}$	<small> <math>\overset{\text{HG}}</math>  <math>\overset{\text{^}}{\sim}</math> </small>	64
-----------	----------------------------------------------------------------------------------------------	----

In MathPrint™ mode, exponentiation using the  $\boxed{x^\square}$  key is evaluated from right to left. The expression  $2^{3^2}$  is evaluated as  $2^{(3^2)}$ , with a result of 512.

$2^{3^2}$	<small> <math>\overset{\text{HG}}</math>  <math>\overset{\text{^}}{\sim}</math> </small>	512
-----------	----------------------------------------------------------------------------------------------	-----

The calculator evaluates expressions entered with  $\boxed{x^2}$  and  $\boxed{\frac{1}{\square}}$  from left to right in both Classic and MathPrint™ modes. Pressing  $3 \boxed{x^2} \boxed{x^2}$  is calculated as  $(3^2)^2 = 81$ .

6th	Negation ( $\ominus$ ).
7th	Permutations ( <b>nPr</b> ) and combinations ( <b>nCr</b> ).
8th	Multiplication, implied multiplication, division.
9th	Addition and subtraction.
10th	Conversions ( <b>n/d</b> $\leftrightarrow$ <b>Un/d</b> , <b>F</b> $\leftrightarrow$ <b>D</b> , $\blacktriangleright$ <b>DMS</b> ).
11th	$\boxed{\text{enter}}$ completes all operations and closes all open parentheses.

### Examples

$+ \times \div -$	<b>6 0</b> $\boxed{+}$ <b>5</b> $\boxed{\times}$ $\boxed{(-)}$ <b>1 2</b> $\boxed{\text{enter}}$	<table border="1"> <tr> <td><math>60+5*-12</math></td> <td> <small> <math>\overset{\text{HG}}</math>  <math>\overset{\text{^}}{\sim}</math> </small> </td> <td>0</td> </tr> </table>	$60+5*-12$	<small> <math>\overset{\text{HG}}</math>  <math>\overset{\text{^}}{\sim}</math> </small>	0
$60+5*-12$	<small> <math>\overset{\text{HG}}</math>  <math>\overset{\text{^}}{\sim}</math> </small>	0			

(-)	$1 + (-) 8 + 12$ <b>enter</b>	$1 + -8 + 12$ <small>MEM</small> <small>5</small>
	<b>2nd</b> $\sqrt{\phantom{x}}$ $9 + 16$ <b>enter</b>	$\sqrt{9+16}$ <small>MEM</small> <small>5</small>
( )	$4 \times (2 + 3)$ <b>enter</b>	$4 * (2 + 3)$ <small>MEM</small> <small>20</small>
	$4 (2 + 3)$ <b>enter</b>	$4 (2 + 3)$ <small>MEM</small> <small>20</small>
$\wedge$ and $\sqrt{\phantom{x}}$	<b>2nd</b> $\sqrt{\phantom{x}}$ $3 x^{\square} 2 \blacktriangleright + 4$ $x^{\square} 2$ <b>enter</b>	$\sqrt{3^2+4^2}$ <small>MEM</small> <small>5</small>

## ***Cleaning and correcting***

<b>2nd</b> <b>[quit]</b>	Returns to the Home screen.
<b>clear</b>	Clears an error message. Clears characters on entry line. Moves the cursor to last entry in history once display is clear.
<b>delete</b>	Deletes the character at the cursor.
<b>2nd</b> <b>[insert]</b>	Inserts a character at the cursor.
<b>2nd</b> <b>[clear var]</b>	Clears variables <b>x</b> , <b>y</b> , <b>z</b> , <b>t</b> , <b>a</b> , <b>b</b> , <b>c</b> , and <b>d</b> to their default value of 0.
<b>2nd</b> <b>[reset]</b> <b>2</b>	Resets the calculator. Returns unit to default settings; clears memory variables, pending

---

	operations, all entries in history, and statistical data; clears any stored operation, and <b>ans</b> .
--	---------------------------------------------------------------------------------------------------------

---

## Fractions

$\frac{\square}{\square}$  [2nd] [ $\square \frac{\square}{\square}$ ] [math] 1 [2nd] [f $\leftrightarrow$ d]

In the MathPrint™ mode, fractions with  $\frac{\square}{\square}$  can include real and complex numbers, operation keys ( $+$ ,  $\times$ , etc.), and most function keys ( $x^2$ , [2nd], [%], etc.).

In Classic mode, fractions with  $\frac{\square}{\square}$  do not allow operation keys, functions, or complex fractions in the numerator or denominator.

**Note:** In Classic mode, only number entries are supported when using  $\frac{\square}{\square}$ . Fractions in Classic mode are shown with a double-thick fraction bar (for example,  $8\frac{2}{9}$ ). The numerator must be an integer, and the denominator must be a positive integer. To compute more complex expressions (functions, variables, complex numbers, etc.), use  $\div$  along with ( ) and  $\frac{\square}{\square}$ .

The calculator defaults output to improper fractions. Results are automatically simplified.

- $\frac{\square}{\square}$  enters a simple fraction. Pressing  $\frac{\square}{\square}$  before or after a number can result in different behavior. Entering a number before pressing  $\frac{\square}{\square}$  makes that number the numerator.

To enter fractions with operators or radicals, press  $\frac{\square}{\square}$  before you enter a number (in MathPrint™ mode only).

- In MathPrint™ mode, press  $\ominus$  between the entry of the numerator and the denominator.



- In Classic mode, press  $\frac{\square}{\square}$  between the entry of the numerator and the denominator. The fraction bar will appear thicker than the division bar.
- Pressing  $\frac{2nd}{\square}$   $\uparrow$  from any MathPrint™ level, including the denominator or a lower limit, places the cursor in the history. Pressing enter will then paste the expression back to that MathPrint™ level.
  - To paste a previous entry in the denominator, place the cursor in the denominator, press  $\frac{2nd}{\square}$   $\uparrow$  to scroll to the desired entry, and then press  $\frac{enter}{\square}$  to paste the entry to the denominator.
  - To paste a previous entry in the numerator or unit, place the cursor in the numerator or unit, press  $\uparrow$  or  $\frac{2nd}{\square}$   $\uparrow$  to scroll to the desired entry, and then press  $\frac{enter}{\square}$  to paste the entry to the numerator or unit.
- $\frac{2nd}{\square}$   $\frac{\square}{\square}$  enters a mixed number. Press the arrow keys to cycle through the unit, numerator, and denominator.
- $\frac{math}{\square}$  1 converts between simple fractions and mixed-number form ( $\frac{n}{d} \leftrightarrow U\frac{n}{d}$ ).
- $\frac{2nd}{\square}$  [f  $\rightarrow$  d] converts results between fractions and decimals.

### Examples Classic mode

$\frac{n}{d}, U\frac{n}{d}$	3 $\frac{\square}{\square}$ 4 $\frac{+}{\square}$ 1 $\frac{2nd}{\square}$ $\frac{\square}{\square}$ 7 $\frac{\square}{\square}$ 12 $\frac{enter}{\square}$	$3\frac{3}{4}+1\frac{7}{12}$ $\frac{7}{3}$
$\frac{n}{d} \leftrightarrow U\frac{n}{d}$	9 $\frac{\square}{\square}$ 2 $\frac{math}{\square}$ 1 $\frac{enter}{\square}$	$9\frac{2}{2} \leftrightarrow U\frac{2}{2}$ $4\frac{1}{2}$

F $\leftrightarrow$ D	4 $\frac{\square}{\square}$ 1 $\frac{\square}{\square}$ 2 $\frac{\square}{\square}$ [f $\leftrightarrow$ d] enter	$4\frac{1}{2} \rightarrow f \leftrightarrow d$ $4.5$
-----------------------	----------------------------------------------------------------------------------------------------------------------	------------------------------------------------------

### Examples MathPrint™ mode

n/d, U n/d	$\frac{\square}{\square}$ 3 $\frac{\square}{\square}$ 4 $\frac{\square}{\square}$ + 1 $\frac{\square}{\square}$ 2nd $\frac{\square}{\square}$ 7 $\frac{\square}{\square}$ 12 enter	$\frac{3}{4} + 1\frac{7}{12}$ $4\frac{1}{2}$
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------

n/d $\leftrightarrow$ U n/d	9 $\frac{\square}{\square}$ 2 $\frac{\square}{\square}$ math 1 enter	$9 \rightarrow \% \div U \%$ $4\frac{1}{2}$
-----------------------------	-------------------------------------------------------------------------	---------------------------------------------

F $\leftrightarrow$ D	4 $\frac{\square}{\square}$ 1 $\frac{\square}{\square}$ 2 $\frac{\square}{\square}$ $\frac{\square}{\square}$ 2nd [f $\leftrightarrow$ d] enter	$4\frac{1}{2} \rightarrow f \leftrightarrow d$ $4.5$
-----------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------

Examples ( MathPrint ™ mode only)	$\frac{\square}{\square}$ 1.2 + 1.3 $\frac{\square}{\square}$ 4 enter	$\frac{1.2 + 1.3}{4}$ $0.625$
-----------------------------------------------	--------------------------------------------------------------------------	-------------------------------

( MathPrint ™ mode only)	$\frac{\square}{\square}$ (-) 5 + 2nd $\sqrt{\square}$ 5 $x^2$ - 4 ( 1 ) ( 6 ) $\frac{\square}{\square}$ 2 ( 1 ) enter	$\frac{-5 + \sqrt{5^2 - 4(1)(6)}}{2(1)}$ $-2$
-----------------------------------	------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------

## Percentages

$\frac{\square}{\square}$  [%]

To perform a calculation involving a percentage, press  $\frac{\square}{\square}$  [%] after entering the value of the percentage.

### Example

2 **2nd** [%] **x** 150 **enter**

2%\*150 <sup>sig</sup> <sup>^</sup> 3

### **Problem**

A mining company extracts 5000 tons of ore with a concentration of metal of 3% and 7300 tons with a concentration of 2.3%. On the basis of these two extraction figures, what is the total quantity of metal obtained?

If one ton of metal is worth 280 dollars, what is the total value of the metal extracted?

3 **2nd** [%] **x** 5000 **enter**

3%\*5000 <sup>sig</sup> <sup>^</sup> 150

**+** 2.3 **2nd** [%] **x** 7300 **enter**

3%\*5000 <sup>sig</sup> <sup>^</sup> 150  
Ans+2.3%\*7300  
317.9

**x** 280 **enter**

3%\*5000 <sup>sig</sup> <sup>^</sup> 150  
Ans+2.3%\*7300 <sup>sig</sup> <sup>^</sup> 317.9  
Ans\*280 89012




The two extractions represent a total of 317.9 tons of metal for a total value of 89012 dollars.

### **EE key**

**EE**

**EE** is a shortcut key to enter a number in scientific notation format.

### **Example**

2 <b>EE</b> 5 <b>enter</b>	
<b>mode</b> <b>▼</b> <b>▶</b> <b>enter</b>	
<b>clear</b> <b>enter</b>	

## ***Powers, roots and inverses***

<b><math>x^2</math></b>	Calculates the square of a value. The TI-30X Plus MultiView™ calculator evaluates expressions entered with <b><math>x^2</math></b> and <b><math>\frac{1}{\square}</math></b> from left to right in both Classic and MathPrint™ modes.
<b><math>x^\square</math></b>	Raises a value to the power indicated. Use <b>▶</b> to move the cursor out of the power.
<b>2nd</b> <b><math>\sqrt{\square}</math></b>	Calculates the square root of a non-negative value.
<b>2nd</b> <b><math>\sqrt[\square]{\square}</math></b>	Calculates the <i>n</i> th root of any non-negative value and any odd integer root of a negative value.
<b><math>\frac{1}{\square}</math></b>	Gives the inverse of a value: $1/x$ . The calculator evaluates expressions entered with <b><math>x^2</math></b> and <b><math>\frac{1}{\square}</math></b> from left to right in both Classic and MathPrint™ modes.

## ***Examples***



## **Problem**

What is the area of a circle if the radius is 12 cm?

Reminder:  $A = \pi \times r^2$

$\pi$   $\times$  12  $x^2$  enter

$\leftarrow \rightarrow \approx$

$\pi * 12^2$  144 $\pi$   
144 $\pi$   
452.3893421

The area of the circle is  $144\pi$  square cm. The area of the circle is approximately 452.4 square cm when rounded to one decimal place.

## **Math**

**math** MATH

**math** displays the **MATH** menu:

- 1:  $n/d \leftrightarrow U^n/d$  Converts between simple fractions and mixed-number form.
- 2: lcm( Least common multiple
- 3: gcd( Greatest common divisor
- 4:  $\blacktriangleright$ Pfactor Prime factors
- 5: sum( Summation
- 6: prod( Product

## **Examples**

$n/d \leftrightarrow U^n/d$	9 $\frac{\square}{\square}$ 2 $\blacktriangleright$ <b>math</b> 1 enter	$\frac{9}{2} \blacktriangleright \% \leftrightarrow U\%$ 4 $\frac{1}{2}$
lcm(	<b>math</b> 2 6 <b>2nd</b> [,] 9 $\square$ enter	lcm(6,9) 18

gcd(	$\boxed{\text{math}}$ 3 18 $\boxed{\text{2nd}}$ [,] 33 $\boxed{)}$ $\boxed{\text{enter}}$	gcd(18,33) $\overset{\text{HG}}$ $\overset{\text{**}}$ 3
►Pfactor	253 $\boxed{\text{math}}$ 4 $\boxed{\text{enter}}$	253►Pfactor $\overset{\text{HG}}$ $\overset{\text{**}}$ 11*23
sum(	$\boxed{\text{math}}$ 5 1 $\boxed{\blacktriangleright}$ 4 $\boxed{\blacktriangleright}$ $\boxed{x^{yzt}}$ $\boxed{\times}$ 2 $\boxed{\text{enter}}$	$\sum_{x=1}^4 (x*2)$ $\overset{\text{HG}}$ $\overset{\text{**}}$ 20
prod(S	$\boxed{\text{math}}$ 6 1 $\boxed{\blacktriangleright}$ 5 $\boxed{\blacktriangleright}$ 1 $\boxed{\frac{\square}{\square}}$ $\boxed{x^{yzt}}$ $\boxed{\blacktriangleright}$ $\boxed{\blacktriangleright}$ $\boxed{\text{enter}}$	$\prod_{x=1}^5 \left(\frac{1}{x}\right)$ $\overset{\text{HG}}$ $\overset{\text{**}}$ $\frac{1}{120}$

## Number functions

$\boxed{\text{math}}$  NUM

$\boxed{\text{math}}$   $\boxed{\blacktriangleright}$  displays the **NUM** menu:

- 1: abs( Absolute value
- 2: round( Rounded value
- 3: iPart( Integer part of a number
- 4: fPart( Fractional part of a number
- 5: int( Greatest integer that is the number
- 6: min( Minimum of two numbers
- 7: max( Maximum of two numbers
- 8: mod( Modulo (remainder of first number ÷ second number)

## Examples

abs(	$\boxed{\text{math}} \rightarrow \boxed{1}$ $\boxed{(-)} \boxed{2\text{nd}} \boxed{[\sqrt{\quad}]} \boxed{5} \boxed{\text{enter}}$	$ \sqrt{-5} $ $\sqrt{5}$
round(	$\boxed{\text{math}} \rightarrow \boxed{2}$ $\boxed{1.245} \boxed{2\text{nd}} \boxed{[,] } \boxed{1} \boxed{)} \boxed{\text{enter}}$ $\boxed{\leftarrow} \boxed{\leftarrow} \boxed{\text{enter}}$ $\boxed{\downarrow} \boxed{\downarrow} \boxed{\downarrow} \boxed{\downarrow} \boxed{\downarrow} \boxed{5} \boxed{\text{enter}}$	$\text{round}(1.245,1)$ $1.2$ $\text{round}(1.255,1)$ $1.3$
iPart( fPart(	$\boxed{4.9} \boxed{\text{sto}\rightarrow} \boxed{x^{yzt}} \boxed{abcd} \boxed{\text{enter}}$ $\boxed{\text{math}} \rightarrow \boxed{3} \boxed{x^{yzt}} \boxed{abcd} \boxed{)} \boxed{\text{enter}}$ $\boxed{\text{math}} \rightarrow \boxed{4} \boxed{x^{yzt}} \boxed{abcd} \boxed{)} \boxed{\text{enter}}$ $\boxed{\times} \boxed{3} \boxed{\text{enter}}$	$4.9 \rightarrow x$ $4.9$ $\text{iPart}(x)$ $4$ $\text{fPart}(x)*3$ $2.7$
int(	$\boxed{\text{math}} \rightarrow \boxed{5}$ $\boxed{(-)} \boxed{5.6} \boxed{)} \boxed{\text{enter}}$	$\text{int}(-5.6)$ $-6$
min( max(	$\boxed{\text{math}} \rightarrow \boxed{6}$ $\boxed{4} \boxed{2\text{nd}} \boxed{[,] } \boxed{(-)} \boxed{5} \boxed{)} \boxed{\text{enter}}$ $\boxed{\text{math}} \rightarrow \boxed{7}$ $\boxed{.6} \boxed{2\text{nd}} \boxed{[,] } \boxed{.7} \boxed{)} \boxed{\text{enter}}$	$\text{min}(4, -5)$ $-5$ $\text{max}(.6, .7)$ $0.7$
mod(	$\boxed{\text{math}} \rightarrow \boxed{8}$ $\boxed{17} \boxed{2\text{nd}} \boxed{[,] } \boxed{12} \boxed{)} \boxed{\text{enter}}$ $\boxed{\leftarrow} \boxed{\leftarrow} \boxed{\text{enter}} \boxed{\downarrow} \boxed{\downarrow} \boxed{6} \boxed{\text{enter}}$	$\text{mod}(17,12)$ $5$ $\text{mod}(17,16)$ $1$

## Angles

$\boxed{\text{math}} \rightarrow \text{DMS}$

$\boxed{\text{math}} \rightarrow \rightarrow$  displays the **DMS** menu:

- 1:  $^{\circ}$       Specifies the angle unit modifier as degrees ( $^{\circ}$ ).







- 2: ' Specifies the angle unit modifier as minutes (').
- 3: " Specifies the angle unit modifier as seconds (").
- 4: r Specifies a radian angle.
- 5: g Specifies a gradian angle.
- 6:  $\blacktriangleright$  Converts angle from decimal degrees to degrees, minutes, and seconds.

You can also convert between rectangular coordinate form (R) and polar coordinate form (P). (See Rectangular to polar for more information.)

Choose an angle mode from the mode screen. You can choose from DEG (default), RAD, or GRAD. Entries are interpreted and results displayed according to the angle mode setting without needing to enter an angle unit modifier.





### Examples

RAD	<b>mode</b> $\blacktriangleright$ <b>enter</b>	
	<b>clear</b> <b>sin</b> <b>sin<sup>-1</sup></b> <b>30</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$	
	<b>1</b> <b>)</b> <b>enter</b>	
DEG	<b>mode</b> <b>enter</b>	

	<b>clear</b> <b>2</b> $\pi$ $i$ <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>4</b> <b>enter</b>	$\sin(30^\circ)$ $2\pi^r$
$\blacktriangleright$ DMS	<b>1.5</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>6</b> <b>enter</b>	$\sin(30^\circ)$ $2\pi^r$ $1.5\blacktriangleright$ DMS $1^\circ 30' 0''$

### **Problem**

Two adjacent angles measure  $12^\circ 31' 45''$  and  $26^\circ 54' 38''$  respectively. Add the two angles and display the result in DMS format. Round the results to two decimal places.



<b>clear</b> <b>mode</b> $\blacktriangledown$ $\blacktriangledown$ $\blacktriangleright$ $\blacktriangleright$ $\blacktriangleright$ <b>enter</b>	
<b>clear</b> <b>12</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$	
<b>1</b> <b>31</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>2</b> <b>45</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>3</b> $\blackoplus$ <b>26</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>1</b> <b>54</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>2</b> <b>38</b> <b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>3</b> <b>enter</b>	
<b>math</b> $\blacktriangleright$ $\blacktriangleright$ <b>6</b> <b>enter</b>	

The result is 39 degrees, 26 minutes and 23 seconds.


## **Problem**

It is known that  $30^\circ = \pi / 6$  radians. In the default mode, degrees, find the sine of  $30^\circ$ . Then set the calculator to radian mode and calculate the sine of  $\pi / 6$  radians.

**Note:** Press **clear** to clear the screen between problems.

<b>clear</b> <b>sin</b> <sup>-1</sup> <b>30</b> <b>)</b> <b>enter</b>	
<b>mode</b> <b>▶</b> <b>enter</b> <b>clear</b> <b>sin</b> <sup>-1</sup> <b>π</b> <b>i</b> <b>□</b> <b>6</b> <b>▶</b> <b>)</b> <b>enter</b>	

Retain radian mode on the calculator and calculate the sine of  $30^\circ$ . Change the calculator to degree mode and find the sine of  $\pi / 6$  radians.

<b>sin</b> <sup>-1</sup> <b>30</b> <b>math</b> <b>▶</b> <b>▶</b> <b>enter</b> <b>)</b> <b>enter</b> <b>mode</b> <b>enter</b> <b>clear</b> <b>sin</b> <sup>-1</sup> <b>π</b> <b>i</b> <b>□</b> <b>6</b> <b>▶</b> <b>math</b> <b>▶</b> <b>▶</b> <b>4</b> <b>)</b> <b>enter</b>	
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------

## **Rectangular to polar**

**math** **R** **↔** **P**

**math** **Ⓢ** displays the **R** **↔** **P** menu, which has functions for converting coordinates between rectangular (x,y) and polar (r,θ) format. Set Angle mode, as necessary, before starting calculations.




- 1: **P** **▶** **R** **x**( Converts polar to rectangular and displays x.

- 2:  $P \rightarrow R_y$  Converts polar to rectangular and displays  $y$ .
- 3:  $R \rightarrow Pr$  Converts rectangular to polar and displays  $r$ .
- 4:  $R \rightarrow P\theta$  Converts rectangular to polar and displays  $\theta$ .

### Example

Convert polar coordinates  $(r, \theta) = (5, 30)$  into rectangular coordinates. Then convert rectangular coordinates

$(x, y) = (3, 4)$  into polar coordinates. Round the results to one decimal place.

$R \leftrightarrow P$	clear mode $\downarrow$ $\downarrow$ $\rightarrow$ $\rightarrow$ enter	
	clear math $\downarrow$ 1 5 2nd [,] 30 ) enter math $\downarrow$ 2 5 2nd [,] 30 ) enter	
	math $\downarrow$ 3 3 2nd [,] 4 ) enter math $\downarrow$ 4 3 2nd [,] 4 ) enter	

Converting  $(r, \theta) = (5, 30)$  gives  $(x, y) = (4.3, 2.5)$  and  $(x, y) = (3, 4)$  gives  $(r, \theta) = (5.0, 53.1)$ .

## Trigonometry

$\sin^{-1}$   $\cos^{-1}$   $\tan^{-1}$  (multi-tap keys)

Enter trigonometric functions ( $\sin$ ,  $\cos$ ,  $\tan$ ,  $\sin^{-1}$ ,  $\cos^{-1}$ ,  $\tan^{-1}$ ), just as you would write them. Set the desired Angle mode before starting trigonometric calculations.

### Example Degree Mode

tan	$\text{mode}$ $\downarrow$ $\downarrow$ $\text{enter}$ $\text{clear}$ $\text{tan}$ $\text{tan}^{-1}$ 45 $)$ $\text{enter}$	$\text{tan}(45)$ $\text{DEG}$ $^{\circ}$ 1
$\tan^{-1}$	$\text{clear}$ $\text{tan}$ $\text{tan}^{-1}$ 1 $)$ $\text{enter}$	$\text{tan}^{-1}(1)$ $\text{DEG}$ $^{\circ}$ 45
cos	$\text{clear}$ 5 $\times$ $\text{cos}$ $\text{cos}^{-1}$ 60 $)$ $\text{enter}$	$5 * \text{cos}(60)$ $\text{DEG}$ $^{\circ}$ 2.5

### Example Radian Mode

tan	$\text{mode}$ $\rightarrow$ $\text{enter}$ $\text{clear}$ $\text{tan}$ $\text{tan}^{-1}$ $\pi$ $\frac{\pi}{i}$ $\frac{\square}{\square}$ 4 $\rightarrow$ $)$ $\text{enter}$	$\text{tan}\left(\frac{\pi}{4}\right)$ $\text{RAD}$ $^{\circ}$ 1
$\tan^{-1}$	$\text{clear}$ $\text{tan}$ $\text{tan}^{-1}$ 1 $)$ $\text{enter}$	$\text{tan}^{-1}(1)$ $\text{RAD}$ $^{\circ}$ 0.785398163
	$\leftarrow \rightarrow \approx$	$0.785398163$ $\text{RAD}$ $^{\circ}$ $0.7853981633975$ $\frac{\pi}{4}$
cos	$\text{clear}$ 5 $\times$ $\text{cos}$ $\text{cos}^{-1}$ $\pi$ $\frac{\pi}{i}$ $\frac{\square}{\square}$ 4 $\rightarrow$ $)$ $\text{enter}$	$5 * \text{cos}\left(\frac{\pi}{4}\right)$ $\text{RAD}$ $^{\circ}$ $\frac{5\sqrt{2}}{2}$



$$\frac{5\sqrt{2}}{2}$$

3.535533906

### Problem


Find angle A of the right triangle below. Then calculate angle B and the length of the hypotenuse c. Lengths are in meters. Round results to one decimal place.

Reminder:

$$\tan A = \frac{7}{3} \text{ therefore } m\angle A = \tan^{-1}\left(\frac{7}{3}\right)$$

$$m\angle A + m\angle B + 90^\circ = 180^\circ$$

therefore  $m\angle B = 90^\circ - m\angle A$



$$c = \sqrt{3^2 + 7^2}$$

mode enter  $\downarrow$   $\downarrow$   $\rightarrow$   $\rightarrow$  enter

MODE RAD GRAD  
 NORM SCI ENG  
 FLOAT 0 23456789  
 REAL a+bi r∠θ

clear  $\tan^{-1}$   $\tan^{-1}$  7  $\square$  3  $\square$  ) enter

$\tan^{-1}\left(\frac{7}{3}\right)$  66.8

90  $\square$  - 2nd [answer] enter

$\tan^{-1}\left(\frac{7}{3}\right)$  66.8  
 90-ans 23.2

$2^{\text{nd}}$ $\sqrt{\phantom{x}}$ 3 $x^2$ + 7 $x^2$ $\text{enter}$	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; font-size: small;"> <span>FEI</span> <span>HG</span> <span>↔</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="text-align: left;">           90-ans  <math>\sqrt{3^2+7^2}</math> </div> <div style="text-align: right;">           23.2  <math>\sqrt{58}</math> </div> </div> </div>
$\leftarrow \approx$	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; font-size: small;"> <span>FEI</span> <span>HG</span> <span>↔</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="text-align: left;">           90-ans  <math>\sqrt{3^2+7^2}</math>  <math>\sqrt{58}</math> </div> <div style="text-align: right;">           23.2  <math>\sqrt{58}</math>            7.6         </div> </div> </div>

To one decimal place, the measure of angle A is  $66.8^\circ$ , the measure of angle B is  $23.2^\circ$ , and the length of the hypotenuse is 7.6 meters.

## Hyperbolics

$\frac{\sin}{\sin^{-1}}$   $\frac{\cos}{\cos^{-1}}$   $\frac{\tan}{\tan^{-1}}$  (multi-tap keys)

Pressing one of these multi-tap keys repeatedly lets you access the corresponding hyperbolic or inverse hyperbolic function. Angle modes do not affect hyperbolic calculations.

### Example

Set floating decimal	$\text{mode}$ $\downarrow$ $\downarrow$ $\text{enter}$	<div style="border: 1px solid black; padding: 5px; text-align: center;"> <small>HG</small> </div>
HYP	$\text{clear}$ $\frac{\sin}{\sin^{-1}}$ $\frac{\sin}{\sin^{-1}}$ $\frac{\sin}{\sin^{-1}}$ 5 $)$ + 2 $\text{enter}$	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; font-size: small;"> <span></span> <span>HG</span> <span>↔</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="text-align: left;"> <math>\sinh(5)+2</math> </div> <div style="text-align: right;">           76.20321058         </div> </div> </div>
	$\leftarrow$ $\rightarrow$ $\text{enter}$ $2^{\text{nd}}$ $\downarrow$ $\frac{\sin}{\sin^{-1}}$ $\frac{\sin}{\sin^{-1}}$ $\frac{\sin}{\sin^{-1}}$ $\frac{\sin}{\sin^{-1}}$ $\text{enter}$	<div style="border: 1px solid black; padding: 5px;"> <div style="display: flex; justify-content: space-between; font-size: small;"> <span></span> <span>HG</span> <span>↔</span> </div> <div style="display: flex; justify-content: space-between;"> <div style="text-align: left;"> <math>\sinh(5)+2</math>  <math>\sinh^{-1}(5)+2</math> </div> <div style="text-align: right;">           76.20321058            4.312438341         </div> </div> </div>

## Logarithm and exponential functions

**In log** **e<sup>□</sup>10<sup>□</sup>** (multi-tap keys)





**In log** yields the logarithm of a number to the base  $e$  ( $e \approx 2.718281828459$ ).

**In log** **In log** yields the common logarithm of a number.

**e<sup>□</sup>10<sup>□</sup>** raises  $e$  to the power you specify.

**e<sup>□</sup>10<sup>□</sup>** **e<sup>□</sup>10<sup>□</sup>** raises 10 to the power you specify.

### Examples

LOG	<b>In log</b> <b>In log</b> <b>1</b> <b>)</b> <b>enter</b>	
LN	<b>In log</b> <b>5</b> <b>)</b> <b>×</b> <b>2</b> <b>enter</b>	
10 <sup>□</sup>	<b>clear</b> <b>e<sup>□</sup>10<sup>□</sup></b> <b>e<sup>□</sup>10<sup>□</sup></b> <b>In log</b> <b>In log</b> <b>2</b> <b>)</b> <b>enter</b> <b>In log</b> <b>In log</b> <b>e<sup>□</sup>10<sup>□</sup></b> <b>e<sup>□</sup>10<sup>□</sup></b> <b>5</b> <b>▶</b> <b>)</b> <b>enter</b>	
e	<b>clear</b> <b>e<sup>□</sup>10<sup>□</sup></b> <b>.5</b> <b>enter</b>	

## Stored operations

**2nd** **[op]** **2nd** **[set op]**

**2nd** **[set op]** lets you store a sequence of operations. **2nd** **[op]** plays back the operation.

To set an operation and then recall it:



1. Press **2nd** [set op].
2. Enter any combination of numbers, operators, and/or values, up to 44 characters.
3. Press **enter** to store the operation.
4. Press **2nd** [op] to recall the stored operation and apply it to the last answer or the current entry.  
If you apply **2nd** [op] directly to a **2nd** [op] result, the **n=1** iteration counter is incremented.

### Examples

Clear op	<b>2nd</b> [set op] If a stored op is present, click <b>clear</b> to clear it.	OP= <span style="float: right;">HG</span>
Set op	<b>x</b> <b>2</b> <b>+</b> <b>3</b> <b>enter</b>	OP=*2+3 <span style="float: right;">HG</span>
Recall op	<b>2nd</b> [quit] <b>4</b> <b>2nd</b> [op]	4*2+3 <span style="float: right;">HG ^</span> n=1 11
	<b>2nd</b> [op]	4*2+3 <span style="float: right;">HG ^</span> 11*2+3 <span style="float: right;">n=2 25</span>
	<b>6</b> <b>2nd</b> [op]	4*2+3 <span style="float: right;">HG ^</span> 11*2+3 <span style="float: right;">n=2 25</span> 6*2+3 <span style="float: right;">n=1 15</span>
Redefine op	<b>2nd</b> [set op] <b>clear</b> <b>x<sup>2</sup></b> <b>enter</b>	OP=2 <sup>2</sup> <span style="float: right;">HG</span>
Recall op	<b>5</b> <b>2nd</b> [op] <b>20</b> <b>2nd</b> [op]	5 <sup>2</sup> <span style="float: right;">HG ^</span> 20 <sup>2</sup> <span style="float: right;">n=1 25</span> <span style="float: right;">n=1 400</span>

### **Problem**

Given the linear function  $y = 5x - 2$ , calculate  $y$  for the following values of  $x$ :  $-5$ ;  $-1$ .

$\boxed{2\text{nd}}$ $\boxed{\text{set op}}$ $\boxed{\text{clear}}$ $\boxed{\times}$ $\boxed{5}$ $\boxed{-}$ $\boxed{2}$ $\boxed{\text{enter}}$	$\text{OP} = *5 - 2$
$\boxed{(-)}$ $\boxed{5}$ $\boxed{2\text{nd}}$ $\boxed{\text{op}}$ $\boxed{(-)}$ $\boxed{1}$ $\boxed{2\text{nd}}$ $\boxed{\text{op}}$	$\begin{array}{l} -5 * 5 - 2 \quad n=1 \quad \overset{\text{Ans}}{-27} \\ -1 * 5 - 2 \quad n=1 \quad \overset{\text{Ans}}{-7} \end{array}$

## **Memory and stored variables**

$\boxed{x_{abcd}^{yzt}}$   $\boxed{\text{sto} \rightarrow}$   $\boxed{2\text{nd}}$   $\boxed{\text{recall}}$   $\boxed{2\text{nd}}$   $\boxed{\text{clear var}}$

The TI-30X Plus MultiView™ calculator has 8 memory variables—**x**, **y**, **z**, **t**, **a**, **b**, **c**, and **d**. You can store a real or complex number or an expression result to a memory variable.

Features of the calculator that use variables (such as the solvers) will use the values that you store.

$\boxed{\text{sto} \rightarrow}$  lets you store values to variables. Press  $\boxed{\text{sto} \rightarrow}$  to store a variable, and press  $\boxed{x_{abcd}^{yzt}}$  to select the variable to store. Press  $\boxed{\text{enter}}$  to store the value in the selected variable. If this variable already has a value, that value is replaced by the new one.

$\boxed{x_{abcd}^{yzt}}$  is a multi-tap key that cycles through the variable names **x**, **y**, **z**, **t**, **a**, **b**, **c**, and **d**. You can also use  $\boxed{x_{abcd}^{yzt}}$  to recall the stored values for these variables. The name of the variable is inserted into the current entry, but the value assigned to the variable is used to evaluate the expression. To enter two or more variables in succession, press  $\blacktriangleright$  after each.

**2nd** [recall] recalls the values of variables. Press **2nd** [recall] to display a menu of variables and their stored values. Select the variable you want to recall and press **enter**. The value assigned to the variable is inserted into the current entry and used to evaluate the expression.

**2nd** [clear var] clears variable values. Press **2nd** [clear var] and select **1: Yes** to clear all variable values.

### Examples




Start with clear screen	<b>2nd</b> [quit] <b>clear</b>	
Clear Var	<b>2nd</b> [clear var]	
Store	<b>1</b> (Selects <b>Yes</b> ) <b>15</b> <b>sto</b> → $x^{yzt}$	
	<b>enter</b>	
Recall	<b>2nd</b> [recall]	
	<b>enter</b> $x^2$ <b>enter</b>	
	<b>sto</b> → $x^{yzt}$ $x^{yzt}$	

<b>enter</b>	$\begin{array}{r} 15 \rightarrow x \\ 15^2 \\ \text{ans} \rightarrow y \end{array}$
<b><math>x^{yzt}</math></b> <b><math>x^{yzt}</math></b>	$\begin{array}{r} 10 \rightarrow x \\ 15^2 \\ \text{ans} \rightarrow y \\ y \end{array}$
<b>enter</b> <b><math>\div</math></b> <b>4</b> <b>enter</b>	$\begin{array}{r} 15^4 \\ \text{ans} \rightarrow y \\ y \\ \text{ans} / 4 \end{array}$

### **Problem**

In a gravel quarry, two new excavations have been opened. The first one measures 350 meters by 560 meters, the second one measures 340 meters by 610 meters. What volume of gravel does the company need to extract from each excavation to reach a depth of 150 meters? To reach 210 meters? Display the results in engineering notation.

<b>mode</b> <b><math>\nabla</math></b> <b><math>\blacktriangleright</math></b> <b><math>\blacktriangleright</math></b> <b>enter</b> <b>clear</b>	$350 * 560 \rightarrow x \quad 196 \text{E}3$
<b>350</b> <b><math>\times</math></b> <b>560</b> <b>sto</b> <b><math>x^{yzt}</math></b> <b>enter</b>	$\begin{array}{r} 350 * 560 \rightarrow x \quad 196 \text{E}3 \\ 340 * 610 \rightarrow y \\ 207.4 \text{E}3 \end{array}$
<b>340</b> <b><math>\times</math></b> <b>610</b> <b>sto</b> <b><math>x^{yzt}</math></b> <b><math>x^{yzt}</math></b>	$\begin{array}{l} \text{RECALL VAR} \\ 1: x = 196 \text{E}3 \\ 2: y = 207.4 \text{E}3 \\ 3: z = 0 \text{E}0 \end{array}$
<b>enter</b>	
<b>150</b> <b><math>\times</math></b> <b>2nd</b> <b>[recall]</b>	
<b>enter</b> <b>enter</b>	$150 * 196000 \quad 29.4 \text{E}6$

<b>210</b> $\times$ $\boxed{2nd}$ $\boxed{[recall]}$ $\boxed{enter}$ $\boxed{enter}$	
<b>150</b> $\times$ $\boxed{x^{yzt}}$ $\boxed{abcd}$ $\boxed{x^{yzt}}$ $\boxed{abcd}$ $\boxed{enter}$	
<b>210</b> $\times$ $\boxed{x^{yzt}}$ $\boxed{abcd}$ $\boxed{x^{yzt}}$ $\boxed{abcd}$ $\boxed{enter}$	

For the first excavation: The company needs to extract 29.4 million cubic meters to reach a depth of 150 meters, and to extract 41.16 million cubic meters to reach a depth of 210 meters.

For the second excavation: The company needs to extract 31.11 million cubic meters to reach a depth of 150 meters, and to extract 43.554 million cubic meters to reach a depth of 210 meters.

## ***Data editor and list formulas***

$\boxed{data}$

$\boxed{data}$  lets you enter data in up to 3 lists. Each list can contain up to 42 items. Press  $\boxed{2nd}$   $\uparrow$  to go to the top of a list, and  $\boxed{2nd}$   $\downarrow$  to go to the bottom of a list.

List formulas accept all calculator functions and real numbers.

Numeric notation, decimal notation, and angle modes affect the display of an element (except fractional elements).

### ***Example***

L1	data 1 $\frac{1}{4}$ 4 $\downarrow$ 2 $\frac{1}{2}$ 4 $\downarrow$ 4 $\frac{3}{4}$ 4 enter	
Formula	$\rightarrow$ data $\rightarrow$	
	enter	
	data enter 2nd [f $\leftrightarrow$ d] enter	
	enter	

Notice L2 is calculated using the formula you entered, and L2(1)= in the author line is highlighted to indicate the list is the result of a formula.

### **Problem**

On a November day, a weather report on the Internet listed the following temperatures.

Paris, France 8°C

Moscow, Russia -1°C

Montreal, Canada 4°C

Convert these temperatures from degrees Celsius to degrees Fahrenheit. (See also the section on Conversions.)


Reminder:  $F = \frac{9}{5} C + 32$

data data 4

data 5




FORMULA  
2:Clear L2  
3:Clear L3  
4:Clear ALL



CLEAR  
3:Clear L2 Frmla  
4:Clear L3 Frmla  
5:Clear ALL

8 (-) 1 4



L2(1)=

data 1




L2=

9 ÷ 5 × data 1 + 32



L2=9÷5×L1+32


enter



L2(1)=46.4

If Sydney, Australia is 21°C, find the temperature in degrees Fahrenheit.

21 enter



L1(5)=

## Statistics, regressions, and distributions

**data** **2nd** [stat-reg/distr]

**data** lets you enter and edit the data lists.

**2nd** [stat-reg/distr] displays the **STAT-REG** menu, which has the following options.

**Note:** Regressions store the regression information, along with the 2-Var statistics for the data, in StatVars (menu item 1).

- 1: StatVars Displays a secondary menu of statistical result variables. Use  $\odot$  and  $\odot$  to locate the desired variable, and press **enter** to select it. If you select this option before calculating 1-Var stats, 2-Var stats, or any of the regressions, a reminder appears.
- 2: 1-Var Stats Analyzes statistical data from 1 data set with 1 measured variable,  $x$ . Frequency data may be included.
- 3: 2-Var Stats Analyzes paired data from 2 data sets with 2 measured variables— $x$ , the independent variable, and  $y$ , the dependent variable. Frequency data may be included.  
**Note:** 2-Var Stats also computes a linear regression and populates the linear regression results.
- 4: LinReg  
 $ax+b$  Fits the model equation  $y=ax+b$  to the data using a least-squares fit. It



displays values for **a** (slope) and **b** (y-intercept); it also displays values for  $r^2$  and **r**.

- 5: QuadraticReg  $y=ax^2+bx+c$  Fits the second-degree polynomial to the data. It displays values for **a**, **b**, and **c**; it also displays a value for  $R^2$ . For three data points, the equation is a polynomial fit; for four or more, it is a polynomial regression. At least three data points are required.
- 6: CubicReg  $y=ax^3+bx^2+cx+d$  Fits the third-degree polynomial to the data. It displays values for **a**, **b**, **c**, and **d**; it also displays a value for  $R^2$ . For four points, the equation is a polynomial fit; for five or more, it is a polynomial regression. At least four points are required.
- 7: LnReg  $a+b\ln x$  Fits the model equation  $y=a+b \ln(x)$  to the data using a least squares fit and transformed values  $\ln(x)$  and  $y$ . It displays values for **a** and **b**; it also displays values for  $r^2$  and **r**.
- 8: PwrReg  $ax^b$  Fits the model equation  $y=ax^b$  to the data using a least-squares fit and transformed values  $\ln(x)$  and  $\ln(y)$ . It displays values for **a** and **b**; it also displays values for  $r^2$  and **r**.
- 9: ExpReg  $ab^x$  Fits the model equation  $y=ab^x$  to the data using a least-squares fit and transformed values  $x$  and  $\ln$

(y). It displays values for **a** and **b**; it also displays values for  $r^2$  and **r**.

**2nd** [stat-reg/distr]  $\odot$  displays the **DISTR** menu, which has the following distribution functions:

- 1: Normalpdf Computes the probability density function (**pdf**) for the normal distribution at a specified  $x$  value. The defaults are mean  $\mu=0$  and standard deviation  $\sigma=1$ . The probability density function (pdf) is:

$$f(x) = \frac{1}{\sqrt{2\pi\sigma}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}, \sigma > 0$$

- 2: Normalcdf Computes the normal distribution probability between LOWERbnd and UPPERbnd for the specified mean  $\mu$  and standard deviation  $\sigma$ . The defaults are  $\mu=0$ ;  $\sigma=1$ ; with LOWERbnd =  $-1\text{E}99$  and UPPERbnd =  $1\text{E}99$ . Note:  $-1\text{E}99$  to  $1\text{E}99$  represents  $-\infty$  to  $\infty$ .
- 3: invNorm Computes the inverse cumulative normal distribution function for a given area under the normal distribution curve specified by mean  $\mu$  and standard deviation  $\sigma$ . It calculates the  $x$  value associated with an area to the left of the  $x$  value.  $0 \leq \text{area} \leq 1$  must be true. The defaults are  $\text{area}=1$ ,  $\mu=0$  and  $\sigma=1$ .

4: Binompdf Computes a probability at  $x$  for the discrete binomial distribution with the specified *numtrials* and probability of success ( $p$ ) on each trial.  $x$  is a non-negative integer and can be entered with options of SINGLE entry, LIST of entries or ALL (list of probabilities from 0 to *numtrials* is returned).  $0 \leq p \leq 1$  must be true. The probability density function (**pdf**) is:

$$f(x) = \binom{n}{x} p^x (1-p)^{n-x}, x = 0, 1, \dots, n$$

5: Binomcdf Computes a cumulative probability at  $x$  for the discrete binomial distribution with the specified *numtrials* and probability of success ( $p$ ) on each trial.  $x$  can be non-negative integer and can be entered with options of SINGLE, LIST or ALL (a list of cumulative probabilities is returned.)  $0 \leq p \leq 1$  must be true.

6: Poissonpdf Computes a probability at  $x$  for the discrete Poisson distribution with the specified mean  $\mu$  ( $\mu$ ), which must be a real number  $> 0$ .  $x$  can be an non-negative integer (SINGLE) or a list of integers (LIST). The probability density function (**pdf**) is:

$$f(x) = e^{-\mu} \mu^x / x!, x = 0, 1, 2, \dots$$

7: Poissoncdf Computes a cumulative probability at  $x$  for the discrete Poisson

distribution with the specified mean  $\mu$ , which must be a real number  $> 0$ .  $x$  can be a non-negative integer (SINGLE) or a list of integers (LIST).

**Note:** The default value for  $\mu$  ( $\mu$ ) is 0. For **Poissonpdf** and **Poissoncdf**, you must change it to a value  $> 0$ .

### **1-Var Stats and 2-Var Stats results**

**Important note about results:** Many of the regression equations share the same variables **a**, **b**, **c**, and **d**. If you perform any regression calculation, the regression calculation and the 2-Var statistics for that data are stored in the **StatVars** menu until the next statistics or regression calculation. The results must be interpreted based on which type of statistics or regression calculation was last performed. To help you interpret correctly, the title bar reminds you of which calculation was last performed.

<b>Variables</b>	<b>Definition</b>
<b>n</b>	Number of $x$ or $(x,y)$ data points.
$\bar{x}$ or $\bar{y}$	Mean of all $x$ or $y$ values.
<b>Sx</b> or <b>Sy</b>	Sample standard deviation of $x$ or $y$ .
$\sigma_x$ or $\sigma_y$	Population standard deviation of $x$ or $y$ .
$\Sigma x$ or $\Sigma y$	Sum of all $x$ or $y$ values.
$\Sigma x^2$ or $\Sigma y^2$	Sum of all $x^2$ or $y^2$ values.
$\Sigma xy$	Sum of $(x..y)$ for all $xy$ pairs.
<b>a(2-Var)</b>	Linear regression slope.

<b>b(2-Var)</b>	Linear regression $y$ -intercept.
<b>r(2-Var)</b>	Correlation coefficient.
<b><math>x'</math> (2-Var)</b>	Uses $a$ and $b$ to calculate predicted $x$ value when you input a $y$ value.
<b><math>y'</math> (2-Var)</b>	Uses $a$ and $b$ to calculate predicted $y$ value when you input an $x$ value.
<b>MinX</b>	Minimum of $x$ values.
<b>Q1 (1-Var)</b>	Median of the elements between MinX and Med (1st quartile).
<b>Med</b>	Median of all data points (1-Var stats only).
<b>Q3 (1-Var)</b>	Median of the elements between Med and MaxX (3rd quartile).
<b>MaxX</b>	Maximum of $x$ values.








***To define statistical data points:***

1. Enter data in L1, L2, or L3. (See Data editor.)  
**Note:** Non-integer frequency elements are valid. This is useful when entering frequencies expressed as percentages or parts that add up to 1. However, the sample standard deviation,  $S_x$ , is undefined for non-integer frequencies, and  $S_x = \text{Error}$  is displayed for that value. All other statistics are displayed.
2. Press  $\boxed{2\text{nd}}$   $\boxed{[\text{stat-reg/distr}]}$ . Select **1-Var** or **2-Var** and press  $\boxed{\text{enter}}$ .
3. Select L1, L2, or L3, and the frequency.
4. Press  $\boxed{\text{enter}}$  to display the menu of variables.

5. To clear data, press **[data]** **[data]**, select a list to clear, and press **[enter]**.







### 1-Var Example

Find the mean of {45, 55, 55, 55}

Clear all data	<b>[data]</b> <b>[data]</b> <b>[down]</b> <b>[down]</b> <b>[down]</b>	
Data	<b>[enter]</b> <b>45</b> <b>[down]</b> <b>55</b> <b>[down]</b> <b>55</b> <b>[down]</b> <b>55</b> <b>[enter]</b>	
Stat	<b>[2nd]</b> <b>[quit]</b> <b>[2nd]</b> <b>[stat-reg/distr]</b>	
2 (Selects 1-Var Stats)	<b>[down]</b> <b>[down]</b>	
	<b>[enter]</b>	
Stat Var	<b>2</b> <b>[enter]</b>	
	<b>[x]</b> <b>2</b> <b>[enter]</b>	

### 2-Var Example

Data: (45,30); (55,25). Find:  $x'(45)$

Clear all data	<code>data</code> <code>data</code> $\downarrow$ $\downarrow$ $\downarrow$	
Data	<code>enter</code> <code>45</code> $\downarrow$ <code>55</code> $\downarrow$ $\uparrow$ <code>30</code> $\downarrow$ <code>25</code> $\downarrow$	
Stat	<code>2nd</code> [ <code>stat-reg/distr</code> ]	
	<b>3 (Selects 2-Var Stats)</b> $\downarrow$ $\downarrow$ $\downarrow$	
	<code>enter</code> <code>2nd</code> [ <code>quit</code> ] <code>2nd</code> [ <code>stat-reg/distr</code> ] <b>1</b> $\uparrow$ $\uparrow$ $\uparrow$ $\uparrow$ $\uparrow$ $\uparrow$	
	<code>enter</code> <code>45</code> <code>)</code> <code>enter</code>	

### **Problem**

For his last four tests, Anthony obtained the following scores. Tests 2 and 4 were given a weight of 0.5, and tests 1 and 3 were given a weight of 1.

Test No.	1	2	3	4
Score	12	13	10	11
Coefficient	1	0.5	1	0.5







- Find Anthony's average grade (weighted average).

2. What does the value of  $n$  given by the calculator represent? What does the value of  $\Sigma x$  given by the calculator represent?

Reminder: The weighed average is

$$\frac{\Sigma x}{n} = \frac{(12)(1)+(13)(0.5)+(10)(1)+(11)(0.5)}{1+0.5+1+0.5}$$

3. The teacher gave Anthony 4 more points on test 4 due to a grading error. Find Anthony's new average grade.

<p>data data <math>\downarrow</math> <math>\downarrow</math> <math>\downarrow</math></p>	
<p>enter data <math>\rightarrow</math> <math>\downarrow</math> <math>\downarrow</math> <math>\downarrow</math> <math>\downarrow</math></p>	
<p>enter 12 <math>\downarrow</math> 13 <math>\downarrow</math> 10 <math>\downarrow</math> 11 <math>\downarrow</math> <math>\rightarrow</math> 1 <math>\downarrow</math> .5 <math>\downarrow</math> 1 <math>\downarrow</math> .5 enter</p>	
<p>2nd [stat-reg/distr]</p>	
<p>2 (Selects 1-Var Stats) <math>\downarrow</math> <math>\rightarrow</math> <math>\rightarrow</math> enter</p>	
<p>enter</p>	

Anthony has an average ( $\bar{x}$ ) of 11.33 (to the nearest hundredth).





On the calculator,  $n$  represents the total sum of the weights.

$$n = 1 + 0.5 + 1 + 0.5.$$

$\Sigma x$  represents the weighted sum of his scores.

$$(12)(1) + (13)(0.5) + (10)(1) + (11)(0.5) = 34.$$

Change Anthony's last score from 11 to 15.

<p>data <math>\blacktriangledown</math> <math>\blacktriangledown</math> <math>\blacktriangledown</math> 15 enter</p>	
<p>2nd [stat-reg/distr] 2  <math>\blacktriangledown</math> <math>\blacktriangleright</math> <math>\blacktriangleright</math> enter enter</p>	

If the teacher adds 4 points to Test 4, Anthony's average grade is 12.









### **Problem**

The table below gives the results of a braking test.

Test No.	1	2	3	4
Speed (kph)	33	49	65	79
Braking distance (m)	5.30	14.45	20.21	38.45

Use the relationship between speed and braking distance to estimate the braking distance required for a vehicle traveling at 55 kph.






A hand-drawn scatter plot of these data points suggest a linear relationship. The calculator uses the least squares method to find the line of best fit,  $y'=ax'+b$ , for data entered in lists.

<p>data data <math>\downarrow</math> <math>\downarrow</math> <math>\downarrow</math></p>	
<p>enter  <b>33</b> <math>\downarrow</math> <b>49</b> <math>\downarrow</math> <b>65</b> <math>\downarrow</math> <b>79</b> <math>\downarrow</math> <b>5.3</b>  <math>\downarrow</math> <b>14.45</b> <math>\downarrow</math> <b>20.21</b> <math>\downarrow</math> <b>38.45</b>  enter</p>	
<p><b>2nd</b> [quit]  <b>2nd</b> [stat-reg/distr]</p>	
<p><b>3</b> (Selects 2-Var Stats)  <math>\downarrow</math> <math>\downarrow</math> <math>\downarrow</math></p>	
<p>enter</p>	
<p>Press <math>\downarrow</math> as necessary to view <math>a</math> and <math>b</math>.</p>	
<p>This line of best fit, <math>y'=0.67732519x'-18.66637321</math> models the linear trend of the data.</p>	
<p>Press <math>\downarrow</math> until <math>y'</math> is highlighted.</p>	
<p>enter <b>55</b> ) enter</p>	

The linear model gives an estimated braking distance of 18.59 meters for a vehicle traveling at 55 kph.

### Regression example 1

Calculate an  $ax+b$  linear regression for the following data:  $\{1,2,3,4,5\}$ ;  $\{5,8,11,14,17\}$ .

Clear all data	[data] [data] $\downarrow$ $\downarrow$ $\downarrow$	
Data	[enter] 1 $\downarrow$ 2 $\downarrow$ 3 $\downarrow$ 4 $\downarrow$ 5 $\downarrow$ $\rightarrow$ 5 $\downarrow$ 8 $\downarrow$ 11 $\downarrow$ 14 $\downarrow$ 17 [enter]	
Regression	[2nd] [quit] [2nd] [stat-reg/distr] $\downarrow$ $\downarrow$ $\downarrow$	
	[enter]	
	$\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ [enter] Press $\downarrow$ to examine all the result variables.	








### Regression example 2

Calculate the exponential regression for the following data:

$L1 = \{0, 1, 2, 3, 4\}$ ;  $L2 = \{10, 14, 23, 35, 48\}$

Find the average value of the data in L2.

Compare the exponential regression values to L2.

Clear all data	data data 4	
Data	0 $\downarrow$ 1 $\downarrow$ 2 $\downarrow$ 3 $\downarrow$ 4 $\downarrow$ $\uparrow$ 10 $\downarrow$ 14 $\downarrow$ 23 $\downarrow$ 35 $\downarrow$ 48 $\text{enter}$	
Regression	$\text{2nd}$ [stat-reg/distr] $\uparrow$	
Save the regression equation to f(x) in the table menu.	$\text{enter}$ $\downarrow$ $\downarrow$ $\downarrow$ $\uparrow$ $\text{enter}$	
Regression Equation	$\text{enter}$	
Find the average value ( $\bar{y}$ ) of the data in L2 using StatVars.	$\text{2nd}$ [stat-reg/distr] <b>1 (Selects StatVars)</b> $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$	 <p data-bbox="671 1257 956 1541">Notice that the title bar reminds you of your last statistical or regression calculation.</p>
Examine the table of values of the	table 2	





regression equation.		
	enter 0 enter 1 enter	
	enter enter	

**Warning:** If you now calculate 2-Var Stats on your data, the variables **a** and **b** (along with **r** and  $r^2$ ) will be calculated as a linear regression. Do not recalculate 2-Var Stats after any other regression calculation if you want to preserve your regression coefficients (a, b, c, d) and r values for your particular problem in the **StatVars** menu.



### *Distribution example*


Compute the binomial pdf distribution at x values {3,6,9} with 20 trials and a success probability of 0.6. Enter the x values in list L1, and store the results in L2.

Clear all data	data data ⌵ ⌵ ⌵	
Data	enter 3 ⌵ 6 ⌵ 9 enter	
DISTR	2nd [stat-reg/distr] ⌵ ⌵ ⌵ ⌵	


	enter →	
	enter 20 ↵ 0.6	
	enter ↵ ↵	
	enter	

## Probability

  [random]

 is a multi-tap key that cycles through the following options:

!	A <b>factorial</b> is the product of the positive integers from 1 to $n$ . $n$ must be a positive whole number $\leq 69$ .
nCr	Calculates the number of possible <b>combinations</b> of $n$ items taken $r$ at a time, given $n$ and $r$ . The order of objects is not important, as in a hand of cards.
nPr	Calculates the number of possible <b>permutations</b> of $n$ items taken $r$ at a time, given $n$ and $r$ . The order of objects is important, as in a race.



























 [random] displays a menu with the following options:

**rand**      Generates a random real number

between 0 and 1. To control a sequence of random numbers, store an integer (seed value)  $\geq 0$  to **rand**. The seed value changes randomly every time a random number is generated.

**randint(** Generates a random integer between 2 integers,  $A$  and  $B$ , where  $A \leq \text{randint} \leq B$ . Separate the 2 integers with a comma.

### Examples

!	4   	4! <span style="float:right">^</span> 24
nCr	52   5 	4! <span style="float:right">^</span> 52 nCr 5 <span style="float:right">^</span> 2598960
nPr	8    3 	4! <span style="float:right">^</span> 52 nCr 5 <span style="float:right">^</span> 8 nPr 3 <span style="float:right">^</span> 2598960 336
STO▶ rand	5   	PRB    2:randint(
	1(Selects rand) 	52 nCr 5 <span style="float:right">^</span> 2598960 8 nPr 3 <span style="float:right">^</span> 336 5→rand <span style="float:right">^</span> 5
Rand	  1 	8 nPr 3 <span style="float:right">^</span> 5→rand <span style="float:right">^</span> rand <span style="float:right">^</span> 0.000093165
Randint(	  2 3   5  	5→rand <span style="float:right">^</span> rand <span style="float:right">^</span> 0.000093165 randint(3,5) <span style="float:right">^</span> 5

## **Problem**

An ice cream store advertises that it makes 25 flavors of home made ice cream. You like to order three different flavors in a dish. How many combinations of ice cream can you test over a very hot summer?

<b>clear</b> <b>25</b> $\frac{nCr}{nPr}$ $\frac{nCr}{nPr}$ <b>3</b> <b>enter</b>	$25 \text{ nCr } 3 = 2300$
-------------------------------------------------------------------------------------	----------------------------

You can choose from 2300 dishes with different combinations of flavors! If a long hot summer is about 90 days long, you will need to eat about 25 ice cream dishes each day!

## **Function table**

**table** displays a menu with the following options:

- 1:  $f(\quad)$  Pastes the existing  $f(x)$  to an input area such as the Home screen to evaluate the function at a point (for example,  $f(2)$ ).
- 2: Edit function Lets you define the function  $f(x)$  and generates a table of values.

The function table allows you to display a defined function in a tabular form. To set up a function table:

1. Press **table** and select **Edit function**.
2. Enter a function and press **enter**.
3. Select the table start, table step, auto, or ask- $x$  options and press **enter**.

The table is displayed using the specified values.







Start	Specifies the starting value for the independent variable, $x$ .
Step	Specifies the incremental value for the independent variable, $x$ . The step can be positive or negative.
Auto	The calculator automatically generates a series of values based on table start and table step.
Ask- $x$	Lets you build a table manually by entering specific values for the independent variable, $x$ .

### Problem

Find the vertex of the parabola,  $y = x(36 - x)$  using a table of values.

Reminder: The vertex of the parabola is the point on the parabola that is also on the line of symmetry.






<table border="0"> <tr> <td><b>table</b></td> <td><b>2</b></td> <td><b>clear</b></td> </tr> <tr> <td><math>x^{yzt}</math> <small>abcd</small></td> <td><b>(</b></td> <td><b>36</b> <b>-</b> <math>x^{yzt}</math> <small>abcd</small></td> </tr> <tr> <td colspan="3"><b>)</b></td> </tr> </table>	<b>table</b>	<b>2</b>	<b>clear</b>	$x^{yzt}$ <small>abcd</small>	<b>(</b>	<b>36</b> <b>-</b> $x^{yzt}$ <small>abcd</small>	<b>)</b>			
<b>table</b>	<b>2</b>	<b>clear</b>								
$x^{yzt}$ <small>abcd</small>	<b>(</b>	<b>36</b> <b>-</b> $x^{yzt}$ <small>abcd</small>								
<b>)</b>										
<b>enter</b>										
<b>15</b> <b>↙</b> <b>3</b> <b>↙</b> <b>↙</b>										
<b>enter</b>										

After searching close to  $x = 18$ , the point  $(18, 324)$  appears to be the vertex of the parabola since it appears to be the turning point of the set of points of this function. To search closer to  $x = 18$ , change the Step value to smaller and smaller values to see points closer to  $(18, 324)$ .

### **Problem**

A charity collected \$3,600 to help support a local food kitchen. \$450 will be given to the food kitchen every month until the funds run out. How many months will the charity support the kitchen?

Reminder: If  $x =$  months and  $y =$  money left, then  $y = 3600 - 450x$ .

<p><b>table</b> <b>2</b></p> <p><b>clear</b></p> <p><b>3600</b> <b>-</b> <b>450</b> <math>x^{yzt}</math> <math>abcd</math></p>	
<p><b>enter</b> <b>0</b> <math>\downarrow</math> <b>1</b> <math>\downarrow</math> <math>\rightarrow</math> <b>enter</b> <math>\downarrow</math> <b>enter</b></p>	
<p>Input each guess and press <b>enter</b> .</p>	
<p>Calculate the value of <b>f(8)</b> on the Home screen.</p> <p><b>2nd</b> <b>[quit]</b> <b>table</b></p>	
<p><b>1</b> Selects <b>f(</b></p> <p><b>8</b> <b>)</b> <b>enter</b></p>	

The support of \$450 per month will last for 8 months since  $y(8) = 3600 - 450(8) = 0$  as shown in the table of values.

## ***Number bases***

**2nd** [base n]

### **Base conversion**

**2nd** [base n] displays the **CONVR** menu, which converts a real number to the equivalent in a specified base.

- 1: ▶ Hex      Converts to hexadecimal (base 16).
- 2: ▶ Bin      Converts to binary (base 2).
- 3: ▶ Dec      Converts to decimal (base 10).
- 4: ▶ Oct      Converts to octal (base 8).

### **Base type**

**2nd** [base n] **Ⓢ** displays the **TYPE** menu, which lets you designate the base of a number regardless of the calculator's current number-base mode.

- 1: h          Designates a hexadecimal integer.
- 2: b          Specifies a binary integer.
- 3: d          Specifies a decimal number.
- 4: o          Specifies an octal integer.

### ***Examples in DEC mode***

**Note:** Mode can be set to DEC, BIN, OCT, or HEX. See the Mode section.

d ▶ Hex	clear <b>127</b> 2nd [base n] <b>1</b> enter	<pre> 127▶Hex      7Fh </pre>
h ▶ Bin	clear 2nd [F] 2nd [F] 2nd [base n] Ⓜ <b>1</b> 2nd [base n] <b>2</b> enter	<pre> FFh▶Bin      11111111b </pre>
b ▶ Oct	clear <b>10000000</b> 2nd [base n] Ⓜ <b>2</b> <b>2</b> 2nd [base n] <b>4</b> enter	<pre> 10000000b▶Oct 200o </pre>
o ▶ Dec	Ⓜ enter	<pre> 10000000b▶Oct 200o 200o          128 </pre>

## Boolean logic

2nd [base n] Ⓜ displays the **LOGIC** menu, which lets you perform boolean logic.

- 1: and      Bitwise AND of two integers
- 2: or      Bitwise OR of two integers
- 3: xor      Bitwise XOR of two integers
- 4: xnor     Bitwise XNOR of two integers
- 5: not(     Logical NOT of a number
- 6: 2's(     2's complement of a number
- 7: nand     Bitwise NAND of two integers

## Examples

BIN mode: <b>and, or</b>	<code>mode</code> $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\rightarrow$ $\rightarrow$ <code>enter</code> <b>1111</b> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>1</b> <b>1010</b> <code>enter</code> <b>1111</b> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>2</b> <b>1010</b> <code>enter</code>	<pre>       1111 and 1010       1111 or 1010       1111b       1010b       1111b     </pre>
BIN mode: <b>xor, xnor</b>	<b>11111</b> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>3</b> <b>10101</b> <code>enter</code> <b>11111</b> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>4</b> <b>10101</b> <code>enter</code>	<pre>       11111 xor 10101       11111 xnor 10101       1111110101b     </pre>
HEX mode: <b>not, 2's</b>	<code>mode</code> $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ $\rightarrow$ <code>enter</code> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>6</b> <code>2nd</code> <code>[F]</code> <code>2nd</code> <code>[F]</code> <code>)</code> <code>enter</code> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>5</b> <code>2nd</code> <code>[answer]</code> <code>enter</code>	<pre>       2's(FF)       FFFFFFFF01h       not(ans) FEh     </pre>
DEC mode: <b>nand</b>	<code>mode</code> $\downarrow$ $\downarrow$ $\downarrow$ $\downarrow$ <code>enter</code> <b>192</b> <code>2nd</code> <code>[base n]</code> $\downarrow$ <b>7</b> <b>48</b> <code>enter</code>	<pre>       192 nand 48 -1     </pre>

## Expression evaluation

`2nd` `[expr-eval]`

Press `2nd` `[expr-eval]` to input and calculate an expression using numbers, functions, and variables/parameters.

Pressing `2nd` `[expr-eval]` from a populated home screen expression pastes the content to Expr=. If the user is in an input or output history line when `2nd` `[expr-eval]` is pressed, the home screen expression pastes to Expr=.

### Example

<b>2nd</b> [expr-eval]	Expr= ↓
<b>2</b> $x_{abcd}^{yzt}$ <b>+</b> $x_{abcd}^{yzt}$ $x_{abcd}^{yzt}$ $x_{abcd}^{yzt}$	Expr=2x+z ↓
<b>enter</b> <b>2</b>	x=2 ↑ ↓
<b>enter</b> <b>5</b>	z=5 ↑ ↓
<b>enter</b>	2x+z ↑ 9
<b>2nd</b> [expr-eval]	Expr=2x+z ↓
<b>enter</b> <b>4</b> <b>enter</b> <b>6</b> <b>enter</b>	2x+z ↑ 14

## Constants

**2nd** [constants]

Constants lets you access scientific constants to paste in various areas of the TI-30X Plus MultiView™ calculator. Press **2nd** [constants] to access, and **⏪** or **⏩** to select either the NAMES or UNITS menus of the same 20 physical constants. Use **⏴** and **⏵** to scroll through the list of constants in the two menus. The NAMES menu displays an abbreviated name next to the

character of the constant. The UNITS menu has the same constants as NAMES but the units of the constant show in the menu.

```

NAMES UNITS
1: c Speed Light
2: g GravityAccel
3: h Planck Const
    
```

```

NAMES UNITS
1: c m/s
2: g m/s2
3: h J s
    
```

**Note:** Displayed constant values are rounded. The values used for calculations are given in the following table.

Constant		Value used for calculations
<b>c</b>	speed of light	299792458 meters per second
<b>g</b>	gravitational acceleration	9.80665 meters per second <sup>2</sup>
<b>h</b>	Planck's constant	$6.62606896 \times 10^{-34}$ Joule seconds
<b>NA</b>	Avogadro's number	$6.02214179 \times 10^{23}$ molecules per mole
<b>R</b>	ideal gas constant	8.314472 Joules per mole per Kelvin
<b>m<sub>e</sub></b>	electron mass	$9.109381215 \times 10^{-31}$ kilograms
<b>m<sub>p</sub></b>	proton mass	$1.672621637 \times 10^{-27}$ kilograms
<b>m<sub>n</sub></b>	neutron mass	$1.674927211 \times 10^{-27}$ kilograms
<b>m<sub>μ</sub></b>	muon mass	$1.88353130 \times 10^{-28}$ kilograms

<b>Constant</b>		<b>Value used for calculations</b>
<b>G</b>	universal gravitation	$6.67428 \times 10^{-11}$ meters <sup>3</sup> per kilogram per seconds <sup>2</sup>
<b>F</b>	Faraday constant	96485.3399 Coulombs per mole
<b>a<sub>0</sub></b>	Bohr radius	$5.2917720859 \times 10^{-11}$ meters
<b>r<sub>e</sub></b>	classical electron radius	$2.8179402894 \times 10^{-15}$ meters
<b>k</b>	Boltzmann constant	$1.3806504 \times 10^{-23}$ Joules per Kelvin
<b>e</b>	electron charge	$1.602176487 \times 10^{-19}$ Coulombs
<b>u</b>	atomic mass unit	$1.660538782 \times 10^{-27}$ kilograms
<b>atm</b>	standard atmosphere	101325 Pascals
<b>ε<sub>0</sub></b>	permittivity of vacuum	$8.854187817620 \times 10^{-12}$ Farads per meter
<b>μ<sub>0</sub></b>	permeability of vacuum	$1.256637061436 \times 10^{-6}$ Newtons per ampere <sup>2</sup>
<b>Cc</b>	Coulomb's constant	$8.987551787368 \times 10^9$ meters per Farad



## Conversions

The CONVERSIONS menu permits you to perform a total of 20 conversions (or 40 if converting both ways).

To access the CONVERSIONS menu, press **[2nd]** **[convert]**. Press one of the numbers (1-5) to select, or press **[↑]** and **[↓]** to scroll through and select one of the CONVERSIONS sub-menus. The sub-menus include the categories English-Metric, Temperature, Speed and Length, Pressure, and Power and Energy.



## English ↔ Metric conversion

### Conversion

<b>in ▶ cm</b>	inches to centimeters
<b>cm ▶ in</b>	centimeters to inches
<b>ft ▶ m</b>	feet to meters
<b>m ▶ ft</b>	meters to feet
<b>yd ▶ m</b>	yards to meters
<b>m ▶ yd</b>	meters to yards
<b>mile ▶ km</b>	miles to kilometers
<b>km ▶ mile</b>	kilometers to miles
<b>acre ▶ m<sup>2</sup></b>	acres to square meters
<b>m<sup>2</sup> ▶ acre</b>	square meters to acres
<b>gal US ▶ L</b>	US gallons to liters
<b>L ▶ gal US</b>	liters to US gallons

gal UK ▶ ltr	UK gallons to liters
ltr ▶ gal UK	liters to UK gallons
oz ▶ gm	ounces to grams
gm ▶ oz	grams to ounces
lb ▶ kg	pounds to kilograms
kg ▶ lb	kilograms to pounds

## Temperature conversion

### Conversion

°F ▶ °C	<b>Fahrenheit to Celsius</b>
°C ▶ °F	<b>Celsius to Fahrenheit</b>
°C ▶ °K	<b>C Celsius to Kelvin</b>
°K ▶ °C	<b>Kelvin to Celsius</b>

## Speed and length conversion

### Conversion

km/hr ▶ m/s	kilometers/hour to meters/second
m/s ▶ km/hr	meters/second to kilometers/hour
LtYr ▶ m	light years per meter
m ▶ LtYr	meters to light years
pc ▶ m	parsecs to meters
m ▶ pc	meters to parsecs

Ang ▶ m	Angstrom to meters
m ▶ Ang	meters to Angstrom

## Power and energy conversion

### Conversion



J ▶ kWh	joules to kilowatt hours
kWh ▶ J	kilowatt hours to Joules
J ▶ cal	calories to Joules
cal ▶ J	Joules to calories
hp ▶ kWh	horsepower to kilowatt hours
kWh ▶ hp	kilowatt hours to horsepower



## Pressure conversion

### Conversion

atm ▶ Pa	atmospheres to Pascals
Pa ▶ atm	Pascals to atmospheres
mmHg ▶ Pa	millimeters of mercury to Pascals
Pa ▶ mmHg	Pascals to millimeters of mercury

## Examples

<b>Temperature</b> <b>e</b>	( (-) 22 ) 2nd [convert] 2 enter enter Enclose negative numbers/expression s in parentheses.)	
		

<p><b>Speed, Length</b></p>	<p>clear</p> <p>( 60 ) 2nd</p> <p>[convert] ⌵ ⌵ enter</p> <p>enter enter</p>	 <p>SPEED LENGTH DEG</p> <p>km/h to m/s    m/s to km/h</p> <p>liters to H    H to liters</p> <p>PC to H    H to PC</p> <p>Ans to H    H to Ans</p> <p>(60) km/h to m/s</p> <p>16.666666667</p>
<p><b>Power, Energy</b></p>	<p>clear</p> <p>( 200 ) 2nd</p> <p>[convert] ⌵ ⌵ ⌵ ⌵</p> <p>enter ⌵</p> <p>enter enter</p>	 <p>POWER ENERGY DEG</p> <p>J to kWh    kWh to J</p> <p>J to cal    cal to J</p> <p>H to kWh    kWh to H</p> <p>(200) kWh to J</p> <p>720000000</p>

## Complex numbers

**2nd** [complex]

The calculator performs the following complex number calculations:

- Addition, subtraction, multiplication, and division
- Argument and absolute value calculations
- Reciprocal, square, and cube calculations
- Complex Conjugate number calculations

### Setting the complex format:

Set the calculator to DEC mode when computing with complex numbers.

**mode** ⌵ ⌵ ⌵ Selects the **REAL** menu. Use ⌵ and ⌶ to scroll with in the **REAL** menu to highlight the desired complex results format **a+bi**, or **r∠θ**, and press **enter**.

**REAL a+bi**, or **r∠θ** set the format of complex number results.

**a+bi** rectangular complex results

**r∠θ** polar complex results

### Notes:

- Complex results are not displayed unless complex numbers are entered.
- To access *i* on the keypad, use the multi-tap key  $\boxed{\pi^e_i}$ .
- Variables *x*, *y*, *z*, *t*, *a*, *b*, *c*, and *d* are real or complex.
- Complex numbers can be stored.
- Complex numbers are not allowed in data and some other input areas.
- For `conj(`, `real(`, and `imag(`, the argument can be in either rectangular or polar form. The output for `conj(` is determined by the mode setting.
- The output for `real(` and `imag(` are real numbers.
- Set mode to DEG or RAD depending on the angle measure needed.

### Complex menu

### Description

1: ∠

∠ (polar angle character)

Lets you paste the polar representation of a complex number

(such as  $5\angle\pi$ ).

2 :polar angle

**angle(**

Returns the polar angle of a complex number.

3: magnitude



**abs(** (or  $|\square|$  in MathPrint™ mode)

## Complex menu

## Description

- Returns the magnitude (modulus) of a complex number.
- 4:  $\blacktriangleright r \angle \pi$  Displays a complex result in polar form. Valid only at the end of an expression. Not valid if the result is real.
- 5:  $\blacktriangleright a+bi$  Displays a complex result in rectangular form. Valid only at the end of an expression. Not valid if the result is real.
- 6: conjugate **conj(** Returns the conjugate of a complex number.
- 7: real **real(** Returns the real part of a complex number.
- 8: imaginary **imag(** Returns the imaginary (nonreal) part of a complex number.

### Examples (set mode to RAD)

Polar angle character: $\angle$	<code>clear</code> <code>5</code> <code>2nd</code> <code>[complex]</code> <code>enter</code> <code><math>\pi_i</math></code> <code><math>\frac{\square}{\square}</math></code> <code>2</code> <code>enter</code>	
Polar angle: angle(	<code>clear</code> <code>2nd</code> <code>[complex]</code> <code><math>\odot</math></code> <code>enter</code> <code>3</code> <code>+</code> <code>4</code> <code><math>\pi_i</math></code> <code><math>\pi_i</math></code> <code><math>\pi_i</math></code> <code>)</code> <code>enter</code>	

Magnitude: abs(	<code>clear</code> <code>2nd</code> <code>[complex]</code> <b>3</b> <code>(</code> <b>3</b> <code>+</code> <b>4</b> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>)</code> <code>enter</code>	$ 3+4i $ $\approx 5$
▶ $r \angle \theta$	<code>clear</code> <b>3</b> <code>+</code> <b>4</b> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>2nd</code> <code>[complex]</code> <b>4</b> <code>enter</code>	$3+4i \rightarrow r \angle \theta$ $5 \angle 0.927295218$
▶ $a+bi$	<code>clear</code> <b>5</b> <code>2nd</code> <code>[complex]</code> <code>enter</code> <b>3</b> <code>π<sub>i</sub></code> <code>□</code> <b>2</b> <code>▶</code> <code>2nd</code> <code>[complex]</code> <b>5</b> <code>enter</code>	$5 \angle \frac{3\pi}{2} \rightarrow a+bi$ $-5i$
Conjugate: conj(	<code>clear</code> <code>2nd</code> <code>[complex]</code> <b>6</b> <b>5</b> <code>-</code> <b>6</b> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>)</code> <code>enter</code>	$\text{conj}(5-6i)$ $5+6i$
Real: real(	<code>clear</code> <code>2nd</code> <code>[complex]</code> <b>7</b> <b>5</b> <code>-</code> <b>6</b> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>π<sub>i</sub></code> <code>)</code> <code>enter</code>	$\text{real}(5-6i)$ $\approx 5$

## Errors

When the calculator detects an error, it returns an error message with the type of error. The following list includes some of the errors that you may encounter.

To correct the error, note the error type and determine the cause of the error. If you cannot recognize the error, refer to the following list.

Press **[clear]** to clear the error message. The previous screen is displayed with the cursor at or near the error location. Correct the expression.

The following list includes some of the errors that you may encounter.

**0<area<1** – This error is returned when you input an invalid value for area *invNormal*.

**ARGUMENT** – This error is returned if:

- a function does not have the correct number of arguments.
- the lower limit is greater than the upper limit.
- either index value is complex.

**BREAK** – You pressed the **[on]** key to stop evaluation of an expression.

**CHANGE MODE to DEC** – Base n mode: This error is displayed if the mode is not DEC and you press **[expr-eval]** **[table]** or **[convert]**.

**COMPLEX** – If you use a complex number incorrectly in an operation or in memory you will get the COMPLEX error.

**DATA TYPE** – You entered a value or variable that is the wrong data type.



- For a function (including implied multiplication) or an instruction, you entered an argument that is an invalid data type, such as a complex number where a real number is required.
- You attempted to store an incorrect data type, to a list.
- Input to the complex conversions is real.
- You attempted to execute a complex number in an area that is not allowed.

**DIM MISMATCH** – You get this error if

- you attempt to store a data type with a dimension not allowed in the storing data type.

**DIVIDE BY 0** – This error is returned when:

- you attempt to divide by 0.
- in statistics,  $n = 1$ .

**DOMAIN** – You specified an argument to a function outside the valid range. For example:

- For  $x \setminus y$ :  $x = 0$  or  $y < 0$  and  $x$  is not an odd integer.
- For  $y^x$ :  $y$  and  $x = 0$ ;  $y < 0$  and  $x$  is not an integer.
- For  $\langle x$ :  $x < 0$ .
- For **LOG** or **LN**:  $x \leq 0$ .
- For **TAN**:  $x = 90, -90, 270, -270, 450$ , etc., and equivalent for radian mode.
- For **SIN**<sup>-1</sup> or **COS**<sup>-1</sup>:  $|x| > 1$ .
- For **nCr** or **nPr**:  $n$  or  $r$  are not integers  $\geq 0$ .
- For  $x!$ :  $x$  is not an integer between 0 and 69.

**EQUATION LENGTH ERROR** – An entry exceeds the digit limits (80 for stat entries or 47 for constant entries); for example, combining an entry with a constant that exceeds the limit.

**Exponent must be Integer** – This error is returned if the exponent is not an integer.

**FORMULA** – The formula does not contain a list name (L1, L2, or L3), or the formula for a list contains its own list name. For example, a formula for L1 contains L1.

**FRQ DOMAIN** – **FRQ** value (in **1-Var** and **2-Var** stats)  $< 0$ .



**Input must be Real** – This error is displayed if a variable pre-populates with a non-real number where a real number is required and you move the cursor just past that line. The cursor is returned to the incorrect line and you must change the input.

**Input must be non-negative integer** – This error is displayed when an invalid value is input for  $x$  and  $n$  in the **DISTR** menus.

**INVALID EQUATION** – This error is returned when:

- The calculation contains too many pending operations (more than 23). If using the Stored operation feature (op), you attempted to enter more than four levels of nested functions using fractions, square roots, exponents with  $^$ ,  $^x\sqrt{y}$ ,  $e^x$ , and  $10^x$ .
- You press  on a blank equation or an equation with only numbers.

**Invalid Data Type** – In an editor, you entered a type that is not allowed, such as a complex number or as an element in the stat list editor.

- INVALID FUNCTION** – An invalid function is entered in the function definition in Function table.
- Mean  $\mu > 0$**  – An invalid value is input for the mean (mean =  $\mu$ ) in *poissonpdf* or *poissoncdf*.
- Number of trials  $0 < n < 41$**  – Number of trials is limited to  $0 < n < 41$  for *binomialpdf* and *binomialcdf*.
- OP NOT DEFINED** – The Operation [op] is not defined.
- OVERFLOW** – You attempted to enter, or you calculated a number that is beyond the range of the calculator.
- Probability  $0 < p < 1$**  – You input an invalid value for a probability in DISTR.
- $\sigma > 0$  sigma Real** – This error is returned when an invalid value is input for **sigma** in the DISTR menus.
- SINGULAR MAT** – This error is displayed when:
- The **SinReg** instruction or a polynomial regression generated a singular matrix (determinant = 0) because it could not find a solution, or a solution does not exist.
- STAT** – You attempted to calculate 1-var or 2-var stats with no defined data points, or attempted to calculate 2-var stats when the data lists are not of equal length.
- SYNTAX** – The command contains a syntax error: entering more than 23 pending operations or 8 pending values; or having misplaced functions, arguments, parentheses, or commas. If using  try using  and the appropriate parentheses.
- TOL NOT MET** – You requested a tolerance to which the algorithm cannot return an accurate result.

**TOO COMPLEX** – If you use too many levels of MathPrint™ complexity in a calculation, the TOO COMPLEX error is displayed (this error is not referring to complex numbers).

**LOW BATTERY** – Replace the battery.

**Note:** This message displays briefly and then disappears. Pressing  does not clear this message.

## Battery information

### Battery precautions

- Do not leave batteries within the reach of children.
- Do not mix new and used batteries. Do not mix brands (or types within brands) of batteries.
- Do not mix rechargeable and non-rechargeable batteries.
- Install batteries according to polarity (+ and -) diagrams.
- Do not place non-rechargeable batteries in a battery recharger.
- Properly dispose of used batteries immediately.
- Do not incinerate or dismantle batteries.
- Seek Medical Advice immediately if a cell or battery has been swallowed. (In the USA, contact the National Capital Poison Center at 1-800-222-1222.)

### Battery disposal

Do not mutilate, puncture, or dispose of batteries in fire. The batteries can burst or explode, releasing hazardous chemicals. Discard used batteries according to local regulations.

### How to remove or replace the battery

The TI-30X Plus MultiView™ calculator uses one 3 volt CR2032 lithium battery.

Remove the protective cover and turn the calculator face downwards.

- With a small screwdriver, remove the screws from the back of the case.
- From the bottom, carefully separate the front from the back. **Be careful** not to damage any of the internal parts.
- With a small screwdriver (if required), remove the battery.
- To replace the battery, check the polarity (+ and -) and slide in a new battery. Press firmly to snap the new battery into place.  
**Important:** When replacing the battery, avoid any contact with the other components of the calculator.

Dispose of the dead battery immediately and in accordance with local regulations.

Per CA Regulation 22 CCR 67384.4, the following applies to the button cell battery in this unit:

Perchlorate Material - Special handling may apply.

See [www.dtsc.ca.gov/hazardouswaste/perchlorate](http://www.dtsc.ca.gov/hazardouswaste/perchlorate)

### **In case of difficulty**

Review instructions to be certain calculations were performed properly.

Check the battery to ensure that it is fresh and properly installed.

Change the battery when:

- does not turn the unit on, or
- The screen goes blank, or
- You get unexpected results.

# Support and Service

## *Texas Instruments Support and Service*

### For general information

<b>Home Page:</b>	<a href="http://education.ti.com">education.ti.com</a>
<b>KnowledgeBase and e-mail inquiries:</b>	<a href="http://education.ti.com/support">education.ti.com/support</a>
<b>Phone:</b>	(800) TI-CARES / (800) 842-2737 For U.S., Canada, Mexico, Puerto Rico, and Virgin Islands only
<b>International information:</b>	<a href="http://education.ti.com/international">education.ti.com/international</a>

### For technical support

<b>KnowledgeBase and support by e-mail:</b>	<a href="http://education.ti.com/support">education.ti.com/support</a>
<b>Phone (not toll-free):</b>	(972) 917-8324

### For product (hardware) service

**Customers in the U.S., Canada, Mexico, Puerto Rico and Virgin Islands:** Always contact Texas Instruments Customer Support before returning a product for service.

**All other customers:** Refer to the leaflet enclosed with this product (hardware) or contact your local Texas Instruments retailer/distributor.