

TI-Nspire™ CX CAS Reference Guide

Learn more about TI Technology through the online help at education.ti.com/eguide.

Important Information

Except as otherwise expressly stated in the License that accompanies a program, Texas Instruments makes no warranty, either express or implied, including but not limited to any implied warranties of merchantability and fitness for a particular purpose, regarding any programs or book materials and makes such materials available solely on an "as-is" basis. In no event shall Texas Instruments be liable to anyone for special, collateral, incidental, or consequential damages in connection with or arising out of the purchase or use of these materials, and the sole and exclusive liability of Texas Instruments, regardless of the form of action, shall not exceed the amount set forth in the license for the program. Moreover, Texas Instruments shall not be liable for any claim of any kind whatsoever against the use of these materials by any other party.

© 2006 - 2019 Texas Instruments Incorporated

Contents


Expression Templates	
Alphabetical Listing	8
A	я
В	
C	
D	
E	
F	
G	
I	
L	
M	
N	
0	
Р	
Q	
R	
S	
Т	
U	197
V	
W	
X	
Z	202
Symbols	210
TI-Nspire™ CX II - Draw Commands	236
Graphics Programming	236
Graphics Screen	
Default View and Settings	
Graphics Screen Errors Messages	
Invalid Commands While in Graphics Mode	
C	
D	
F	
G	
Р	
S	
U	

Empty (Void) Elements	251
Shortcuts for Entering Math Expressions	253
EOS™ (Equation Operating System) Hierarchy	255
TI-Nspire CX II - TI-Basic Programming Features	257
Auto-indentation in Programming Editor Improved Error Messages for TI-Basic	
Constants and Values	260
Error Codes and Messages	261
Warning Codes and Messages	269
General Information	271
Online Help	271
Contact TI Support	
Service and Warranty Information	271
Index	272

Expression Templates

Expression templates give you an easy way to enter math expressions in standard mathematical notation. When you insert a template, it appears on the entry line with small blocks at positions where you can enter elements. A cursor shows which element vou can enter.

Position the cursor on each element, and type a value or expression for the element.



Nth root template



3√8	2
$\sqrt[3]{\{8,27,b\}}$	$\left\{2,3,b^{\frac{1}{3}}\right\}$

e exponent template





Natural exponential *e* raised to a power

Note: See also e^(), page 57.





Log template







Calculates log to a specified base. For a default of base 10, omit the base.

Note: See also log(), page 106.

Example:

log (2.)	0.5
4	

Piecewise template (2-piece)






Lets you create expressions and conditions for a two-piece piecewise function. To add a piece, click in the template and repeat the template.

Note: See also piecewise(), page 132.

Example:



Piecewise template (N-piece)



Lets you create expressions and conditions for an N-piece piecewise function. Prompts for N.

Example:

See the example for Piecewise template (2-

Create Piecewise Function Piecewise Function Number of function pieces 3 \$ OK Cancel

Note: See also piecewise(), page 132.

System of 2 equations template



Creates a system of two equations. To add a row to an existing system, click in the template and repeat the template.

Note: See also system(), page 181.

Example:

Example:

solve
$$\begin{cases} x+y=0 \\ x-y=5 \end{cases}$$
, x,y $x=\frac{5}{2}$ and $y=\frac{-5}{2}$
solve $\begin{cases} y=x^2-2 \\ x+2\cdot y=-1 \end{cases}$, x,y $x=\frac{-3}{2}$ and $y=\frac{1}{4}$ or $x=1$ and $y=-1$

System of N equations template


Catalog >



Lets you create a system of N equations.

Prompts for N.

See the example for System of equations template (2-equation).



Note: See also system(), page 181.

Absolute value template



Note: See also abs(), page 8.

Example:

Absolute value template Catalog > {2,3,4,64} 2,-3,4,-43 dd°mm'ss.ss" template Catalog > 0 1 1 Example: 30°15'10" Lets you enter angles in dd°mm'ss.ss" $10891 \cdot \pi$ format, where dd is the number of decimal 64800 degrees, mm is the number of minutes, and ss.ss is the number of seconds. Catalog > Matrix template (2 x 2) Example: $2 \cdot a$ 2 $3 \cdot a \quad 4 \cdot a$ Creates a 2 x 2 matrix. Matrix template (1 x 2) Catalog > Example: [00]crossP[[1 2],[3 4]] $[0 \ 0 \ -2]$ Catalog > Matrix template (2 x 1) Example: 5 .0.01 0.05 0.08 Catalog > Matrix template (m x n) The template appears after you are Example: prompted to specify the number of rows

 $[4 \ 2 \ 9]$

2 3

7

diag||1

and columns.

Matrix template (m x n)







Note: If you create a matrix with a large number of rows and columns, it may take a few moments to appear.

Sum template (Σ)

Catalog >

25



Note: See also Σ () (sumSeq), page 224.

Example:

7	
	/\
	(n)
n=3	

Product template (Π)

Catalog >



Note: See also Π () (prodSeq), page 223.

Example:



First derivative template

Catalog >





The first derivative template can also be used to calculate first derivative at a point.

Note: See also d() (derivative), page 221.

Example:



Second derivative template

Catalog >

$$\frac{d^2}{d\Box^2}(\Box)$$

The second derivative template can also be used to calculate second derivative at a point.

Note: See also d() (derivative), page 221.

$\frac{d^2}{dx^2}(x^3)$	6.3
2	1/

$$\frac{d^2}{dx^2} \left(x^3 \right) |_{x=3}$$

Nth derivative template





The *n*th derivative template can be used to calculate the nth derivative.

Note: See also d() (derivative), page 221.

Example:



Definite integral template







Note: See also∫() integral(), page 221.

Example:

$$\int_{a}^{b} x^{2} dx \qquad \frac{b^{3}}{3} - \frac{a^{3}}{3}$$

Indefinite integral template





Note: See also ∫() integral(), page 221.

Example:

$$\int x^2 dx \qquad \frac{x^3}{3}$$

Limit template





Example:

$$\lim_{x \to 5} (2 \cdot x + 3) \qquad 13$$



Use — or (—) for left hand limit. Use + for right hand limit.

Note: See also limit(), page 6.

Alphabetical Listing

Items whose names are not alphabetic (such as +, !, and >) are listed at the end of this section, page 210. Unless otherwise specified, all examples in this section were performed in the default reset mode, and all variables are assumed to be undefined.

Α

abs()		Catalog > 📳
$abs(Exprl) \Rightarrow expression$	$\left\{\frac{\pi}{2}, \frac{-\pi}{3}\right\}$	$\left\{\frac{\pi}{2},\frac{\pi}{3}\right\}$
$abs(List1) \Rightarrow list$ $abs(Matrix1) \Rightarrow matrix$	$\frac{ \left(2^{3}3\right) }{\left 2-3\cdot i\right }$	$ \begin{array}{c c} & 2 & 3 \\ \hline & \sqrt{13} \end{array} $
Returns the absolute value of the argument.	$\frac{ z }{ x+y\cdot i }$	$\frac{ z }{\sqrt{x^2+y^2}}$

Note: See also Absolute value template, page 3.

If the argument is a complex number, returns the number's modulus.

Note: All undefined variables are treated as real variables.

amortTbl() Catalog > [1]

amortTbl(NPmt,N,I,PV, [Pmt], [FV], [PpY], [CpY], [PmtAt], [roundValue]) \Rightarrow matrix

Amortization function that returns a matrix as an amortization table for a set of TVM arguments.

NPmt is the number of payments to be included in the table. The table starts with the first payment.

N, I, PV, Pmt, FV, PpY, CpY, and PmtAt are described in the table of TVM arguments, page 195.

- If you omit Pmt, it defaults to Pmt=tvmPmt (N,I,PV,FV,PpY,CpY,PmtAt).
- If you omit FV, it defaults to FV=0.
- The defaults for PpY, CpY, and PmtAt are the same as for the TVM functions.

mortTbl(12,60,10,5000,,,12,12)					
	0	0.	0.	5000.	
	1	$^{-}41.67$	-64.57	4935.43	
	2	$^{-41.13}$	-65.11	4870.32	
	3	$^{-40.59}$	-65.65	4804.67	
	4	$^{-40.04}$	-66.2	4738.47	
	5	-39.49	-66.75	4671.72	
	6	-38.93	-67.31	4604.41	
	7	-38.37	-67.87	4536.54	
	8	-37.8	$^{-}68.44$	4468.1	
	9	-37.23	-69.01	4399.09	
	10	-36.66	-69.58	4329.51	
	11	-36.08	-70.16	4259.35	
	12	-35.49	-70.75	4188.6	

amortTbl() Catalog > 🕮

roundValue specifies the number of decimal places for rounding. Default=2.

The columns in the result matrix are in this order: Payment number, amount paid to interest, amount paid to principal, and balance.

The balance displayed in row n is the balance after payment n.

You can use the output matrix as input for the other amortization functions Σ **Int()** and Σ Prn(), page 225, and bal(), page 17.

and Catalog > 🗐

BooleanExpr1 and $BooleanExpr2 \Rightarrow$ Boolean expression

 $x \ge 3$ and $x \ge 4$ $\{x \ge 3, x \le 0\}$ and $\{x \ge 4, x \le -2\}$

BooleanList1 and BooleanList2 ⇒ Boolean list

BooleanMatrix1 and BooleanMatrix2 ⇒ Boolean matrix

Returns true or false or a simplified form of the original entry.

Integer1 andInteger2 ⇒ integer

Compares two real integers bit-by-bit using an and operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if both bits are 1; otherwise, the result is 0. The returned value represents the bit results, and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

In Hex base mode:

0h7AC36	and 0h3D5F	0h2C16

Important: Zero, not the letter O.

In Bin base mode:

0b100101	and 0b100	0b100
ODIOOIOI	and obtoo	0010

In Dec base mode:

4

Note: A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

angle()

Catalog > 23

 $angle(Expr1) \Rightarrow expression$

Returns the angle of the argument, interpreting the argument as a complex number.

Note: All undefined variables are treated as real variables.

In Degree angle mode:

$$angle(0+2\cdot i) 90$$

In Gradian angle mode:

$$\overline{\operatorname{angle}(0+3\cdot i)}$$
 100

In Radian angle mode:

$$\frac{\operatorname{angle}(1+i)}{\operatorname{angle}(z)} \frac{\frac{\pi}{4}}{\operatorname{angle}(z)-1}$$

$$\frac{\operatorname{angle}(x+i\cdot y)}{\operatorname{angle}(x+i\cdot y)} \frac{\frac{\pi \cdot \operatorname{sign}(y)}{2} - \operatorname{tan}^{-1}\left(\frac{x'}{y}\right)}{2}$$

angle
$$\left\{ \left\{ 1+2\cdot i, 3+0\cdot i, 0-4\cdot i \right\} \right\}$$
 $\left\{ \frac{\pi}{2} - \tan^{-1} \left\{ \frac{1}{2} \right\}, 0, \frac{-\pi}{2} \right\}$

 $angle(List1) \Rightarrow list$ $angle(Matrix1) \Rightarrow matrix$

Returns a list or matrix of angles of the elements in *List1* or *Matrix1*, interpreting each element as a complex number that represents a two-dimensional rectangular coordinate point.

ANOVA Catalog > 1

ANOVA List1,List2[,List3,...,List20][,Flag]

Performs a one-way analysis of variance for comparing the means of two to 20 populations. A summary of results is stored in the *stat.results* variable. (page 176)

Flag=0 for Data, Flag=1 for Stats

Output variable	Description		
stat.F	Value of the F statistic		
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected		
stat.df	Degrees of freedom of the groups		
stat.SS	Sum of squares of the groups		
stat.MS	Mean squares for the groups		

Output variable	Description	
stat.dfError	Degrees of freedom of the errors	
stat.SSError	Sum of squares of the errors	
stat.MSError	Mean square for the errors	
stat.sp	Pooled standard deviation	
stat.xbarlist	Mean of the input of the lists	
stat.CLowerList	95% confidence intervals for the mean of each input list	
stat.CUpperList	95% confidence intervals for the mean of each input list	

ANOVA2way Catalog > 🗐

ANOVA2way List1,List2[,List3,...,List10] [,levRow]

Computes a two-way analysis of variance for comparing the means of two to 10 populations. A summary of results is stored in the *stat.results* variable. (See page 176.)

LevRow=0 for Block

LevRow=2,3,...,Len-1, for Two Factor, where Len=length(List1)=length(List2) = ... = length(List10) and Len / LevRow î {2,3,...}

Outputs: Block Design

Output variable	Description		
stat.F	F statistic of the column factor		
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected		
stat.df	Degrees of freedom of the column factor		
stat.SS	Sum of squares of the column factor		
stat.MS	Mean squares for column factor		
stat.FBlock	F statistic for factor		
stat.PValBlock	Least probability at which the null hypothesis can be rejected		
stat.dfBlock	Degrees of freedom for factor		
stat.SSBlock	Sum of squares for factor		

Output variable	Description	
stat.MSBlock	Mean squares for factor	
stat.dfError	Degrees of freedom of the errors	
stat.SSError	Sum of squares of the errors	
stat.MSError	Mean squares for the errors	
stat.s	Standard deviation of the error	

COLUMN FACTOR Outputs

Output variable	Description
stat.Fcol	F statistic of the column factor
stat.PValCol	Probability value of the column factor
stat.dfCoI	Degrees of freedom of the column factor
stat.SSCoI	Sum of squares of the column factor
stat.MSCol	Mean squares for column factor

ROW FACTOR Outputs

Output variable	Description
stat.FRow	F statistic of the row factor
stat.PValRow	Probability value of the row factor
stat.dfRow	Degrees of freedom of the row factor
stat.SSRow	Sum of squares of the row factor
stat.MSRow	Mean squares for row factor

INTERACTION Outputs

Output variable	Description
stat.FInteract	F statistic of the interaction
stat.PValInteract	Probability value of the interaction
stat.dfInteract	Degrees of freedom of the interaction
stat.SSInteract	Sum of squares of the interaction
stat.MSInteract	Mean squares for interaction

ERROR Outputs

Output variable	Description
stat.dfError	Degrees of freedom of the errors
stat.SSError	Sum of squares of the errors
stat.MSError	Mean squares for the errors
s	Standard deviation of the error

Ans		ctrl (-) keys
$Ans \Rightarrow value$	56	56
Returns the result of the most recently	56+4	60
evaluated expression.	60+4	64

approx() Catalog > [3]

 $approx(Expr1) \Rightarrow expression$

Returns the evaluation of the argument as an expression containing decimal values, when possible, regardless of the current Auto or Approximate mode.

This is equivalent to entering the argument and pressing ctrl enter.

 $approx(List1) \Rightarrow list$ $approx(Matrix1) \Rightarrow matrix$

Returns a list or *matrix* where each element has been evaluated to a decimal value, when possible.

tolerance of Tol. If Tol is omitted, a tolerance of 5.E-14 is used.

	catalog / 🚛
$\overline{\operatorname{approx}\!\left(\!\frac{1}{3}\!\right)}$	0.333333
$\operatorname{approx}\left\{\left\{\frac{1}{3},\frac{1}{9}\right\}\right\}$	{0.333333,0.111111}
$approx(\{\sin(\pi),\cos(\pi)$	}) {0.,-1.}
$approx([\sqrt{2} \ \sqrt{3}])$	[1.41421 1.73205]
$\operatorname{approx}\left[\left[\frac{1}{3} \frac{1}{9}\right]\right]$	[0.333333 0.111111]
$approx({sin(\pi),cos(\pi)}$	}) {0.,-1.}
$approx([\sqrt{2} \sqrt{3}])$	[1.41421 1.73205]

► approxFraction()	Catalog > 🗊	
$Expr \triangleright approxFraction([Tol]) \Rightarrow expression$	$\frac{1}{2} + \frac{1}{3} + \tan(\pi)$ 0.833333	
$List$ \triangleright approxFraction([Tol]) $\Rightarrow list$	0.833333333333333 ▶ approxFraction(5. E -14)	
$Matrix ightharpoonup approxFraction([Tol]) \Rightarrow matrix$	$\frac{5}{6}$	
Returns the input as a fraction, using a	{π.1.5} ▶approxFraction(5.ε-14)	

► approxFraction()

Catalog > 23

Note: You can insert this function from the

computer keyboard by typing @>approxFraction(...).

an	nrox	Ratio	nal()

Catalog > 23

 $approxRational(Expr[, Tol]) \Rightarrow expression$

 $approxRational(List[, Tol]) \Rightarrow list$

 $approxRational(Matrix[, Tol]) \Rightarrow matrix$

Returns the argument as a fraction using a tolerance of *Tol*. If *Tol* is omitted, a tolerance of 5.E-14 is used.

approxRational(0.333,5·10 ⁻⁵)	333 1000	
approxRational({0.2,0.33,4.125},5.e-14)		
$\left\{\frac{1}{5}, \frac{3}{10}\right\}$	$\left[\frac{3}{0},\frac{33}{8}\right]$	

arccos()

See cos⁻¹(), page 31.

arccosh()

See cosh⁻¹(), page 32.

arccot()

See cot ⁻¹(), page 33.

arccoth()

See coth 1(), page 34.

arccsc()

See csc⁻¹(), page 37.

arccsch()

See csch⁻¹(), page 37.

arcLen()	Catalog > 🚉
arcLen(Expr1,Var,Start,End) ⇒ expression	$\frac{\operatorname{arcLen}(\cos(x), x, 0, \pi)}{\operatorname{arcLen}(f(x), x, a, b)} \qquad 3.8202$
Returns the arc length of $Expr1$ from $Start$ to End with respect to variable Var .	$\left(\frac{d}{dx}(f(x))\right)^2 + 1 dx$
Arc length is calculated as an integral assuming a function mode definition.	J a
$arcLen(List1, Var, Start, End) \Rightarrow list$	$\operatorname{arcLen}(\{\sin(x),\cos(x)\},x,0,\pi)$
Returns a list of the arc lengths of each element of $List1$ from $Start$ to End with respect to Var .	{3.8202,3.8202}
arcsec()	See sec ¹(), page 157.
arcsech()	See sech¹(), page 158.
arcsin()	See sin ¹(), page 167.
arcsinh()	See sinh¹(), page 168.
arctan()	See tan¹(), page 183.
arctanh()	See tanh⁻¹(), page 184.
augment()	Catalog > 🗊

augment()	Catalog > 👰
$augment(List1, List2) \Rightarrow list$	augment($\{1,-3,2\},\{5,4\}$) $\{1,-3,2,5,4\}$

augment()

Catalog > [3]

Catalog > [32]

Returns a new list that is *List2* appended to the end of *List1*.

 $augment(Matrix 1, Matrix 2) \Rightarrow matrix$

Returns a new matrix that is *Matrix2* appended to Matrix 1. When the "." character is used, the matrices must have equal row dimensions, and Matrix2 is appended to *Matrix1* as new columns. Does not alter Matrix 1 or Matrix 2.

$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \rightarrow m1$	$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$
$[5] \rightarrow m2$	[5]
[6]	[6]
augment(m1,m2)	1 2 5
	[3 4 6]

avgRC()

 $avgRC(Expr1, Var [=Value] [, Step]) \Rightarrow$ expression

 $avgRC(Expr1, Var [=Value] [, List1]) \Rightarrow$ list

 $avgRC(List1, Var [=Value] [, Step]) \Rightarrow$ list

 $avgRC(Matrix 1, Var [=Value] [, Step]) \Rightarrow$ matrix

Returns the forward-difference quotient (average rate of change).

Expr1 can be a user-defined function name (see Func).

When *Value* is specified, it overrides any prior variable assignment or any current "|" substitution for the variable.

Step is the step value. If Step is omitted, it defaults to 0.001.

Note that the similar function centralDiff() uses the central-difference quotient.

	Catalog > egg
$\operatorname{avgRC}(f(x),x,h)$	$\frac{f(x+h)-f(x)}{h}$
$\operatorname{avgRC}(\sin(x),x,h) x=2$	$\frac{\sin(h+2)-\sin(2)}{h}$
$\operatorname{avgRC}(x^2-x+2,x)$	2.·(x-0.4995)
$\operatorname{avgRC}(x^2-x+2,x,0.1)$	2.·(x-0.45)
$\operatorname{avgRC}(x^2 - x + 2, x, 3)$	2·(x+1)

bal()	Catalog > 👰

bal(NPmt,N,I,PV,[Pmt],[FV],[PpY],[CpY],[PmtAt],[roundValue]) $\Rightarrow value$

 $bal(NPmt,amortTable) \Rightarrow value$

Amortization function that calculates schedule balance after a specified payment.

N, I, PV, Pmt, FV, PpY, CpY, and PmtAt are described in the table of TVM arguments, page 195.

NPmt specifies the payment number after which you want the data calculated.

N, I, PV, Pmt, FV, PpY, CpY, and PmtAt are described in the table of TVM arguments, page 195.

- If you omit Pmt, it defaults to Pmt=tvmPmt (N,I,PV,FV,PpY,CpY,PmtAt).
- If you omit FV, it defaults to FV=0.
- The defaults for *PpY*, *CpY*, and *PmtAt* are the same as for the TVM functions.

roundValue specifies the number of decimal places for rounding. Default=2.

bal(*NPmt*, *amortTable*) calculates the balance after payment number *NPmt*, based on amortization table *amortTable*. The *amortTable* argument must be a matrix in the form described under **amortTbl()**, page 8.

Note: See also Σ **Int()** and Σ **Prn()**, page 225.

computer keyboard by typing @>Base2.

bal(5,6,5.75,50	000	,,12,12)		833.11
tbl:=amortTbl	6,6	,5.75,50	00,,12,12)	
	0	0.	0.	5000.
	1	-23.35	-825.63	4174.37
	2	$^{-}19.49$	-829.49	3344.88
	3	-15.62	-833.36	2511.52
	4	-11.73	-837.25	1674.27
	5	-7.82	-841.16	833.11
	6	-3.89	-845.09	-11.98
bal(4,tbl)				1674.27

► Base2		Catalog > 🗐
<i>Integer1</i> ▶ Base2 ⇒ <i>integer</i>	256▶Base2	0b100000000
Note: You can insert this operator from the	0h1F▶Base2	0b11111

▶ Base 2

Converts *Integer 1* to a binary number. Binary or hexadecimal numbers always have a 0b or 0h prefix, respectively. Use a zero, not the letter O, followed by b or h.

0b binaryNumber Oh hexadecimalNumber

A binary number can have up to 64 digits. A hexadecimal number can have up to 16.

Without a prefix, *Integer 1* is treated as decimal (base 10). The result is displayed in binary, regardless of the Base mode.

Negative numbers are displayed in "two's complement" form. For example,

1 is displayed as Ohfffffffffffffff in Hex base mode 0b111...111 (64 1's) in Binary base mode

⁻²⁶³ is displayed as 0h80000000000000000 in Hex base mode 0b100...000 (63 zeros) in Binary base mode

If you enter a decimal integer that is outside the range of a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. Consider the following examples of values outside the range.

263 becomes $^{-}2^{63}$ and is displayed as 0h80000000000000000 in Hex base mode 0b100...000 (63 zeros) in Binary base mode

2⁶⁴ becomes 0 and is displayed as 0h0 in Hex base mode 0b0 in Binary base mode

 $^{-263}$ – 1 becomes 2^{63} – 1 and is displayed 0b111...111 (64 1's) in Binary base mode

► Base10		Catalog > 🕡
Integer $l \triangleright Base10 \Rightarrow integer$	0b10011▶Base10	19
	0h1F▶Base10	31

Catalog > 23

▶ Base10

Note: You can insert this operator from the computer keyboard by typing @>Base10.

Converts *Integer 1* to a decimal (base 10) number. A binary or hexadecimal entry must always have a 0b or 0h prefix, respectively.

0b binaryNumber
0b hexadecimalNumber

Zero, not the letter O, followed by b or h.

A binary number can have up to 64 digits. A hexadecimal number can have up to 16.

Without a prefix, *Integer 1* is treated as decimal. The result is displayed in decimal, regardless of the Base mode.

► Base16 Catalog > [3]

Integer1 ▶ Base16 \Rightarrow *integer*

Note: You can insert this operator from the computer keyboard by typing @>Base16.

Converts *Integer 1* to a hexadecimal number. Binary or hexadecimal numbers always have a 0b or 0h prefix, respectively.

0b binaryNumber
0h hexadecimalNumber

Zero, not the letter O, followed by b or h.

A binary number can have up to 64 digits. A hexadecimal number can have up to 16.

Without a prefix, *Integer I* is treated as decimal (base 10). The result is displayed in hexadecimal, regardless of the Base mode.

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see ▶ Base2, page 17.

 $binomCdf(n,p) \Rightarrow list$

binomCdf(*n*,*p*,*lowBound*,*upBound***)** ⇒ *number* if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are lists

binomCdf(n,p,upBound) for $P(0 \le X \le upBound)$ $\Rightarrow number$ if upBound is a number, list if upBound is a list

Computes a cumulative probability for the discrete binomial distribution with n number of trials and probability p of success on each trial.

For $P(X \le upBound)$, set lowBound=0

binomPdf() Catalog > [1]

 $binomPdf(n,p) \Rightarrow list$

binomPdf(n,p,XVal) \Rightarrow number if XVal is a number, list if XVal is a list

Computes a probability for the discrete binomial distribution with n number of trials and probability p of success on each trial.

С

Catalog > 😰

 $ceiling(Expr1) \Rightarrow integer$

ceiling(.456) 1.

Returns the nearest integer that is \geq the argument.

The argument can be a real or a complex number.

Note: See also floor().

ceiling(List1) $\Rightarrow list$ ceiling(Matrix1) $\Rightarrow matrix$

Returns a list or matrix of the ceiling of each element.

ceiling({-3.1,1,2.5})	{-3.,1,3.}
ceiling $\begin{bmatrix} 0 & -3.2 \cdot i \end{bmatrix}$	0 -3.·i
√[1.3 4]	2. 4

centralDiff()

Catalog > 💱

centralDiff(Expr1,Var [=Value][,Step]**)** \Rightarrow expression

centralDiff(Expr1,Var[,Step]**)|** $Var=Value \Rightarrow expression$

centralDiff(Expr1,Var [=Value][,List]) \Rightarrow list

centralDiff(List1,Var [=Value][,Step]) \Rightarrow list

centralDiff(Matrix 1,Var [=Value][,Step]) $\Rightarrow matrix$

Returns the numerical derivative using the central difference quotient formula.

When *Value* is specified, it overrides any prior variable assignment or any current "|" substitution for the variable.

Step is the step value. If Step is omitted, it defaults to 0.001.

When using *List1* or *Matrix1*, the operation gets mapped across the values in the list or across the matrix elements.

Note: See also avgRC() and d().

$$\frac{\frac{-(\cos(x-h)-\cos(x+h))}{2\cdot h}}{\frac{-(\cos(x-h)-\cos(x+h))}{2\cdot h}}$$

$$\lim_{h\to 0}(\operatorname{centralDiff}(\cos(x),x,h)) \qquad -\sin(x)$$

$$\operatorname{centralDiff}(x^3,x,0.01)$$

$$3\cdot (x^2+0.000033)$$

$$\operatorname{centralDiff}(\cos(x),x)|x=\frac{\pi}{2} \qquad -1.$$

$$\operatorname{centralDiff}(x^2,x,\{0.01,0.1\})$$

$$\{2\cdot x,2\cdot x\}$$

cFactor() Catalog > 🗐

cFactor(ExprI[,Var]) ⇒ expression **cFactor**(ListI[,Var]) ⇒ list**cFactor**(MatrixI[,Var]) ⇒ matrix

cFactor(*Expr1*) returns *Expr1* factored with respect to all of its variables over a common denominator.

ExprI is factored as much as possible toward linear rational factors even if this introduces new non-real numbers. This alternative is appropriate if you want factorization with respect to more than one variable.

cFactor $\left(a^3 \cdot x^2 + a \cdot x^2\right)$	$(+a^3+a,x)$
	$a \cdot (a^2+1) \cdot (x-i) \cdot (x+i)$
cFactor $\left(x^2 + \frac{4}{9}\right)$	$\frac{\left(3\cdot x-2\cdot \boldsymbol{t}\right)\cdot\left(3\cdot x+2\cdot \boldsymbol{t}\right)}{9}$
$cFactor(x^2+3)$	x^2+3
$cFactor(x^2+a)$	x^2+a

cFactor(Expr1, Var) returns Expr1 factored with respect to variable Var.

Expr1 is factored as much as possible toward factors that are linear in *Var*, with perhaps non-real constants, even if it introduces irrational constants or subexpressions that are irrational in other variables.

The factors and their terms are sorted with Var as the main variable. Similar powers of Var are collected in each factor, Include Var if factorization is needed with respect to only that variable and you are willing to accept irrational expressions in any other variables to increase factorization with respect to Var. There might be some incidental factoring with respect to other variables.

For the Auto setting of the Auto or **Approximate** mode, including *Var* also permits approximation with floating-point coefficients where irrational coefficients cannot be explicitly expressed concisely in terms of the built-in functions. Even when there is only one variable, including *Var* might yield more complete factorization.

Note: See also factor().

cFactor
$$(x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3)$$

 $x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3$
cFactor $(x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3, x)$
 $(x-0.964673)\cdot (x+0.611649)\cdot (x+2.12543)\cdot (x^4-12543)\cdot (x^4-12543)\cdot$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

char()

 $char(Integer) \Rightarrow character$

Returns a character string containing the character numbered Integer from the handheld character set. The valid range for Integer is 0-65535.

Catalog > 🕮

char(38)	"&"
char(65)	"A"

charPoly()

Catalog > 📳

charPoly(squareMatrix, Var**)** \Rightarrow $polynomial\ expression$

charPoly(*squareMatrix,Expr***)** ⇒ *polynomial expression*

charPoly(*squareMatrix1*,*Matrix2***)** ⇒ *polynomial expression*

Returns the characteristic polynomial of squareMatrix. The characteristic polynomial of $n\times n$ matrix A, denoted by $p_A(\lambda)$, is the polynomial defined by

$$p_A(\lambda) = \det(\lambda \cdot I - A)$$

where I denotes the $n \times n$ identity matrix.

squareMatrix1 and squareMatrix2 must have the equal dimensions.

m:=	1 2	3 -1	0	[:	1	3 -1 2	0
	-2	2	5]	[-	2	2	5]
charPoly(m,x)		$-x^3 + 5 \cdot x^2$	4	7· <i>x</i> -	-35		
$\frac{1}{\text{charPoly}(m,x^2+1)}$		$-x^{6}+2\cdot x^{4}+1$	14	·x ² -	-24		
charPoly(m,m)					0		

χ^2 2way

Catalog > 🗐

χ²2way obsMatrix

chi22way obsMatrix

Computes a χ^2 test for association on the two-way table of counts in the observed matrix obsMatrix. A summary of results is stored in the stat.results variable. (page 176)

For information on the effect of empty elements in a matrix, see "Empty (Void) Elements," page 251.

Output variable	Description
$stat.\chi^2$	Chi square stat: sum (observed - expected) ² /expected
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom for the chi square statistics
stat.ExpMat	Matrix of expected elemental count table, assuming null hypothesis
stat.CompMat	Matrix of elemental chi square statistic contributions

 χ^2 Cdf() Catalog > \mathbb{Q}^3

 χ^2 Cdf(lowBound,upBound,df) \Rightarrow number if lowBound and upBound are numbers, list if lowBound and upBound are lists

chi2Cdf(*lowBound,upBound,df***)** ⇒ *number* if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are lists

Computes the χ^2 distribution probability between *lowBound* and *upBound* for the specified degrees of freedom *df*.

For $P(X \le upBound)$, set lowBound = 0.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

 χ^2 GOF Catalog > \mathbb{Q}^3

χ²GOF obsList,expList,df

chi2GOF obsList,expList,df

Performs a test to confirm that sample data is from a population that conforms to a specified distribution. *obsList* is a list of counts and must contain integers. A summary of results is stored in the *stat.results* variable. (See page 176.)

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
$stat.\chi^2$	Chi square stat: sum((observed - expected) ² /expected
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom for the chi square statistics
stat.CompList	Elemental chi square statistic contributions

 χ^2 Pdf() Catalog > 1

 χ^2 Pdf(XVal,df) \Rightarrow number if XVal is a number, list if XVal is a list

chi2Pdf(XVal,df**)** \Rightarrow *number* if XVal is a number, *list* if XVal is a list

Computes the probability density function (pdf) for the χ^2 distribution at a specified XVal value for the specified degrees of freedom df.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

ClearAZ		Catalog > 🕎
ClearAZ	$5 \rightarrow b$	5
Clears all single-character variables in the	b	5
current problem space.	ClearAZ	Done
If one or more of the variables are locked, this command displays an error message and deletes only the unlocked variables. See	b	b

ClrErr Catalog > 1

ClrErr

unLock, page 197.

Clears the error status and sets system variable errCode to zero.

The Else clause of the Try...Else...EndTry block should use ClrErr or PassErr. If the error is to be processed or ignored, use ClrErr. If what to do with the error is not known, use PassErr to send it to the next error handler. If there are no more pending Try...Else...EndTry error handlers, the error dialog box will be displayed as normal.

Note: See also **PassErr**, page 131, and **Try**, page 191.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

For an example of **CIrErr**, See Example 2 under the **Try** command, page 191.

colAugment()

 $colAugment(Matrix1, Matrix2) \Rightarrow matrix$

Returns a new matrix that is *Matrix2* appended to Matrix 1. The matrices must have equal column dimensions, and Matrix 2 is appended to Matrix 1 as new rows. Does not alter Matrix 1 or Matrix 2.

$\begin{bmatrix} 1 & 2 \end{bmatrix}_{\rightarrow m1}$	1 2
[3 4]	[3 4]
$\begin{bmatrix} 5 & 6 \end{bmatrix} \rightarrow m2$	[5 6]
colAugment(m1, m2)	1 2
	3 4
	5 6

colDim()

 $colDim(Matrix) \Rightarrow expression$

Returns the number of columns contained in Matrix.

Note: See also rowDim().

Catalog	>	Œ.
---------	---	----

Catalog > 🕮

colNorm()

 $colNorm(Matrix) \Rightarrow expression$

Returns the maximum of the sums of the absolute values of the elements in the columns in Matrix.

Note: Undefined matrix elements are not allowed. See also rowNorm().

Catalog > 🗐

 $3|_{\rightarrow mat}$ colNorm(mat)

comDenom()

 $comDenom(Expr1[,Var]) \Rightarrow expression$ $comDenom(List1[,Var]) \Rightarrow list$ $comDenom(Matrix 1[, Var]) \Rightarrow matrix$

comDenom(Expr1) returns a reduced ratio of a fully expanded numerator over a fully expanded denominator.

Catalog > 23

comDenom
$$\left(\frac{y^2+y}{(x+1)^2}+y^2+y\right)$$

 $\frac{x^2 \cdot y^2 + x^2 \cdot y + 2 \cdot x \cdot y^2 + 2 \cdot x \cdot y + 2 \cdot y^2 + 2 \cdot y}{x^2 + 2 \cdot x + 1}$

comDenom()

Catalog > [3]

comDenom(Expr1, Var) returns a reduced ratio of numerator and denominator expanded with respect to Var. The terms and their factors are sorted with *Var* as the main variable. Similar powers of *Var* are collected. There might be some incidental factoring of the collected coefficients. Compared to omitting *Var*, this often saves time, memory, and screen space, while making the expression more comprehensible. It also makes subsequent operations on the result faster and less likely to exhaust memory.

If Var does not occur in Expr1, comDenom (Expr1.Var) returns a reduced ratio of an unexpanded numerator over an unexpanded denominator. Such results usually save even more time, memory, and screen space. Such partially factored results also make subsequent operations on the result much faster and much less likely to exhaust memory.

Even when there is no denominator, the comden function is often a fast way to achieve partial factorization if factor() is too slow or if it exhausts memory.

Hint: Enter this comden() function definition and routinely try it as an alternative to comDenom() and factor().

$$\frac{x^{2} \cdot y \cdot (y+1) + y^{2} + y, x}{\frac{x^{2} \cdot y \cdot (y+1) + 2 \cdot x \cdot y \cdot (y+1) + 2 \cdot y \cdot (y+1)}{x^{2} + 2 \cdot x + 1}}$$

$$\frac{x^{2} \cdot y \cdot (y+1) + 2 \cdot x \cdot y \cdot (y+1) + 2 \cdot y \cdot (y+1)}{x^{2} + 2 \cdot x + 1}$$

$$\frac{y^{2} \cdot (x^{2} + y - y) + y \cdot (x^{2} + 2 \cdot x + 2)}{x^{2} + 2 \cdot x + 1}$$

Define *comden(exprn)*=comDenom(*exprn,abc*) $\left(\frac{y^2+y}{(x+1)^2}+y^2+y\right) = \frac{(x^2+2\cdot x+2)\cdot y\cdot (y+1)}{(x+1)^2}$

$$\frac{comden \left(1234 \cdot x^2 \cdot \left(y^3 - y\right) + 2468 \cdot x \cdot \left(y^2 - 1\right)\right)}{1234 \cdot x \cdot \left(x \cdot y + 2\right) \cdot \left(y^2 - 1\right)}$$

completeSquare ()

Catalog > 🕮

 $completeSquare(ExprOrEqn, Var) \Rightarrow$ expression or equation

completeSquare(ExprOrEqn, Var^Power) ⇒ expression or equation

completeSquare(ExprOrEqn, Var1, Var2 [,...]) \Rightarrow expression or equation

completeSquare(ExprOrEqn, {Var1, Var2[,...]) \Rightarrow expression or equation

Converts a quadratic polynomial expression of the form $a \cdot x^2 + b \cdot x + c$ into the form $a \cdot (x-h)$ 2+k

completeSquare(
$$x^2+2\cdot x+3x$$
) $(x+1)^2+2$
completeSquare($x^2+2\cdot x=3x$) $(x+1)^2=4$
completeSquare($x^6+2\cdot x^3+3x^3$) $(x^3+1)^2+2$
completeSquare($x^2+4\cdot x+y^2+6\cdot y+3=0,x,y$)
 $(x+2)^2+(y+3)^2=10$

completeSquare ()

Catalog > 23

- or -

Converts a quadratic equation of the form $a \cdot x^2 + b \cdot x + c = d$ into the form $a \cdot (x-h)^2 = k$

The first argument must be a quadratic expression or equation in standard form with respect to the second argument.

The Second argument must be a single univariate term or a single univariate term raised to a rational power, for example x, y^2 , or $z^{(1/3)}$.

The third and fourth syntax attempt to complete the square with respect to variables Var1, Var2 [,...]).

completeSquare $(3 \cdot x^2 + 2 \cdot y + 7 \cdot y^2 + 4 \cdot x = 3, \{x, y\})$	})
$3\cdot\left(x+\frac{2}{3}\right)^2+7\cdot\left(y+\frac{1}{7}\right)^2=$	9 <u>4</u> 21

complete Square
$$(x^2 + 2 \cdot x \cdot y, x, y)$$
 $(x+y)^2 - y^2$

conj() Catalog > 🗐

 $conj(Expr1) \Rightarrow expression$

 $conj(List1) \Rightarrow list$

 $conj(Matrix 1) \Rightarrow matrix$

Returns the complex conjugate of the argument.

Note: All undefined variables are treated as real variables.

conj(1+2·i)	1-2-1
$conj[2 \ 1-3\cdot i]$	2 1+3·i
<u> </u>	[i -7]
conj(z)	Ž
$\operatorname{conj}(x+i\cdot y)$	$x-y\cdot y$

constructMat()

constructMat

(Expr,Var1,Var2,numRows,numCols) ⇒ matrix

Returns a matrix based on the arguments.

Expr is an expression in variables Var1 and Var2. Elements in the resulting matrix are formed by evaluating Expr for each incremented value of Var1 and Var2.

Var1 is automatically incremented from 1 through *numRows*. Within each row, Var2 is incremented from 1 through *numCols*.

Catalog > 23

CopyVar

Catalog > 🗐

CopyVar Var1, Var2

CopyVar Var1., Var2.

CopyVar Var1, Var2 copies the value of variable Var1 to variable Var2, creating Var2 if necessary. Variable Var1 must have a value.

If Var1 is the name of an existing userdefined function, copies the definition of that function to function Var2. Function Var1 must be defined.

Var1 must meet the variable-naming requirements or must be an indirection expression that simplifies to a variable name meeting the requirements.

CopyVar *Var1.*, *Var2*. copies all members of the *Var1*. variable group to the *Var2*. group, creating *Var2*. if necessary.

Var1. must be the name of an existing variable group, such as the statistics stat.nn results, or variables created using the LibShortcut() function. If Var2. already exists, this command replaces all members that are common to both groups and adds the members that do not already exist. If one or more members of Var2. are locked, all members of Var2. are left unchanged.

Define $a(x) = \frac{1}{x}$	Done
Define $b(x)=x^2$	Done
CopyVar a,c: c(4)	$\frac{1}{4}$
CopyVar b,c: c(4)	16

aa.a:=45				45
<i>aa</i> . <i>b</i> :=6.78			6.	78
CopyVar aa.,bb.			Do	
getVarInfo()	aa.a	"NUM"	"[]"	0
	aa.b	"NUM"	"[]"	0,
	bb.a bb.b	"NUM" "NUM" "NUM" "NUM"	"U" "[]"	0

corrMat()

corrMat(List1,List2[,...[,List20]])

Computes the correlation matrix for the augmented matrix [List1, List2, ..., List20].

► cos

Catalog > 🗐

Catalog > 23

Expr ▶cos

Note: You can insert this operator from the computer keyboard by typing @>cos.

Represents *Expr* in terms of cosine. This is a display conversion operator. It can be used only at the end of the entry line.

$$(\sin(x))^2 \triangleright \cos \qquad 1 - (\cos(x))^2$$

▶cos reduces all powers of sin(...) modulo 1-cos(...)^2

so that any remaining powers of cos(...) have exponents in the range (0, 2). Thus, the result will be free of sin(...) if and only if sin(...) occurs in the given expression only to even powers.

Note: This conversion operator is not supported in Degree or Gradian Angle modes. Before using it, make sure that the Angle mode is set to Radians and that Expr does not contain explicit references to degree or gradian angles.

cos()	trig key
-------	----------

 $cos(Expr1) \Rightarrow expression$

 $cos(List1) \Rightarrow list$

cos(Expr1) returns the cosine of the argument as an expression.

cos(List1) returns a list of the cosines of all elements in List 1.

Note: The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode setting. You can use °, G, or r to override the angle mode temporarily.

In Degree angle mode:

$\cos\left(\frac{\pi}{r}\right)$	$\sqrt{2}$
4 /	2
cos(45)	$\sqrt{2}$
	2
cos({0,60,90})	$\begin{bmatrix} 1 & 1 & 0 \end{bmatrix}$

In Gradian angle mode:

$$\cos(\{0,50,100\})$$
 $\left\{1,\frac{\sqrt{2}}{2},0\right\}$

In Radian angle mode:

$\cos\left(\frac{\pi}{4}\right)$	$\frac{\sqrt{2}}{2}$
cos(45°)	$\sqrt{2}$
	2

 $\cos(squareMatrix1) \Rightarrow squareMatrix$

Returns the matrix cosine of squareMatrix1. This is not the same as calculating the cosine of each element.

In Radian angle mode:

cos()



When a scalar function f(A) operates on squareMatrix I (A), the result is calculated by the algorithm:

Compute the eigenvalues (λ_i) and eigenvectors (V_i) of A.

squareMatrix1 must be diagonalizable. Also, it cannot have symbolic variables that have not been assigned a value.

Form the matrices:

$$B = \begin{bmatrix} \lambda_1 & 0 & \dots & 0 \\ 0 & \lambda_2 & \dots & 0 \\ 0 & 0 & \dots & 0 \\ 0 & 0 & \dots & \lambda_n \end{bmatrix} \text{ and } X = [V_1, V_2, \dots, V_n]$$

Then $A = X B X^{-1}$ and $f(A) = X f(B) X^{-1}$. For example, $cos(A) = X cos(B) X^{-1}$ where:

$$cos(B) =$$

$$\begin{bmatrix} \cos(\lambda_1) & 0 & \dots & 0 \\ 0 & \cos(\lambda_2) & \dots & 0 \\ 0 & 0 & \dots & 0 \\ 0 & 0 & \dots & \cos(\lambda_n) \end{bmatrix}$$

All computations are performed using floating-point arithmetic.

$$\cos\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0.212493 & 0.205064 & 0.121389 \\ 0.160871 & 0.259042 & 0.037126 \\ 0.248079 & -0.090153 & 0.218972 \end{bmatrix}$$

cos⁻¹()

 $\cos^{-1}(Expr1) \Rightarrow expression$

$$\cos^{-1}(List1) \Rightarrow list$$

 $\cos^{-1}(Expr1)$ returns the angle whose cosine is Expr1 as an expression.

 $\cos^{-1}(List 1)$ returns a list of the inverse cosines of each element of List 1.

Note: The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

Note: You can insert this function from the keyboard by typing arccos (...).

In Degree angle mode:

cos⁻¹(1) 0

In Gradian angle mode:

cos⁻¹(0) 100

In Radian angle mode:

 $\cos^{-1}(\{0,0.2,0.5\})$ $\left\{\frac{\pi}{2},1.36944,1.0472\right\}$

trig key

cos-1()



 $\cos^{-1}(squareMatrix I) \Rightarrow squareMatrix$

Returns the matrix inverse cosine of squareMatrix1. This is not the same as calculating the inverse cosine of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode and Rectangular Complex Format:

1.73485+0.064606·*i* -1.49086 + 2.105140.725533+1.51594·i 0.623491+0.77836 -2.08316+2.63205·i 1.79018-1.27182

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

cosh()

Catalog > 🗐

 $cosh(Expr1) \Rightarrow expression$

 $cosh(List1) \Rightarrow list$

cosh(*Expr1*) returns the hyperbolic cosine of the argument as an expression.

cosh(List1) returns a list of the hyperbolic cosines of each element of *List1*.

 $cosh(squareMatrix1) \Rightarrow squareMatrix$

Returns the matrix hyperbolic cosine of squareMatrix1. This is not the same as calculating the hyperbolic cosine of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Degree angle mode:

$$\cosh\left(\left(\frac{\pi}{4}\right)^r\right)$$
 $\cosh(45)$

In Radian angle mode:

cosh-1()

Catalog > 🕮

 $\cosh^{-1}(Expr1) \Rightarrow expression$

 $\cosh^{-1}(List1) \Rightarrow list$

 $\cosh^{-1}(Expr1)$ returns the inverse hyperbolic cosine of the argument as an expression.

cosh-1(1)	0
$\cosh^{-1}(\{1,2.1,3\})$	{0,1.37286,cosh ⁻¹ (3)}

cosh⁻¹(List1) returns a list of the inverse hyperbolic cosines of each element of List1.

Note: You can insert this function from the keyboard by typing arccosh (...).

 $cosh^{-1}(squareMatrix1) \Rightarrow squareMatrix$

Returns the matrix inverse hyperbolic cosine of squareMatrix 1. This is not the same as calculating the inverse hyperbolic cosine of each element. For information about the calculation method, refer to $\cos()$.

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode and In Rectangular Complex Format:

$$\begin{array}{c}
\cosh^{\bullet} \begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix} \\
\begin{bmatrix} 2.52503+1.73485 \cdot \mathbf{i} & -0.009241-1.4908\epsilon \\ 0.486969-0.725533 \cdot \mathbf{i} & 1.66262+0.623491 \\ -0.322354-2.08316 \cdot \mathbf{i} & 1.26707+1.79018 \end{bmatrix}$$

To see the entire result,

press ▲ and then use ◀ and ▶ to move the cursor.

cot() trig key

 $cot(Expr1) \Rightarrow expression$

 $cot(List1) \Rightarrow list$

Returns the cotangent of Expr I or returns a list of the cotangents of all elements in List I.

Note: The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode setting. You can use °, ^G, or ^r to override the angle mode temporarily.

In Degree angle mode:

cot(45)

In Gradian angle mode:

cot(50)

In Radian angle mode:

 $\frac{}{\cot(\{1,2.1,3\})} \quad \left\{ \frac{1}{\tan(1)}, 0.584848, \frac{1}{\tan(3)} \right\}$

cot⁻¹() trig key

 $\cot^{-1}(Expr1) \Rightarrow expression$

 $\cot^{-1}(List1) \Rightarrow list$

Returns the angle whose cotangent is Expr1 or returns a list containing the inverse cotangents of each element of List1. In Degree angle mode:

cot'(1)

45.

1

1

In Gradian angle mode:

cot1(1)

50.

cot-1()



Note: The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

Note: You can insert this function from the keyboard by typing **arccot** (...).

In Radian angle mode:

$$\cot^{-1}(1)$$
 $\frac{\pi}{4}$

coth()

$$coth(Expr1) \Rightarrow expression$$

$$coth(List1) \Rightarrow list$$

Returns the hyperbolic cotangent of Expr1 or returns a list of the hyperbolic cotangents of all elements of List1.

Catalog > 🗐

$$\begin{array}{ccc}
coth(1.2) & 1.19954 \\
coth(\{1,3.2\}) & \left\{\frac{1}{\tanh(1)},1.00333\right\}
\end{array}$$

coth-1()

$$coth^{-1}(Expr1) \Rightarrow expression$$

$$coth^{-1}(List1) \Rightarrow list$$

Returns the inverse hyperbolic cotangent of Expr1 or returns a list containing the inverse hyperbolic cotangents of each element of List1.

Note: You can insert this function from the keyboard by typing arccoth (...).

Catalog > [3]

$$\begin{array}{ccc} \coth^3(3.5) & 0.293893 \\ \coth^3(\left\{-2,2.1,6\right\}) & \\ & \left\{\frac{-\ln(3)}{2},0.518046,\frac{\ln\left(\frac{7}{5}\right)}{2}\right\} \end{array}$$

count()

count(Value1orList1 [,Value2orList2 [....]]) ⇒ value

Returns the accumulated count of all elements in the arguments that evaluate to numeric values.

Each argument can be an expression, value, list, or matrix. You can mix data types and use arguments of various dimensions.

For a list, matrix, or range of cells, each element is evaluated to determine if it should be included in the count.

Catalog > 🗓

$$\frac{\text{count}(2,4,6)}{\text{count}(2,4,6)} \qquad \qquad 3$$

$$\frac{\text{count}(2,4,6)}{\text{count}(2,4,6)} = \frac{8}{12} \qquad \qquad 7$$

$$\frac{1}{2} 3+4 \cdot i \text{, undef, "hello", } x+5 \text{, sign}(0)$$

In the last example, only 1/2 and 3+4*i are counted. The remaining arguments, assuming x is undefined, do not evaluate to numeric values.

count() Catalog > [3]

Within the Lists & Spreadsheet application, you can use a range of cells in place of any argument.

Empty (void) elements are ignored. For more information on empty elements, see page 251.

countif() Catalog > 💓

 $countif(List,Criteria) \Rightarrow value$

Returns the accumulated count of all elements in *List* that meet the specified *Criteria*.

Criteria can be:

- A value, expression, or string. For example, 3 counts only those elements in List that simplify to the value 3.
- A Boolean expression containing the symbol ? as a placeholder for each element. For example, ?<5 counts only those elements in List that are less than

Within the Lists & Spreadsheet application, you can use a range of cells in place of *List*.

Empty (void) elements in the list are ignored. For more information on empty elements, see page 251.

Note: See also **sumif()**, page 180, and **frequency()**, page 74.

 $countIf(\{1,3,"abc",undef,3,1\},3)$

Counts the number of elements equal to 3.

countIf({ "abc", "def", "abc", 3}, "def") 1

Counts the number of elements equal to "def."

countIf $(x^{-2}, x^{-1}, 1, x, x^{2}, x)$

Counts the number of elements equal to x; this example assumes the variable x is undefined

countIf({1,3,5,7,9},?<5) 2

Counts 1 and 3.

countIf({1,3,5,7,9},2<?<8) 3

Counts 3, 5, and 7.

countIf($\{1,3,5,7,9\},?<4 \text{ or }?>6$)

Counts 1, 3, 7, and 9.

cPolyRoots()

Catalog > 📳

Catalog > 🗐

 $cPolyRoots(Poly,Var) \Rightarrow list$

 $croighoods(1 \ org, v \ ur) \rightarrow risi$

 $cPolyRoots(ListOfCoeffs) \Rightarrow list$

The first syntax, cPolyRoots(Poly,Var), returns a list of complex roots of polynomial Poly with respect to variable Var.

Poly must be a polynomial in one variable.

The second syntax, **cPolyRoots** (*ListOfCoeffs*), returns a list of complex roots for the coefficients in *ListOfCoeffs*.

Note: See also polyRoots(), page 136.

polyRoots (y^3+1,y)	{-1}
cPolyRoots(y ³ +1,y)	
$\left\{-1, \frac{1}{2} - \frac{\sqrt{3}}{2}\right\}$	$\mathbf{i}, \frac{1}{2} + \frac{\sqrt{3}}{2} \mathbf{i}$
$polyRoots(x^2+2•x+1,x)$	{-1,-1}
cPolyRoots({1,2,1})	{-1,-1}

crossP()

Returns the cross product of List1 and List2 as a list.

List1 and List2 must have equal dimension, and the dimension must be either 2 or 3.

 $crossP(Vector1, Vector2) \Rightarrow vector$

Returns a row or column vector (depending on the arguments) that is the cross product of *Vector I* and *Vector 2*.

Both *Vector1* and *Vector2* must be row vectors, or both must be column vectors. Both vectors must have equal dimension, and the dimension must be either 2 or 3.

$\overline{\operatorname{crossP}(\{a1,b1\},\{a2,b2\})}$
$\{0,0,a1 \cdot b2 - a2 \cdot b1\}$
crossP({0.1,2.2,-5},{1,-0.5,0})
{-2.5,-5.,-2.25}

csc()

In Degree angle mode:

 $csc(Expr1) \Rightarrow expression$

 $csc(List1) \Rightarrow list$

csc(45)

 $\sqrt{2}$

 $\sqrt{2}$

trig kev

Returns the cosecant of Expr1 or returns a list containing the cosecants of all elements in List1.

In Gradian angle mode:

csc(50)

In Radian angle mode:

$$\operatorname{csc}\left\{\left\{1,\frac{\pi}{2},\frac{\pi}{3}\right\}\right\} \qquad \left\{\frac{1}{\sin(1)},1\right\}$$

csc -1()

trig key

 $csc^{-1}(Exprl) \Rightarrow expression$



90.

100.

 $csc^{-1}(List1) \Rightarrow list$

csc-1(1)

Returns the angle whose cosecant is *Expr1* or returns a list containing the inverse cosecants of each element of *List1*.

In Gradian angle mode:

In Degree angle mode:

csc-1(1)

Note: The result is returned as a degree. gradian or radian angle, according to the current angle mode setting.

In Radian angle mode:

Note: You can insert this function from the keyboard by typing arccsc (...).

 $\csc^{-1}(\{1,4,6\})$

csch()

Catalog > 🕮

 $csch(Expr1) \Rightarrow expression$

 $csch(List1) \Rightarrow list$

Returns the hyperbolic cosecant of *Expr1* or returns a list of the hyperbolic cosecants of all elements of List1.

csch(3)

sinh(3)

csch({1,2.1,4})

csch-1()

Catalog > 🕮

 $\operatorname{csch}^{-1}(Expr1) \Rightarrow expression$

 $\operatorname{csch}^{-1}(List 1) \Rightarrow list$

Returns the inverse hyperbolic cosecant of Expr1 or returns a list containing the inverse hyperbolic cosecants of each

element of List1.

Note: You can insert this function from the keyboard by typing arccsch (...).

csch-1(1) sinh-1(1) csch-1({1,2.1,3}) sinh-1(1),0.459815,sinh $cSolve(Equation, Var) \Rightarrow Boolean$ expression

 $cSolve(Equation, Var=Guess) \Rightarrow Boolean$ expression

 $cSolve(Inequality, Var) \Rightarrow Boolean$ expression

cSolve
$$(x^3 = -1, x)$$

 $x = \frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i \text{ or } x = \frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i \text{ or } x = -1$
solve $(x^3 = -1, x)$ $x = -1$

Returns candidate complex solutions of an equation or inequality for *Var*. The goal is to produce candidates for all real and nonreal solutions. Even if *Equation* is real, cSolve() allows non-real results in Real result Complex Format.

Although all undefined variables that do not end with an underscore () are processed as if they were real, cSolve() can solve polynomial equations for complex solutions.

cSolve() temporarily sets the domain to complex during the solution even if the current domain is real. In the complex domain, fractional powers having odd denominators use the principal rather than the real branch. Consequently, solutions from solve() to equations involving such fractional powers are not necessarily a subset of those from cSolve().

cSolve() starts with exact symbolic methods. cSolve() also uses iterative approximate complex polynomial factoring, if necessary.

Note: See also cZeros(), solve(), and zeros().

cSolve
$$\left(x^{\frac{1}{3}} = 1, x\right)$$
 false solve $\left(x^{\frac{1}{3}} = 1, x\right)$ $x=-1$

In Display Digits mode of Fix 2:

exact(cSolve(
$$x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3=0,x$$
))
 $x\cdot (x^4+4\cdot x^3+5\cdot x^2-6)=3$
cSolve(Ans,x)
 $x=-1.11+1.07\cdot i$ or $x=-1.11-1.07\cdot i$ or $x=-2.$)

To see the entire result. cursor.

cSolve(Eqn1 and Eqn2 [and...], $VarOrGuess1, VarOrGuess2[, ...]) \Rightarrow$ Boolean expression

cSolve(SystemOfEqns, VarOrGuess1, VarOrGuess2 [, ...]) ⇒ Boolean expression

Returns candidate complex solutions to the simultaneous algebraic equations, where each *varOrGuess* specifies a variable that you want to solve for.

Optionally, you can specify an initial guess for a variable. Each *varOrGuess* must have the form:

variable

– or –

variable = real or non-real number

For example, x is valid and so is x=3+i.

If all of the equations are polynomials and if you do NOT specify any initial guesses, cSolve() uses the lexical

Gröbner/Buchberger elimination method to attempt to determine all complex solutions.

Complex solutions can include both real and non-real solutions, as in the example to the right.

Simultaneous polynomial equations can have extra variables that have no values, but represent given numeric values that could be substituted later.

You can also include solution variables that do not appear in the equations. These solutions show how families of solutions might contain arbitrary constants of the form $\mathbf{c}k$, where k is an integer suffix from 1 through 255.

cSolve
$$\left(u \cdot v - u = v \text{ and } v^2 = -u, \{u, v\}\right)$$

 $u = \frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i \text{ and } v = \frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i \text{ or } u = \frac{1}{2} - \frac{\sqrt{3}}{2}$

To see the entire result,

press ▲ and then use ◀ and ▶ to move the
cursor.

cSolve
$$\left(u \cdot v - u = c \cdot v \text{ and } v^2 = -u, \{u, v\}\right)$$

$$u = \frac{-\left(\sqrt{4 \cdot c - 1} \cdot i + 1\right)^2}{4} \text{ and } v = \frac{\sqrt{4 \cdot c - 1} \cdot i + 1}{2} \text{ o}$$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

cSolve
$$\left(u \cdot v - u = v \text{ and } v^2 = -u, \left\{u, v, w\right\}\right)$$

 $u = \frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i \text{ and } v = \frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i \text{ and } w = c43 \text{ or}^4$

For polynomial systems, computation time or memory exhaustion may depend strongly on the order in which you list solution variables. If your initial choice exhausts memory or your patience, try rearranging the variables in the equations and/or <code>varOrGuess</code> list.

If you do not include any guesses and if any equation is non-polynomial in any variable but all equations are linear in all solution variables, cSolve() uses Gaussian elimination to attempt to determine all solutions.

If a system is neither polynomial in all of its variables nor linear in its solution variables, cSolve() determines at most one solution using an approximate iterative method. To do so, the number of solution variables must equal the number of equations, and all other variables in the equations must simplify to numbers.

A non-real guess is often necessary to determine a non-real solution. For convergence, a guess might have to be rather close to a solution.

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

cSolve
$$\left(u+v=e^{W} \text{ and } u-v=i,\left\{u,v\right\}\right)$$

$$u=\frac{e^{W}+i}{2} \text{ and } v=\frac{e^{W}-i}{2}$$

cSolve
$$\left(e^{Z} = w \text{ and } w = z^{2}, \left\{w, z\right\}\right)$$

 $w = 0.494866 \text{ and } z = 0.703467$

cSolve
$$\left(e^Z = w \text{ and } w = z^2, \left\{w, z = 1 + i\right\}\right)$$

 $w = 0.149606 + 4.8919 \cdot i \text{ and } z = 1.58805 + 1.5402$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

CubicReg Catalog > 23

CubicReg X, Y[, [Freq] [, Category, Include]

Computes the cubic polynomial regression $y=a \cdot x^3+b \cdot x^2+c \cdot x+d$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Catalog > 🔯

CubicReg

Freq is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: a•x³+b•x²+c•x+d
stat.a, stat.b, stat.c, stat.d	Regression coefficients
stat.R ²	Coefficient of determination
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

cumulativeSum()	C	Catalog > 🕼
$cumulativeSum(List1) \Rightarrow list$	cumulativeSum($\{1,2,3,4\}$)	{1,3,6,10}

Returns a list of the cumulative sums of the elements in *List1*, starting at element 1.

cumulativeSum()

Catalog > 💱

Catalog > 23

 $cumulativeSum(Matrix I) \Rightarrow matrix$

Returns a matrix of the cumulative sums of the elements in *Matrix 1*. Each element is the cumulative sum of the column from top to bottom.

An empty (void) element in *List1* or *Matrix1* produces a void element in the resulting list or matrix. For more information on empty elements, see page 251.

1 2	1 2
$\begin{vmatrix} 3 & 4 \end{vmatrix} \rightarrow m1$	3 4
[5 6]	[5 6]
cumulativeSum(m1)	1 2
	4 6
	9 12

Cycle

Cycle

Transfers control immediately to the next iteration of the current loop (For, While, or Loop).

Cycle is not allowed outside the three looping structures (**For**, **While**, or **Loop**).

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Function listing that sums the integers from 1 to 100 skipping 50.

Done
5000

► Cylind Catalog > [2]

Vector ▶ Cylind

Note: You can insert this operator from the computer keyboard by typing @>Cylind.

Displays the row or column vector in cylindrical form $[r, \angle \theta, z]$.

Vector must have exactly three elements. It can be either a row or a column.

cZeros()

Catalog > 💷

 $cZeros(Expr, Var) \Rightarrow list$

Returns a list of candidate real and non-real values of Var that make Expr=0. cZeros() does this by computing exp \blacktriangleright list(cSolve(Expr=0, Var), Var). Otherwise, cZeros() is similar to zeros().

Note: See also cSolve(), solve(), and zeros().

cZeros({
$$Expr1$$
, $Expr2$ [, ...] },
{ $VarOrGuess1$, $VarOrGuess2$ [, ...] })
 $\Rightarrow matrix$

Returns candidate positions where the expressions are zero simultaneously. Each *VarOrGuess* specifies an unknown whose value you seek.

Optionally, you can specify an initial guess for a variable. Each VarOrGuess must have the form:

variable

– or –

variable = real or non-real number

For example, x is valid and so is x=3+i.

If all of the expressions are polynomials and you do NOT specify any initial guesses, cZeros() uses the lexical Gröbner/Buchberger elimination method to attempt to determine all complex zeros.

Complex zeros can include both real and non-real zeros, as in the example to the right.

Each row of the resulting matrix represents an alternate zero, with the components ordered the same as the *VarOrGuess* list. To extract a row, index the matrix by [row].

In Display Digits mode of Fix 3:

cZeros
$$(x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3,x)$$

{-1.1138+1.07314•*i*,-1.1138-1.07314•*i*,-2.•

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

cZeros(
$$\{u \cdot v - u - v, v^2 + u\}, \{u, v\}$$
)
$$\begin{bmatrix}
0 & 0 & 0 \\
\frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i & \frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i \\
\frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i & \frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i
\end{bmatrix}$$

Extract row 2:

Simultaneous polynomials can have extra variables that have no values, but represent given numeric values that could be substituted later.

You can also include unknown variables that do not appear in the expressions. These zeros show how families of zeros might contain arbitrary constants of the form $\mathbf{c}k$. where k is an integer suffix from 1 through 255.

For polynomial systems, computation time or memory exhaustion may depend strongly on the order in which you list unknowns. If your initial choice exhausts memory or your patience, try rearranging the variables in the expressions and/or VarOrGuess list.

If you do not include any guesses and if any expression is non-polynomial in any variable but all expressions are linear in all unknowns. cZeros() uses Gaussian elimination to attempt to determine all zeros.

If a system is neither polynomial in all of its variables nor linear in its unknowns. cZeros () determines at most one zero using an approximate iterative method. To do so, the number of unknowns must equal the number of expressions, and all other variables in the expressions must simplify to numbers.

A non-real guess is often necessary to determine a non-real zero. For convergence, a guess might have to be rather close to a zero.

czeros(
$$\{u \cdot v - u - c \cdot v^2, v^2 + u\}, \{u, v\}$$
)
$$\begin{bmatrix} 0 & 0 \\ -(c-1)^2 & -(c-1) \end{bmatrix}$$

cZeros(
$$\{u \cdot v - u - v, v^2 + u\}$$
, $\{u, v, w\}$)
cZero($\{u \cdot (v - 1) - v, u + v^2\}$, $\{u, v, w\}$)

$$\begin{bmatrix}
0 & 0 & c4 \\
\frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i & \frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i & c4 \\
\frac{1}{2} + \frac{\sqrt{3}}{2} \cdot i & \frac{1}{2} - \frac{\sqrt{3}}{2} \cdot i & c4
\end{bmatrix}$$

cZeros(
$$\{u+v-e^{w},u-v-i\}$$
, $\{u,v\}$)
$$\left[\frac{e^{w}+i}{2} \frac{e^{w}-i}{2}\right]$$

cZeros
$$\{e^{z}-w,w-z^{2}\},\{w,z\}\}$$
 [0.494866 -0.703467]

cZeros(
$$\{e^{-z-w,w-z^2}\}$$
, $\{w,z=1+i\}$)
[0.149606+4.8919· i 1.58805+1.54022· i]

D

dbd() Catalog > 🗐 $dbd(date1, date2) \Rightarrow value$ dbd(12.3103,1.0104) dbd(1.0107,6.0107) Returns the number of days between *date1* 151 and date 2 using the actual-day-count dbd(3112.03,101.04) 1 method. dbd(101.07.106.07) 151

date1 and date2 can be numbers or lists of numbers within the range of the dates on the standard calendar. If both date1 and date2 are lists, they must be the same length.

date1 and date2 must be between the years 1950 through 2049.

You can enter the dates in either of two formats. The decimal placement differentiates between the date formats.

MM.DDYY (format used commonly in the United States)
DDMM.YY (format use commonly in Europe)

▶ DD	Catalog > 🗐
-------------	-------------

 $Expr1 \triangleright DD \Rightarrow valueList1$

▶DD \Rightarrow listMatrix1

 \triangleright **DD** ⇒ matrix

Note: You can insert this operator from the computer keyboard by typing @>DD.

Returns the decimal equivalent of the argument expressed in degrees. The argument is a number, list, or matrix that is interpreted by the Angle mode setting in gradians, radians or degrees.

In Degree angle mode:

(1.5°)▶DD	1.5°
(45°22'14.3")▶DD	45.3706°
({45°22'14.3",60°0'0"})▶D	D
	{45.3706°,60°}

In Gradian angle mode:

1▶DD	9 0
	10

In Radian angle mode:

-(1.5)	5)▶DD	85.9437°

► Decimal Catalog > [1]

 $Expression1 \triangleright Decimal \Rightarrow expression$

 $List1 \triangleright Decimal \Rightarrow expression$

 $Matrix1 \triangleright Decimal \Rightarrow expression$

Note: You can insert this operator from the computer keyboard by typing @>Decimal.

$\frac{1}{3}$ Decimal	0.333333

Displays the argument in decimal form. This operator can be used only at the end of the entry line.

Define Catalog > 23

Define Var = Expression **Define** Function(Param1, Param2, ...) =
Expression

Defines the variable Var or the user-defined function Function.

Parameters, such as *Param1*, provide placeholders for passing arguments to the function. When calling a user-defined function, you must supply arguments (for example, values or variables) that correspond to the parameters. When called, the function evaluates *Expression* using the supplied arguments.

Var and Function cannot be the name of a system variable or built-in function or command.

Note: This form of **Define** is equivalent to executing the expression: $expression \rightarrow Function(Param 1, Param 2)$.

Define Function(Param1, Param2, ...) = Func

Block

EndFunc

Define Program(Param1, Param2, ...) = Prgm

Block

EndPrgm

In this form, the user-defined function or program can execute a block of multiple statements.

Block can be either a single statement or a series of statements on separate lines. **Block** also can include expressions and instructions (such as **If**, **Then**, **Else**, and **For**).

Define $g(x,y)=2\cdot x-3\cdot y$	Done
g(1,2)	-4
$1 \rightarrow a: 2 \rightarrow b: g(a,b)$	-4
Define $h(x)$ =when($x < 2, 2 \cdot x - 3, -2 \cdot x + 3$)	Done
h(-3)	-9
h(4)	-5

Define $g(x,y)$ =Func	Done
If $x>y$ Then	
Return x	
Else	
Return y	
EndIf	
EndFunc	
g(3,-7)	3

Define

Catalog > 🕮

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Note: See also Define LibPriv, page 47, and Define LibPub, page 47.

Define g(x,y)=Prgm If x>v Then Disp x," greater than ",yDisp x," not greater than ",yEndIf

EndPrgm

Done

g(3,-7)

3 greater than -7

Done

Define LibPriv

Catalog > 🗐

Define LibPriv Var = ExpressionDefine LibPriv Function(Param1, Param2, ...) = Expression

Define LibPriv Function(Param1, Param2, ...) = Func Block

EndFunc

Define LibPriv Program(Param1, Param2, ...) = Prgm Block

EndPrgm

Operates the same as **Define**, except defines a private library variable, function, or program. Private functions and programs do not appear in the Catalog.

Note: See also Define, page 46, and Define LibPub, page 47.

Define LibPub

Catalog > 🗐

Define LibPub Var = ExpressionDefine LibPub Function(Param1, Param2, ...) = Expression

Define LibPub Function(Param1, Param2, ...) = Func Block

EndFunc

Define LibPub Program(Param1, Param2, ...) = Prgm Block

EndPrgm

Operates the same as **Define**, except defines a public library variable, function, or program. Public functions and programs appear in the Catalog after the library has been saved and refreshed.

Note: See also Define, page 46, and Define LibPriv, page 47.

deltaList()

See Δ List(), page 103.

deltaTmpCnv()

See Δ tmpCnv(), page 189.

DelVar		Catalog > 🗐
DelVar <i>Var1</i> [, <i>Var2</i>] [, <i>Var3</i>]	$2 \rightarrow a$	2
DelVar Var.	$(a+2)^2$	16
	DelVar a	Done
Deletes the specified variable or variable group from memory.	$(a+2)^2$	$(a+2)^2$
If one or more of the variables are locked, this command displays an error message and deletes only the unlocked variables. See unLock , page 197.		

DelVar Var. deletes all members of the Var. variable group (such as the statistics stat.nn results or variables created using the LibShortcut() function). The dot (.) in this form of the DelVar command limits it to deleting a variable group; the simple variable *Var* is not affected.

aa.a:=45			45
aa.b:=5.67			5.67
aa.c:=78.9			78.9
getVarInfo()	aa.a	"NUM"	"[]"]
	aa.b	"NUM" "NUM"	"[]"
	aa.c	"NUM"	"[]"]
DelVar aa.			Done
getVarInfo()	•	"N	IONE"

delVoid() Catalog > 13

 $delVoid(List1) \Rightarrow list$

 $delVoid(\{1,void,3\})$ {1,3}

Returns a list that has the contents of List1 with all empty (void) elements removed.

For more information on empty elements, see page 251.

See d(), page 221.

Catalog > 🕮

derivative()

deSolve()

deSolve(lstOr2ndOrderODE**,** Var**,** depVar**)** \Rightarrow a general solution

Returns an equation that explicitly or implicitly specifies a general solution to the 1st- or 2nd-order ordinary differential equation (ODE). In the ODE:

- Use a prime symbol (press ?!-) to denote the 1st derivative of the dependent variable with respect to the independent variable.
- Use two prime symbols to denote the corresponding second derivative.

The prime symbol is used for derivatives within deSolve() only. In other cases, use **d** ().

The general solution of a 1st-order equation contains an arbitrary constant of the form ck, where k is an integer suffix from 1 through 255. The solution of a 2nd-order equation contains two such constants.

Apply **solve()** to an implicit solution if you want to try to convert it to one or more equivalent explicit solutions.

When comparing your results with textbook or manual solutions, be aware that different methods introduce arbitrary constants at different points in the calculation, which may produce different general solutions.

$$\frac{\operatorname{deSolve}(v''+2\cdot v'+y=x^2,x,y)}{y=(c3\cdot x+c4)\cdot e^{-x}+x^2-4\cdot x+6}$$

$$\frac{\operatorname{right}(Ans)\to temp}{(c3\cdot x+c4)\cdot e^{-x}+x^2-4\cdot x+6}$$

$$\frac{d^2}{dx^2}(temp)+2\cdot \frac{d}{dx}(temp)+temp-x^2$$
DelVar temp
$$\frac{\partial}{\partial x^2}(temp) = \frac{\partial}{\partial x^2}(temp)$$

$$\frac{1}{\operatorname{deSolve}\left(y'=\left(\cos(y)\right)^{2}\cdot x,x,y\right)} \quad \tan(y) = \frac{x^{2}}{2} + c4$$

solve(
$$Ans, y$$
) $y = tan^{-1} \left(\frac{x^2 + 2 \cdot c4}{2}\right) + n3 \cdot \pi$

$$Ans|c4 = c - 1 \text{ and } n3 = 0$$

$$y = tan^{-1} \left(\frac{x^2 + 2 \cdot (c - 1)}{2}\right)$$

deSolve(lstOrderODE **and** initCond, Var, depVar) \Rightarrow a particular solution

Returns a particular solution that satisfies *IstOrderODE* and *initCond*. This is usually easier than determining a general solution, substituting initial values, solving for the arbitrary constant, and then substituting that value into the general solution.

initCond is an equation of the form:

depVar (initialIndependentValue) =
initialDependentValue

The initialIndependentValue and initialDependentValue can be variables such as x0 and y0 that have no stored values. Implicit differentiation can help verify implicit solutions.

deSolve(2ndOrderODE and initCond1 and initCond2, Var, depVar) ⇒ particular solution

Returns a particular solution that satisfies 2nd Order ODE and has a specified value of the dependent variable and its first derivative at one point.

For *initCond1*, use the form:

depVar (initialIndependentValue) = initialDependentValue

For *initCond2*, use the form:

depVar (initialIndependentValue) =
initialIstDerivativeValue

deSolve(2ndOrderODE and bndCond1 and bndCond2, Var, depVar) \Rightarrow a particular solution

Returns a particular solution that satisfies 2ndOrderODE and has specified values at two different points.

$$\frac{\sin(y) = \left(y \cdot e^x + \cos(y)\right) \cdot y' \to ode}{\sin(y) = \left(e^x \cdot y + \cos(y)\right) \cdot y'}$$

$$\frac{\sin(y) = \left(e^x \cdot y + \cos(y)\right) \cdot y'}{\det \operatorname{Solve}(ode \text{ and } y(0) = 0, x, y) \to soln}$$

$$\frac{-\left(2 \cdot \sin(y) + y^2\right)}{2} = -\left(e^x - 1\right) \cdot e^{-x} \cdot \sin(y)$$

$$\frac{soln|_x = 0 \text{ and } y = 0}{\det |_y' = \operatorname{impDif}(soln, x, y)}$$

$$\operatorname{true}$$

$$\frac{ode|_y' = \operatorname{impDif}(soln, x, y)}{\det \operatorname{DelVar}(ode, soln)}$$

$$\frac{\operatorname{Done}(y) + \operatorname{Done}(y) + \operatorname{Done}(y)}{\det \operatorname{Done}(y) + \operatorname{Done}(y)}$$

$$deSolve \left(y''=y^{-\frac{1}{2}} \text{ and } y(0)=0 \text{ and } y'(0)=0,t,y\right) = \frac{\frac{3}{4}}{3}=t$$

solve
$$\left(\frac{2 \cdot y^{\frac{3}{4}}}{3} = t_{\mathcal{V}}\right)$$

$$y = \frac{3 \cdot 3^{\frac{1}{3}} \cdot 2^{\frac{2}{3}} \cdot t^{\frac{4}{3}}}{4} \text{ and } t \ge 0$$

deSolve(y"=x and y(0)=1 and y'(2)=3,x,y)

$$y = \frac{x^3}{6} + x + 1$$

deSolve(y"=2·y' and y(3)=1 and y'(4)=2,x,y)
 $y = \mathbf{e}^{2\cdot x-8} - \mathbf{e}^{-2} + 1$

expression

Catalog > 🗐

-2

$$|\det \text{Solve}\left(w'' - \frac{2 \cdot w'}{x} + \left(9 + \frac{2}{x^2}\right) \cdot w = x \cdot e^x \text{ and } w\left(\frac{\pi}{6}\right) = 0 \text{ and } w\left(\frac{\pi}{3}\right) = 0, x, w\right)$$

$$w = \frac{x \cdot e^x}{\left(\ln(e)\right)^2 + 9} + \frac{e^{\frac{\pi}{3}} \cdot x \cdot \cos(3 \cdot x)}{\left(\ln(e)\right)^2 + 9} - \frac{e^{\frac{\pi}{6}} \cdot x \cdot \sin(3 \cdot x)}{\left(\ln(e)\right)^2 + 9}$$

det() det(squareMatrix[, Tolerance]) ⇒

Returns the determinant of squareMatrix.

Optionally, any matrix element is treated as zero if its absolute value is less than *Tolerance*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tolerance* is ignored.

- If you use <u>ctrl</u> <u>enter</u> or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.
- If Tolerance is omitted or not used, the default tolerance is calculated as: 5E⁻14 *max(dim(squareMatrix))
 *rowNorm(squareMatrix)

$\mathbf{t}\begin{bmatrix} a \\ c \end{bmatrix}$	$\begin{bmatrix} b \\ d \end{bmatrix}$	$a \cdot d - b \cdot c$

$$\det \left[\text{identity}(3) - x \cdot \begin{bmatrix} 1 & -2 & 3 \\ -2 & 4 & 1 \\ -6 & -2 & 7 \end{bmatrix} \right]$$

de

	[0 1]
det(mat1)	0
det(mat1,.1)	1. E 20

diag() Catalog > [1]

diag(List) ⇒ matrix
diag(rowMatrix) ⇒ matrix
diag(columnMatrix) ⇒ matrix

Returns a matrix with the values in the argument list or matrix in its main diagonal.

 $diag(squareMatrix) \Rightarrow rowMatrix$

Returns a row matrix containing the elements from the main diagonal of *squareMatrix*.

squareMatrix must be square.

		-040
diag([2 4 6])	2	0 0
	0	$\begin{bmatrix} 0 & 0 \\ 4 & 0 \\ 0 & 6 \end{bmatrix}$
	0	0 6

4 6 8	4 6	8
1 2 3	1 2	3
[5 7 9]	5 7	9]
diag(Ans)	[4 2	9

dim() Catalog > 🕮 $\dim(\{0,1,2\})$

 $dim(List) \Rightarrow integer$

Returns the dimension of *List*.

 $dim(Matrix) \Rightarrow list$

Returns the dimensions of matrix as a twoelement list {rows, columns}.

 $dim(String) \Rightarrow integer$

Returns the number of characters contained in character string String.

$\dim \begin{bmatrix} 1 & -1 \\ 2 & -2 \\ 3 & 5 \end{bmatrix}$	{3,2}
dim("Hello")	
dim("Hello "&"there")	11

Disp

Disp exprOrString1 [, exprOrString2] ...

Displays the arguments in the *Calculator* history. The arguments are displayed in succession, with thin spaces as separators.

Useful mainly in programs and functions to ensure the display of intermediate calculations.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define chars(start,end)=Prgm For i,start,end Disp i," ",char(i) EndFor EndPrgm

Catalog > 🗐

Catalog > 🗐

	Done
chars(240,243)	
	240 ð
	241 ñ
	242 ò
	243 6
	Done

DispAt


DispAt int, expr1 [, expr2 ...] ...

DispAt allows you to specify the line where the specified expression or string will be displayed on the screen.

The line number can be specified as an expression.

Please note that the line number is not for the entire screen but for the area immediately following the command/program.

DispAt




DispAt Catalog > ℚį

This command allows dashboard-like output from programs where the value of an expression or from a sensor reading is updated on the same line.

DispAtand Disp can be used within the same program.

Note: The maximum number is set to 8 since that matches a screen-full of lines on the handheld screen - as long as the lines don't have 2D math expressions. The exact number of lines depends on the content of the displayed information.



Illustrative examples:

Define z()=	Output
Prgm	z()
For n,1,3	Iteration 1:
DispAt 1,"N: ",n	Line 1: N:1
Disp "Hello"	Line 2: Hello
EndFor	
EndPrgm	Iteration 2:
	Line 1: N:2
	Line 2: Hello
	Line 3: Hello
	Iteration 3:
	Line 1: N:3
	Line 2: Hello
	Line 3: Hello
	Line 4: Hello
Define z1()=	z1()
Prgm	Line 1: N:3
For n,1,3	Line 2: Hello
DispAt 1,"N: ",n	Line 3: Hello
EndFor	Line 4: Hello
	Line 5: Hello
For n,1,4	
Disp "Hello"	
EndFor	
EndPrgm	

Error conditions:

Fune a Massaca	Bassistian.
Error Message DispAt line number must be between 1 and 8	Description Expression evaluates the line number outside the range 1-8 (inclusive)
Too few arguments	The function or command is missing one or more arguments.
No arguments	Same as current 'syntax error' dialog
Too many arguments	Limit argument. Same error as Disp.
Invalid data type	First argument must be a number.
Void: DispAt void	"Hello World" Datatype error is thrown for the void (if the callback is defined)
Conversion operator: DispAt 2_ft @> _m, "Hello World"	CAS: Datatype Error is thrown (if the callback is defined)
	Numeric: Conversion will be evaluated and if the result is a valid argument, DispAt print the string at the result line.

▶DMS	Catalog > 🕎	
Expr ▶DMS	In Degree angle mode:	
List ►DMS	(45.371)▶DMS 45°22'15.6"	
Matrix ▶DMS	$({45.371,60})$ DMS ${45^{\circ}22'15.6",60^{\circ}}$	

Note: You can insert this operator from the computer keyboard by typing @>DMS.

Interprets the argument as an angle and displays the equivalent DMS (DDDDDD°MM'SS.ss") number. See °, ', " on page 228 for DMS (degree, minutes, seconds) format.

Note: ► DMS will convert from radians to degrees when used in radian mode. If the input is followed by a degree symbol o, no conversion will occur. You can use ▶DMS only at the end of an entry line.

domain()

Catalog > 😰

 $domain(Expr1, Var) \Rightarrow expression$

Returns the domain of Expr1 with respect to Var.

domain() can be used to examine domains of functions. It is restricted to real and finite domain.

This functionality has limitations due to shortcomings of computer algebra simplification and solver algorithms.

Certain functions cannot be used as arguments for **domain()**, regardless of whether they appear explicitly or within user-defined variables and functions. In the following example, the expression cannot be simplified because \int () is a disallowed function.

$$\operatorname{domain}\left(\begin{bmatrix} x \\ \frac{1}{t} & \operatorname{d}t, x \\ 1 \end{bmatrix} + \operatorname{domain}\left(\begin{bmatrix} x \\ \frac{1}{t} & \operatorname{d}t, x \\ 1 \end{bmatrix}\right)$$

$\operatorname{domain}\left(\frac{1}{x+y},y\right)$	-∞ <y<-x -x<y<∞<="" or="" th=""></y<-x>
$\operatorname{domain}\left(\frac{x+1}{x^2+2\cdot x},x\right)$	x≠-2 and x≠0
$domain((\sqrt{x})^2,x)$	0≤χ<∞
$domain\left(\frac{1}{x+y},y\right)$	-∞ <y<-x -x<y<∞<="" or="" td=""></y<-x>

dominantTerm()

dominantTerm(Expr1, Var[, Point]) \Rightarrow expression

dominantTerm(Expr1, Var [, Point]) |
Var>Point ⇒ expression

dominantTerm(Expr1, Var[, Point]) | $Var < Point \Rightarrow expression$

Catalog > 📳

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{x^7}{30}$$

$$\frac{1}{2 \cdot (x-1)}$$

$$\frac{1}{2 \cdot (x-1)}$$

$$\frac{1}{x^3}$$

$$\frac{1}{x^3}$$

$$\frac{1}{x^3}$$

$$\frac{1}{x^3}$$

$$\frac{1}{x^3}$$

$$\frac{1}{x^2}$$

$$\frac{1}{x^2}$$

dominantTerm()

Catalog > 🕮

Returns the dominant term of a power series representation of *Expr1* expanded about *Point*. The dominant term is the one whose magnitude grows most rapidly near Var = Point. The resulting power of (Var -Point) can have a negative and/or fractional exponent. The coefficient of this power can include logarithms of (Var -*Point*) and other functions of *Var* that are dominated by all powers of (Var - Point)having the same exponent sign.

Point defaults to 0. *Point* can be ∞ or $-\infty$. in which cases the dominant term will be the term having the largest exponent of Var rather than the smallest exponent of Var.

dominantTerm(...) returns "dominantTerm (...)" if it is unable to determine such a representation, such as for essential singularities such as sin(1/z) at z=0, $e^{-1/z}$ at z=0. or e^z at z = ∞ or $-\infty$.

If the series or one of its derivatives has a jump discontinuity at *Point*, the result is likely to contain sub-expressions of the form sign(...) or abs(...) for a real expansion variable or (-1)^{floor(...angle(...)} for a complex expansion variable, which is one ending with " ". If you intend to use the dominant term only for values on one side of *Point*, then append to dominantTerm(...) the appropriate one of "| Var > Point", "| Var < Point'', "| " $Var \ge Point''$, or " $Var \le$ Point" to obtain a simpler result.

dominantTerm() distributes over 1stargument lists and matrices.

dominantTerm() is useful when you want to know the simplest possible expression that is asymptotic to another expression as $Var \rightarrow Point$. **dominantTerm()** is also useful when it isn't obvious what the degree of the first non-zero term of a series will be. and you don't want to iteratively guess either interactively or by a program loop.

	0 -
dominantTerm $\left(\frac{-1}{z}\right)$	
dominantTer	$\operatorname{m}\left(\frac{-1}{z},z,0\right)$
dominantTerm $\left(1+\frac{1}{n}\right)^n, n, \infty$	е
dominantTerm $\left(\tan^{-1}\left(\frac{1}{x}\right), x, 0\right)$	$\frac{\pi \cdot \operatorname{sign}(x)}{2}$
dominantTerm $\left(\tan^{-1}\left(\frac{1}{x}\right),x\right) x>0$	$\frac{\pi}{2}$

Note: See also series(), page 161.

dotP()	Catalog > 👰

 $dotP(List1, List2) \Rightarrow expression$

Returns the "dot" product of two lists.

 $dotP(Vector1, Vector2) \Rightarrow expression$

Returns the "dot" product of two vectors.

Both must be row vectors, or both must be column vectors.

$dotP(\{a,b,c\},\{d,e,f\})$	$a \cdot d + b \cdot e + c \cdot f$
$dotP(\{1,2\},\{5,6\})$	17
$dotP([a \ b \ c],[d \ e \ f])$	$a \cdot d + b \cdot e + c \cdot f$
dotP[[1 2 3],[4 5 6]]	32

See Also: TI-Nspire™ CX II - Draw Commands

Ε

e^()		e ^x key
$e^{(Exprl)} \Rightarrow expression$	e^1	e
Returns ${\it e}$ raised to the ${\it Expr1}$ power.	e ^{1.}	2.71828
Note: See also <i>e</i> exponent template, page	e ^{3²}	e ⁹

Note: Pressing [ex] to display e^(is different from pressing the character **E** on the keyboard.

You can enter a complex number in reit polar form. However, use this form in Radian angle mode only; it causes a Domain error in Degree or Gradian angle mode.

 $e^{(List l)} \Rightarrow list$

Returns e raised to the power of each element in *List1*.

 $e^{(squareMatrix l)} \Rightarrow squareMatrix$

{1,1.,0.5} {e,2.71828,1.64872	
$e^{\{1,1.,0.5\}}$ {e,2.71828,1.64872	:}

	1	5	3		559.617	
		2			488.795	
e	6	-2	1	524.929	371.222	307.879



5.90398

Catalog > 🕮

Returns the matrix exponential of squareMatrix1. This is not the same as calculating e raised to the power of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

eff() Catalog > 🕮

 $eff(nominalRate, CpY) \Rightarrow value$

Financial function that converts the nominal interest rate nominal Rate to an annual effective rate, given CpY as the number of compounding periods per year.

nominalRate must be a real number, and CpY must be a real number > 0.

Note: See also nom(), page 123.

eigVc() $eigVc(squareMatrix) \Rightarrow matrix$

Returns a matrix containing the eigenvectors for a real or complex squareMatrix, where each column in the result corresponds to an eigenvalue. Note that an eigenvector is not unique; it may be scaled by any constant factor. The eigenvectors are normalized, meaning that:

if
$$V = [x_1, x_2, ..., x_n]$$

then $x_1^2 + x_2^2 + ... + x_n^2 = 1$

squareMatrix is first balanced with similarity transformations until the row and column norms are as close to the same value as possible. The *squareMatrix* is then reduced to upper Hessenberg form and the eigenvectors are computed via a Schur factorization.

In Rectangular Complex Format:

-1	2	5]	[_1	2	[ء	
1	4	$ a \rightarrow m1$	1		اد	
3	-6	9 7 1111	3	-6	9	
2	-5	7	2	-5	7]	

eigVc(m1)

eff(5.75,12)

-0.800906 0.767947 0.484029 0.573804+0.052258·i 0.5738)

To see the entire result. press ▲ and then use ◀ and ▶ to move the cursor.

eigVI()

Catalog > 23

 $eigVI(squareMatrix) \Rightarrow list$

Returns a list of the eigenvalues of a real or complex squareMatrix.

squareMatrix is first balanced with similarity transformations until the row and column norms are as close to the same value as possible. The squareMatrix is then reduced to upper Hessenberg form and the eigenvalues are computed from the upper Hessenberg matrix.

In Rectangular complex format mode:

Ī-	1	2	5	-1	2	5
	3	-6	$9 \rightarrow m1$	3	-6	9
	2	-5	7	2	-5	7

eigVl(m1)

{-4.40941,2.20471+0.763006·*i*,2.20471-0.**>**

To see the entire result,

press \triangle and then use \triangleleft and \triangleright to move the cursor.

Else

See If, page 86.

ElseIf Catalog > 13

If BooleanExpr1 Then

Block1

Elself BooleanExpr2 Then

Block2

ElseIf Boolean ExprN Then

BlockN

EndIf

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the

Calculator section of your product guidebook.

Define g(x)=Func

If $x \le -5$ Then Return 5

ElseIf x > -5 and x < 0 Then

Return -x

ElseIf $x \ge 0$ and $x \ne 10$ Then

Return x

ElseIf x=10 Then

Return 3 EndIf

EndFunc

Done

EndFor

See For, page 72.

EndFunc

See Func, page 75.

EndIf See If, page 86.

EndLoop

See Loop, page 110.

EndPrgm

See Prgm, page 137.

EndTry

See Try, page 191.

EndWhile

See While, page 201.

euler ()

euler(Expr, Var, depVar, {Var0, VarMax}, depVar0, $VarStep[, eulerStep]) \Rightarrow matrix$

euler(SystemOfExpr, Var, ListOfDepVars, $\{Var0, VarMax\},$ ListOfDepVars0, $VarStep[,eulerStep]) \Rightarrow matrix$

euler(ListOfExpr, Var, ListOfDepVars, {Var0, VarMax}, ListOfDepVars0, $VarStep[, eulerStep]) \Rightarrow matrix$

Uses the Euler method to solve the system

$$\frac{d depVar}{d Var} = Expr(Var, depVar)$$

with $depVar(Var\theta)=depVar\theta$ on the interval [Var0, VarMax]. Returns a matrix whose first row defines the Var output values and whose second row defines the value of the first solution component at the corresponding *Var* values, and so on.

Expr is the right-hand side that defines the ordinary differential equation (ODE).

Catalog > 🗐

Differential equation: y'=0.001*y*(100-y) and y(0)=10

euler
$$(0.001 \cdot y \cdot (100-y), t_y, \{0,100\}, 10, 1)$$

$$\begin{bmatrix} 0. & 1. & 2. & 3. & 4. \\ 10. & 10.9 & 11.8712 & 12.9174 & 14.042 \end{bmatrix}$$

To see the entire result. press ▲ and then use ◀ and ▶ to move the cursor.

Compare above result with CAS exact solution obtained using deSolve() and seqGen():

SystemOfExpr is the system of right-hand sides that define the system of ODEs (corresponds to order of dependent variables in ListOfDepVars).

ListOfExpr is a list of right-hand sides that define the system of ODEs (corresponds to the order of dependent variables in ListOfDepVars).

Var is the independent variable.

ListOfDepVars is a list of dependent variables.

 $\{Var0, VarMax\}$ is a two-element list that tells the function to integrate from Var0 to VarMax.

ListOfDepVars0 is a list of initial values for dependent variables.

VarStep is a nonzero number such that sign (VarStep) = sign(VarMax-Var0) and solutions are returned at $Var0+i \cdot VarStep$ for all i=0,1,2,... such that $Var0+i \cdot VarStep$ is in [var0,VarMax] (there may not be a solution value at VarMax).

eulerStep is a positive integer (defaults to 1) that defines the number of euler steps between output values. The actual step size used by the euler method is VarStep/eulerStep.

deSolve(y'=0.001·y·(100-y) and y(0)=10,t,y)

$$y = \frac{100. \cdot (1.10517)^{t}}{(1.10517)^{t}+9}.$$

seqGen
$$\left(\frac{100.\cdot(1.10517)^{t}}{(1.10517)^{t}+9.},t_{v},\{0,100\}\right)$$

 $\left\{10.,10.9367,11.9494,13.0423,14.2189\right\}$

System of equations:

$$\begin{cases} y1' = -y1 + 0.1 \cdot y1 \cdot y2 \\ y2 = 3 \cdot y2 - y1 \cdot y2 \end{cases}$$

with v1(0)=2 and v2(0)=5

cutef
$$\begin{cases} \neg yI + 0.1 \cdot yI \cdot y2 & t, \{yI,y2\}, \{0,5\}, \{2,5\}, 1 \\ 3 \cdot y2 - yI \cdot y2 & & & \\ & & 2. & 1. & 1. & 3. & 27. & 243. \\ 5. & 10. & 30. & 90. & 90. & -2070. \end{cases}$$

eval () Hub Menu

 $eval(Expr) \Rightarrow string$

eval() is valid only in the TI-Innovator™ Hub Command argument of programming commands Get, GetStr, and Send. The software evaluates expression Expr and replaces the eval() statement with the result as a character string.

The argument *Expr* must simplify to a real number.

Set the blue element of the RGB LED to half intensity.

lum:=127	127
Send "SET COLOR.BLUE eval(lum)"	Done

Reset the blue element to OFF.

Send "SET COLOR.BLUE OFF" Done

eval() argument must simplify to a real number.

eval () Hub Menu

Send "SET LED eval("4") TO ON"

"Error: Invalid data type"

Program to fade-in the red element

Define fadein()=
Prgm
For i,0,255,10
Send "SET COLOR.RED eval(i)"
Wait 0.1
EndFor
Send "SET COLOR.RED OFF"
EndPrgm

Execute the program.

Although eval() does not display its result, you can view the resulting Hub command string after executing the command by inspecting any of the following special variables.

iostr.SendAns iostr.GetAns iostr.GetStrAns

Note: See also Get (page 77), GetStr (page 84), and Send (page 158).

exact()

 $exact(Expr1 [, Tolerance]) \Rightarrow expression$ $exact(List1 [, Tolerance]) \Rightarrow list$ $exact(Matrix1 [, Tolerance]) \Rightarrow matrix$

Uses Exact mode arithmetic to return, when possible, the rational-number equivalent of the argument.

Tolerance specifies the tolerance for the conversion; the default is 0 (zero).

	Catalog > 🗐
exact(0.25)	<u>1</u>
	4
exact(0.333333)	333333
	1000000
exact(0.333333,0.001)	<u>1</u>
	3
$exact(3.5 \cdot x + y)$	$\frac{7 \cdot x}{2} + y$
exact({0.2,0.33,4.125})	$\left\{\frac{1}{5}, \frac{33}{100}, \frac{33}{8}\right\}$

Fxit

Catalog > 💱

Catalog > 🗐

ex kev

Exit

Exits the current For, While, or Loop block.

Exit is not allowed outside the three looping structures (**For**, **While**, or **Loop**).

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Function listing:

Define a	g()=Func	Done
	Local temp,i	
	$0 \rightarrow temp$	
	For <i>i</i> ,1,100,1	
	$temp+i \rightarrow temp$	
	If temp>20 Then	
	Exit	
	EndIf	
	EndFor	
	EndFunc	
g()		21

▶exp


Expr ▶ **exp**

Represents Expr in terms of the natural exponential e. This is a display conversion operator. It can be used only at the end of the entry line.

Note: You can insert this operator from the computer keyboard by typing @>exp.

$\frac{d}{dx} \left(\mathbf{e}^{x} + \mathbf{e}^{-x} \right)$	$2 \cdot \sinh(x)$
$2 \cdot \sinh(x) \triangleright \exp$	$\mathbf{e}^{x} - \mathbf{e}^{-x}$

exp()



 $exp(Expr1) \Rightarrow expression$

Returns ${\it e}$ raised to the ${\it Expr1}$ power.

Note: See also e exponent template, page 2.

You can enter a complex number in $\text{re}^i\theta$ polar form. However, use this form in Radian angle mode only; it causes a Domain error in Degree or Gradian angle mode.

 $\exp(List1) \Rightarrow list$

Returns e raised to the power of each element in List I.

e^1	е
e ^{1.}	2.71828
e ^{3²}	e ⁹

e{1,1.,0.5} {**e**,2.71828,1.64872}

exp()

ex kev

 $exp(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix exponential of squareMatrix I. This is not the same as calculating e raised to the power of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

1	5	3		559.617	
4	2	1	680.546	488.795	396.521
6]م	-2	1	524.929	371.222	307.879

exp ► list()

 $\exp \blacktriangleright list(Expr, Var) \Rightarrow list$

Examines *Expr* for equations that are separated by the word "or," and returns a list containing the right-hand sides of the equations of the form *Var=Expr*. This gives you an easy way to extract some solution values embedded in the results of the solve(), cSolve(), fMin(), and fMax() functions.

Note: exp ► list() is not necessary with the zeros() and cZeros() functions because they return a list of solution values directly.

You can insert this function from the keyboard by typing exp@>list(...).

Catalog > 🗐

$$\frac{\text{solve}(x^2 - x - 2 = 0, x)}{\text{exp} \cdot \text{list}(\text{solve}(x^2 - x - 2 = 0, x), x)} \qquad x = 1 \text{ or } x = 2$$

expand()

expand(Expr1 [, Var]) \Rightarrow expression expand(List1 [, Var]) \Rightarrow listexpand(Matrix1 [, Var]) \Rightarrow matrix

expand(*Expr1*) returns *Expr1* expanded with respect to all its variables. The expansion is polynomial expansion for polynomials and partial fraction expansion for rational expressions.

The goal of **expand()** is to transform ExprI into a sum and/or difference of simple terms. In contrast, the goal of **factor()** is to transform ExprI into a product and/or quotient of simple factors.

$$\frac{ \operatorname{expand} \left((x+y+1)^2 \right) }{ x^2 + 2 \cdot x \cdot y + 2 \cdot x + y^2 + 2 \cdot y + 1 } \\ \operatorname{expand} \left(\frac{ x^2 - x + y^2 - y }{ x^2 \cdot y^2 - x^2 \cdot y - x \cdot y^2 + x \cdot y } \right) \\ \frac{1}{x-1} \cdot \frac{1}{x} + \frac{1}{y-1} \cdot \frac{1}{y}$$

 $\ln(2\cdot x\cdot y) + \sqrt{2\cdot x\cdot y}$

expand(Expr1,Var) returns Expr1 expanded with respect to Var. Similar powers of Var are collected. The terms and their factors are sorted with Var as the main variable. There might be some incidental factoring or expansion of the collected coefficients. Compared to omitting Var, this often saves time, memory, and screen space, while making the expression more comprehensible.

Even when there is only one variable, using Var might make the denominator factorization used for partial fraction expansion more complete.

Hint: For rational expressions, **propFrac()** is a faster but less extreme alternative to **expand()**.

Note: See also **comDenom()** for an expanded numerator over an expanded denominator.

expand(Expr1,[Var]) also distributes logarithms and fractional powers regardless of Var. For increased distribution of logarithms and fractional powers, inequality constraints might be necessary to guarantee that some factors are nonnegative.

expand(Expr1, [Var]) also distributes absolute values, **sign()**, and exponentials, regardless of Var.

Note: See also **tExpand()** for trigonometric angle-sum and multiple-angle expansion.

expand $((x+y+1)^2, y)$	$y^2+2\cdot y\cdot (x+1)+(x+1)^2$
expand $((x+y+1)^2,x)$	$x^2+2\cdot x\cdot (y+1)+(y+1)^2$
expand $\frac{x^2 - x + y}{x^2 \cdot y^2 - x^2 \cdot y}$	$\left(\frac{y^2-y}{-x\cdot y^2+x\cdot y},y\right)$
	$\frac{1}{y-1} - \frac{1}{y} + \frac{1}{x \cdot (x-1)}$
expand(Ans,x)	$\frac{1}{x-1} - \frac{1}{x} + \frac{1}{y \cdot (y-1)}$
expand $\left(\frac{x^3+x^2-2}{x^2-2}\right)$	$\frac{2 \cdot x}{x^2 - 2} + x + 1$
expand(Ans,x)	1 11

$$\frac{\operatorname{expand}(Ans)}{\operatorname{expand}(Ans)|_{y \geq 0}} \frac{\ln(x \cdot y) + \sqrt{2} \cdot \sqrt{x \cdot y} + \ln(2)}{\ln(x) + \sqrt{2} \cdot \sqrt{x} \cdot \sqrt{y} + \ln(y) + \ln(2)}$$

$$\operatorname{sign}(x \cdot y) + |x \cdot y| + e^{2 \cdot x + y}$$

$$e^{2 \cdot x + y} + \operatorname{sign}(x \cdot y) + |x \cdot y|$$

$$\operatorname{expand}(Ans)$$

$$\operatorname{sign}(x) \cdot \operatorname{sign}(y) + |x| \cdot |y| + (e^x)^2 \cdot e^y$$

 $\ln(2 \cdot x \cdot y) + \sqrt{2 \cdot x \cdot y}$

expr() Catalog > 🗐

 $expr(String) \Rightarrow expression$

Returns the character string contained in *String* as an expression and immediately executes it.

expr("1+2+x^2+x")	$x^{2}+x+3$
expr("expand((1+x)^2)")	$x^{2}+2\cdot x+1$
"Define cube(x)=x^3" → funcsi	tr
"Define	cube(x)=x^3"
expr(funcstr)	Done
cube(2)	8

Catalog > [3]

ExpReg

ExpReg X, Y [, [Freq] [, Category, Include11

Computes the exponential regression y = a. (b) on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: a•(b) ^X
stat.a, stat.b	Regression coefficients
stat.r ²	Coefficient of linear determination for transformed data
stat.r	Correlation coefficient for transformed data (x, ln(y))
stat.Resid	Residuals associated with the exponential model
stat.ResidTrans	Residuals associated with linear fit of transformed data
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified $YList$ actually used in the regression based on restrictions of $Freq$, $Category\ List$, and $Include\ Categories$

Output variable	Description
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

F

Catalog > 23 factor()

 $factor(Expr1[, Var]) \Rightarrow expression$ $factor(List1[,Var]) \Rightarrow list$ $factor(Matrix 1[.Var]) \Rightarrow matrix$

factor(Expr1) returns Expr1 factored with respect to all of its variables over a common denominator.

Expr1 is factored as much as possible toward linear rational factors without introducing new non-real subexpressions. This alternative is appropriate if you want factorization with respect to more than one variable.

factor(Expr1,Var) returns Expr1 factored with respect to variable Var.

Expr1 is factored as much as possible toward real factors that are linear in Var. even if it introduces irrational constants or subexpressions that are irrational in other variables.

The factors and their terms are sorted with Var as the main variable. Similar powers of Var are collected in each factor. Include Var if factorization is needed with respect to only that variable and you are willing to accept irrational expressions in any other variables to increase factorization with respect to Var. There might be some incidental factoring with respect to other variables.

For the Auto setting of the Auto or **Approximate** mode, including *Var* permits approximation with floating-point coefficients where irrational coefficients cannot be explicitly expressed concisely in terms of the built-in functions. Even when there is only one variable, including *Var* might yield more complete factorization.

$$\begin{array}{cccc} & & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$$

$$\begin{array}{ccc} \operatorname{factor}\!\left(a^3 \cdot x^2 - a \cdot x^2 - a^3 + a, x\right) & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ & & & & & & & & \\ \operatorname{factor}\!\left(x^2 - 3, x\right) & & & & & & \\ \operatorname{factor}\!\left(x^2 - 3, x\right) & & & & & & \\ \operatorname{factor}\!\left(x^2 - a, x\right) & & & & & & \\ & & & & & & & \\ \operatorname{factor}\!\left(x^2 - a, x\right) & & & & & \\ \end{array}$$

factor
$$(x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3)$$

 $x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3$
factor $(x^5+4\cdot x^4+5\cdot x^3-6\cdot x-3,x)$
 $(x-0.964673)\cdot (x+0.611649)\cdot (x+2.12543)\cdot (x^2+3.12543)\cdot (x^2+3.1254$

factor() Catalog > 23

Note: See also comDenom() for a fast way to achieve partial factoring when factor() is not fast enough or if it exhausts memory.

Note: See also cFactor() for factoring all the way to complex coefficients in pursuit of linear factors.

factor(*rationalNumber*) returns the rational number factored into primes. For composite numbers, the computing time grows exponentially with the number of digits in the second-largest factor. For example, factoring a 30-digit integer could take more than a day, and factoring a 100digit number could take more than a century.

To stop a calculation manually,

- Handheld: Hold down the Gion key and press enter repeatedly.
- Windows®: Hold down the F12 key and press **Enter** repeatedly.
- Macintosh®: Hold down the F5 key and press Enter repeatedly.
- iPad®: The app displays a prompt. You can continue waiting or cancel.

If you merely want to determine if a number is prime, use isPrime() instead. It is much faster, particularly if rational Number is not prime and if the second-largest factor has more than five digits.

factor(152417172689)	123457 · 1234577
isPrime(152417172689)	false

FCdf() Catalog > 23

FCdf

 $(lowBound, upBound, dfNumer, dfDenom) \Rightarrow$ number if lowBound and upBound are numbers, list if lowBound and upBound are lists

FCdf

 $(lowBound, upBound, dfNumer, dfDenom) \Rightarrow$ number if lowBound and upBound are numbers, list if lowBound and upBound are lists

FCdf() Catalog > 13

Computes the F distribution probability between lowBound and upBound for the specified dfNumer (degrees of freedom) and dfDenom.

For $P(X \le upBound)$, set lowBound = 0.

Fill		Catalog > 🕼
$Fill\ Expr,\ matrix Var \Rightarrow matrix$	$\begin{bmatrix} 1 & 2 \end{bmatrix} \rightarrow amatrix$	1 2
Replaces each element in variable <i>matrixVar</i> with <i>Expr</i> .	[3 4] Fill 1.01, amatrix	[3 4] Done
matrixVar must already exist.	amatrix	[1.01 1.01] [1.01 1.01]
$Fill Expr, \ listVar \Rightarrow \ list$	$\{1,2,3,4,5\} \rightarrow alist$	{1,2,3,4,5}
Replaces each element in variable <i>listVar</i>	Fill 1.01,alist	Done
with Expr.	alist $\{1.01,$	$\{1.01, 1.01, 1.01, 1.01\}$

FiveNumSummary

Catalog > 23

FiveNumSummary *X*[,[*Freq*] [,*Category*,*Include*]]

listVar must already exist.

Provides an abbreviated version of the 1-variable statistics on list X. A summary of results is stored in the stat.results variable. (See page 176.)

X represents a list containing the data.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1.

Category is a list of numeric category codes for the corresponding X data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

An empty (void) element in any of the lists X, Freq, or Category results in a void for the corresponding element of all those lists. For more information on empty elements, see page 251.

Output variable	Description
stat.MinX	Minimum of x values.
stat.Q ₁ X	1st Quartile of x.
stat.MedianX	Median of x.
stat.Q ₃ X	3rd Quartile of x.
stat.MaxX	Maximum of x values.

Catalog >	Ą.
	Catalog >

 $floor(Expr1) \Rightarrow integer$

floor(-2.14)

-3.

Returns the greatest integer that is \leq the argument. This function is identical to int().

The argument can be a real or a complex number.

 $floor(List 1) \Rightarrow list$ $floor(Matrix 1) \Rightarrow matrix$

Returns a list or matrix of the floor of each element.

floor $\left\{\frac{3}{2}, 0, -5.3\right\}$ $\left\{1, 0, -6.\right\}$

 $\begin{array}{c|cccc}
floor & 1.2 & 3.4 \\
2.5 & 4.8 & 2. & 4.
\end{array}$

Note: See also ceiling() and int().

fMax() Catalog > [3]

 $fMax(Expr, Var) \Rightarrow Boolean expression$ fMax(Expr, Var, lowBound)

fMax(Expr, Var,lowBound,upBound)

fMax(*Expr***,** *Var***)** | lowBound≤*Var*≤*upBound*

Returns a Boolean expression specifying candidate values of Var that maximize Expr or locate its least upper bound.

 $f\text{Max}\left(1-(x-a)^2-(x-b)^2,x\right) \qquad x = \frac{a+b}{2}$ $f\text{Max}\left(.5 \cdot x^3 - x - 2,x\right) \qquad x = \infty$

You can use the constraint ("|") operator to restrict the solution interval and/or specify other constraints.

 $f_{\text{Max}}(0.5 \cdot x^3 - x - 2, x)|_{x \le 1}$ x = 0.816497

For the Approximate setting of the Auto or Approximate mode, fMax() iteratively searches for one approximate local maximum. This is often faster, particularly if you use the "|" operator to constrain the search to a relatively small interval that contains exactly one local maximum.

Note: See also fMin() and max().

fMin() Catalog > 🗐

 $fMin(Expr, Var) \Rightarrow Boolean expression$

fMin(Expr, Var, lowBound)

fMin(Expr, Var, lowBound, upBound)

fMin(*Expr*, *Var*) | lowBound≤*Var*≤*upBound*

Returns a Boolean expression specifying candidate values of Var that minimize Expr or locate its greatest lower bound.

You can use the constraint ("|") operator to restrict the solution interval and/or specify other constraints.

For the Approximate setting of the Auto or Approximate mode, fMin() iteratively searches for one approximate local minimum. This is often faster, particularly if you use the "|" operator to constrain the search to a relatively small interval that contains exactly one local minimum.

Note: See also fMax() and min().

For

Catalog > 🗐

Catalog > [3]2

For	Var, Low, High [, Step]
	Block

EndFor

Executes the statements in Block iteratively for each value of Var, from Low to High, in increments of Step.

Var must not be a system variable.

Step can be positive or negative. The default value is 1.

Block can be either a single statement or a series of statements separated with the ":" character.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define $g()=$ Func	Done
Local tempsum, step, i	
$0 \rightarrow tempsum$	
$1 \rightarrow step$	
For $i,1,100,step$	
$tempsum+i \rightarrow tempsum$	
EndFor	
EndFunc	
g()	5050

format()

$format(Expr[, formatString]) \Rightarrow string$

Returns Expr as a character string based on the format template.

Expr must simplify to a number.

formatString is a string and must be in the
form: "F[n]", "S[n]", "E[n]", "G[n][c]",
where [] indicate optional portions.

F[n]: Fixed format. n is the number of digits to display after the decimal point.

S[n]: Scientific format. n is the number of digits to display after the decimal point.

E[n]: Engineering format. n is the number of digits after the first significant digit. The exponent is adjusted to a multiple of three, and the decimal point is moved to the right by zero, one, or two digits.

	Catalog > egs
format(1.234567,"f3")	"1.235"
format(1.234567,"s2")	"1.23E0"
format(1.234567,"e3")	"1.235E0"
format(1.234567,"g3")	"1.235"
format(1234.567,"g3")	"1,234.567"
format(1.234567, "g3,r:")	"1:235"

format() Catalog > 🗊

G[n][c]: Same as fixed format but also separates digits to the left of the radix into groups of three. c specifies the group separator character and defaults to a comma. If c is a period, the radix will be shown as a comma.

[Rc]: Any of the above specifiers may be suffixed with the Rc radix flag, where c is a single character that specifies what to substitute for the radix point.

fPart() Catalog > 1

fPart(Expr1) ⇒ expression**fPart**(List1) ⇒ list**fPart**(Matrix1) ⇒ matrix

fPart(-1.234)	-0.234
fPart({1,-2.3,7.003})	{0,-0.3,0.003}

Returns the fractional part of the argument.

For a list or matrix, returns the fractional parts of the elements.

The argument can be a real or a complex number.

FPdf() Catalog > 🗐

FPdf(XVal,dfNumer,dfDenom) $\Rightarrow number$ if XVal is a number, list if XVal is a list

Computes the F distribution probability at XVal for the specified dfNumer (degrees of freedom) and dfDenom.

freqTable ► list()

Catalog > 📳

freqTable \triangleright list(List 1, freqIntegerList) \Rightarrow list

Returns a list containing the elements from List1 expanded according to the frequencies in freqIntegerList. This function can be used for building a frequency table for the Data & Statistics application.

List1 can be any valid list.

fregTable ► list()

freqIntegerList must have the same dimension as List1 and must contain nonnegative integer elements only. Each element specifies the number of times the corresponding List1 element will be repeated in the result list. A value of zero excludes the corresponding *List1* element.

Note: You can insert this function from the computer keyboard by typing freqTable@>list(...).

Empty (void) elements are ignored. For more information on empty elements, see page 251.

frequency()

Catalog > [3]

 $frequency(List1,binsList) \Rightarrow list$

Returns a list containing counts of the elements in *List1*. The counts are based on ranges (bins) that you define in binsList.

If binsList is $\{b(1), b(2), ..., b(n)\}$, the specified ranges are ${?\leq b(1), b(1)<?\leq b}$ $(2),...,b(n-1)<? \le b(n), b(n)>?$. The resulting list is one element longer than binsList.

Each element of the result corresponds to the number of elements from *List1* that are in the range of that bin. Expressed in terms of the countif() function, the result is { countif(list, $?\leq b(1)$), countif(list, $b(1)<?\leq b$ (2)), ..., countif(list, $b(n-1) < ? \le b(n)$), countif (list, b(n)>?)}.

Elements of *List1* that cannot be "placed in a bin" are ignored. Empty (void) elements are also ignored. For more information on empty elements, see page 251.

Within the Lists & Spreadsheet application, you can use a range of cells in place of both arguments.

Note: See also countif(), page 35.

 $datalist = \{1, 2, e, 3, \pi, 4, 5, 6, \text{"hello"}, 7\}$ {1,2,2.71828,3,3.14159,4,5,6,"hello",7} frequency $(datalist, \{2.5, 4.5\})$

Explanation of result:

- 2 elements from Datalist are <2.5
- 4 elements from Datalist are >2.5 and <4.5
- 3 elements from Datalist are >4.5

The element "hello" is a string and cannot be placed in any of the defined bins.

FTest_2Samp

Catalog > 🗐

FTest_2Samp List1,List2[,Freq1[,Freq2 [,Hypoth]]]

FTest_2Samp List1,List2[,Freq1[,Freq2 [,Hypoth]]]

(Data list input)

FTest_2Samp sx1,n1,sx2,n2[,Hypoth]

FTest_2Samp sx1,n1,sx2,n2[,Hypoth]

(Summary stats input)

Performs a two-sample F test. A summary of results is stored in the *stat.results* variable. (See page 176.)

For H : $\sigma 1 > \sigma 2$, set Hypoth > 0

For H_a^a : $\sigma 1 \neq \sigma 2$ (default), set Hypoth = 0

For H_a^a : $\sigma 1 < \sigma 2$, set Hypoth < 0

For information on the effect of empty elements in a list, see *Empty (Void) Elements*, page 251.

Output variable	Description
stat.F	Calculated F statistic for the data sequence
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.dfNumer	numerator degrees of freedom = n1-1
stat.dfDenom	denominator degrees of freedom = n2-1
stat.sx1, stat.sx2	Sample standard deviations of the data sequences in $\mathit{List}\ 1$ and $\mathit{List}\ 2$
stat.x1_bar stat.x2_bar	Sample means of the data sequences in $List\ 1$ and $List\ 2$
stat.n1, stat.n2	Size of the samples

Func Catalog > 1

Func

Block

EndFunc

Template for creating a user-defined function.

Define a piecewise function:

Func

Catalog > [13]


Block can be a single statement, a series of statements separated with the ":" character, or a series of statements on separate lines. The function can use the **Return** instruction to return a specific result.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define g(x)=Func Done If x < 0 Then Return $3 \cdot \cos(x)$ Else Return 3-x EndIf

EndFunc

Result of graphing g(x)



G

gcd() Catalog > 🗐

 $gcd(Number1, Number2) \Rightarrow expression$

gcd(18,33)

Returns the greatest common divisor of the two arguments. The gcd of two fractions is the gcd of their numerators divided by the Icm of their denominators.

In Auto or Approximate mode, the gcd of fractional floating-point numbers is 1.0.

the corresponding elements in *List1* and

 $gcd(List1, List2) \Rightarrow list$

gcd({12,14,16},{9,7,5}) { 3,7,1 } Returns the greatest common divisors of

List2. $gcd(Matrix1, Matrix2) \Rightarrow matrix$

Returns the greatest common divisors of the corresponding elements in *Matrix1* and Matrix 2.

$$\gcd\begin{bmatrix} 2 & 4 \\ 6 & 8 \end{bmatrix}, \begin{bmatrix} 4 & 8 \\ 12 & 16 \end{bmatrix} \qquad \begin{bmatrix} 2 & 4 \\ 6 & 8 \end{bmatrix}$$

geomCdf() Catalog > 23

 $geomCdf(p,lowBound,upBound) \Rightarrow number$

geomCdf() Catalog > [[]]

if *lowBound* and *upBound* are numbers, *list* if *lowBound* and *upBound* are lists

geomCdf(*p*,*upBound***)**for P(1≤X≤*upBound*) ⇒ *number* if *upBound* is a number, *list* if *upBound* is a list

Computes a cumulative geometric probability from *lowBound* to *upBound* with the specified probability of success *p*.

For $P(X \le upBound)$, set lowBound = 1.

geomPdf() Catalog > [[]]

geomPdf(p,XVal) \Rightarrow number if XVal is a number, list if XVal is a list

Computes a probability at *XVal*, the number of the trial on which the first success occurs, for the discrete geometric distribution with the specified probability of success p.

Get Hub Menu

Get [promptString,] var[, statusVar]

Get [promptString,] func(arg1, ...argn) [, statusVar]

Programming command: Retrieves a value from a connected TI-Innovator^{\mathbf{M}} Hub and assigns the value to variable var.

The value must be requested:

 In advance, through a Send "READ ..." command.

— or —

 By embedding a "READ ..." request as the optional promptString argument.
 This method lets you use a single command to request the value and retrieve it. Example: Request the current value of the hub's built-in light-level sensor. Use **Get** to retrieve the value and assign it to variable *lightval*.

Send "READ BRIGHTNESS"	Done
Get lightval	Done
lightval	0.347922

Embed the READ request within the **Get** command.

Get "READ BRIGHTNESS",light	al	Done
lightval	0.	378441

Get Hub Menu

Implicit simplification takes place. For example, a received string of "123" is interpreted as a numeric value. To preserve the string, use **GetStr** instead of **Get**.

If you include the optional argument *statusVar*, it is assigned a value based on the success of the operation. A value of zero means that no data was received.

In the second syntax, the *func*() argument allows a program to store the received string as a function definition. This syntax operates as if the program executed the command:

Define func(arg1, ...argn) = received string

The program can then use the defined function *func*().

Note: You can use the **Get** command within a user-defined program but not within a function.

Note: See also **GetStr**, page 84 and **Send**, page 158.

getDenom()	
$getDenom(Expr1) \Rightarrow expression$	$getDenom\left(\frac{x+2}{y-3}\right)$
Transforms the argument into an	(y-3)
expression having a reduced common	tD(2)

expression having a reduced common denominator, and then returns its denominator.

$getDenom\left(\frac{x+2}{y-3}\right)$	<i>y</i> -3
$getDenom\left(\frac{2}{7}\right)$	7
$getDenom\left(\frac{1}{x} + \frac{y^2 + y}{y^2}\right)$	х·у

Catalog > [3]

getKey()	Catalog > 🕡
getKey([0 1]) ⇒ returnString	getKey()

Description:getKey() - allows a TI-Basic program to get keyboard input - handheld, desktop and emulator on desktop.


Example:

Example:

getKey() Catalog > [1]

 keypressed := getKey() will return a key or an empty string if no key has been pressed. This call will return immediately.

 keypressed := getKey(1) will wait till a key is pressed. This call will pause execution of the program till a key is pressed.



Handling of key presses:

Handheld Device/Emulator Key	Desktop	Return Value	
Esc	Esc	"esc"	
Touchpad - Top click	n/a	"up"	
On	n/a	"home"	
Scratchapps	n/a	"scratchpad"	
Touchpad - Left click	n/a	"left"	
Touchpad - Center click	n/a	"center"	
Touchpad - Right click	n/a	"right"	
Doc	n/a	"doc"	
Tab	Tab	"tab"	
Touchpad - Bottom click	Down Arrow	"down"	
Menu	n/a	"menu"	
Ctrl	Ctrl		
		no return	
Shift	Shift	no return	
Var	n/a	"var"	
Del	n/a	"del"	
=	=	"="	
trig	n/a	"trig"	
0 through 9	0-9	"0" "9"	

Handheld Device/Emulator Key	Desktop	Return Value
Templates	n/a	"template"
Catalog	n/a	"cat"
٨	٨	"A"
X^2	n/a	"square"
/ (division key)	/	"/"
* (multiply key)	*	"*"
e^x	n/a	"exp"
10^x	n/a	"10power"
+	+	"+"
-	-	II_II
(("("
))	")"
		п п
(-)	n/a	"-" (negate sign)
Enter	Enter	"enter"
ee	n/a	"E" (scientific notation E)
a - z	a-z	alpha = letter pressed (lower case) ("a" - "z")
shift a-z	shift a-z	alpha = letter pressed "A" - "Z"
		Note: ctrl-shift works to lock caps
?!	n/a	"?!"
ni.	n/a	"pi"
pi 51	n/a	
Flag	n/a	no return
,	,	
Return	n/a	"return"

Handheld Device/Emulator Key	Desktop	Return Value
Space	Space	" " (space)
Inaccessible	Special Character Keys like @,!,^, etc.	The character is returned
n/a	Function Keys	No returned character
n/a	Special desktop control keys	No returned character
Inaccessible	Other desktop keys that are not available on the calculator while getkey() is waiting for a keystroke. ({, },;,:,)	Same character you get in Notes (not in a math box)

Note: It is important to note that the presence of getKey() in a program changes how certain events are handled by the system. Some of these are described below.

Terminate program and Handle event - Exactly as if the user were to break out of program by pressing the **ON** key

"Support" below means - System works as expected - program continues to run.

Event	Device	Desktop - TI-Nspire™ Student Software
Quick Poll	Terminate program, handle event	Same as the handheld (TI- Nspire™ Student Software, TI-Nspire™ Navigator™ NC Teacher Software-only)
Remote file mgmt	Terminate program, handle event	Same as the handheld. (TI-Nspire™ Student
(Incl. sending 'Exit Press 2 Test' file from another handheld or desktop- handheld)		Software, TI-Nspire™ Navigator™ NC Teacher Software-only)
End Class	Terminate program,	Support
	handle event	(TI-Nspire™ Student Software, TI-Nspire™ Navigator™ NC Teacher Software-only)

Event	Device	Desktop - TI-Nspire™ All Versions
TI-Innovator™ Hub connect/disconnect	Support - Can successfully issue commands to the TI- Innovator™ Hub. After you	Same as the handheld

exit the program the TI-Innovator™ Hub is still working with the handheld.

getLangInfo()

Catalog > 🔯

 $getLangInfo() \Rightarrow string$

getLangInfo() "en"

Returns a string that corresponds to the short name of the currently active language. You can, for example, use it in a program or function to determine the current language.

English = "en" Danish = "da" German = "de" Finnish = "fi" French = "fr" Italian = "it" Dutch = "nl" Belgian Dutch = "nl_BE" Norwegian = "no" Portuguese = "pt" Spanish = "es" Swedish = "sv"

getLockInfo()

Catalog > 🔯

$getLockInfo(Var) \Rightarrow value$

Returns the current locked/unlocked state of variable Var.

value =0: Var is unlocked or does not exist.

value =1: Var is locked and cannot be modified or deleted.

See Lock, page 106, and unLock, page 197.

	Catalog > ६६३
a:=65	65
Lock a	Done
getLockInfo(a)	1
a:=75	"Error: Variable is locked."
DelVar a	"Error: Variable is locked."
Unlock a	Done
a:=75	75
DelVar a	Done

 $getMode(ModeNameInteger) \Rightarrow value$

 $getMode(0) \Rightarrow list$

getMode(ModeNameInteger) returns a value representing the current setting of the ModeNameInteger mode.

getMode(0) returns a list containing number pairs. Each pair consists of a mode integer and a setting integer.

For a listing of the modes and their settings, refer to the table below.

If you save the settings with getMode(0) \rightarrow var, you can use **setMode(**var**)** in a function or program to temporarily restore the settings within the execution of the function or program only. See setMode(), page 162.

getMode(0) {1,7,2,1,3,1,4,1,5,1,6,1	,7,1,8,1}
getMode(1)	7
getMode(8)	1

Mode	Mode	
Name	Integer	Setting Integers
Display Digits	1	1=Float, 2=Float1, 3=Float2, 4=Float3, 5=Float4, 6=Float5, 7=Float6, 8=Float7, 9=Float8, 10=Float9, 11=Float10, 12=Float11, 13=Float12, 14=Fix0, 15=Fix1, 16=Fix2, 17=Fix3, 18=Fix4, 19=Fix5, 20=Fix6, 21=Fix7, 22=Fix8, 23=Fix9, 24=Fix10, 25=Fix11, 26=Fix12
Angle	2	1=Radian, 2=Degree, 3=Gradian
Exponential Format	3	1=Normal, 2=Scientific, 3=Engineering
Real or Complex	4	1=Real, 2=Rectangular, 3=Polar
Auto or Approx.	5	1=Auto, 2=Approximate, 3=Exact
Vector Format	6	1=Rectangular, 2=Cylindrical, 3=Spherical
Base	7	1=Decimal, 2=Hex, 3=Binary
Unit system	8	1=SI, 2=Eng/US

Catalog > [13] getNum() $getNum(Expr1) \Rightarrow expression$ x+2getNum Transforms the argument into an 2 expression having a reduced common denominator, and then returns its numerator. x+y

GetStr	Hub Menu

For examples, see Get.

GetStr [promptString,] var[, statusVar]

GetStr [promptString,] func(arg1, ...argn) [, statusVar]

Programming command: Operates identically to the Get command, except that the retrieved value is always interpreted as a string. By contrast, the Get command interprets the response as an expression unless it is enclosed in quotation marks ("").

Note: See also Get, page 77 and Send, page 158.

getType()		Catalog > 🗐
$getType(var) \Rightarrow string$	$\{1,2,3\} \rightarrow temp$	{1,2,3}
Returns a string that indicates the data type of variable $\emph{var}.$	getType(temp)	"LIST"
	$3 \cdot i \rightarrow temp$	3· <i>i</i>
If var has not been defined, returns the string "NONE".	getType(temp)	"EXPR"
	DelVar temp	Done
	getType(temp)	"NONE"

 $getVarInfo() \Rightarrow matrix \text{ or } string$

getVarInfo(*LibNameString***)** ⇒ *matrix* or *string*

getVarInfo() returns a matrix of information (variable name, type, library accessibility, and locked/unlocked state) for all variables and library objects defined in the current problem.

If no variables are defined, getVarInfo() returns the string "NONE".

getVarInfo(*LibNameString*) returns a matrix of information for all library objects defined in library *LibNameString*. *LibNameString* must be a string (text enclosed in quotation marks) or a string variable.

If the library *LibNameString* does not exist, an error occurs.

Note the example, in which the result of **getVarInfo()** is assigned to variable *vs*. Attempting to display row 2 or row 3 of *vs* returns an "Invalid list or matrix" error because at least one of elements in those rows (variable *b*, for example) revaluates to a matrix.

This error could also occur when using *Ans* to reevaluate a **getVarInfo()** result.

The system gives the above error because the current version of the software does not support a generalized matrix structure where an element of a matrix can be either a matrix or a list.

getVarInfo()			"NOI	νE"
Define <i>x</i> =5			D	one
Lock x			D	one
Define LibPriv	·={ 1	,2,3}	D	one
Define LibPub 2	(x)=0	3·x ² -x	D	one
getVarInfo()	x	"NUM"	"[]"	1
	у	"LIST"	"LibPriv "	0
	Z	"FUNC"	"LibPub "	0]

getVarInfo(tmp3)

"Error: Argument must be a string"

$$getVarInfo("tmp3")$$

a:=1				1
$b := \begin{bmatrix} 1 & 2 \end{bmatrix}$			[1	2]
c:=[1 3 7]			[1 3	7]
vs:=getVarInfo()	a	"NUM"	"[]"	0
	b	"MAT"	"[]"	0
	$\lfloor c$	"MAT"	"[]"	0]
vs[1]	[1	"NUM"	"[]"	0]
vs[1,1]				1
vs[2] "Err	[2] "Error: Invalid list or matrix"			
vs[2,1]			[1	2]

Catalog > [3] Goto

Goto labelName

Transfers control to the label *labelName*.

labelName must be defined in the same function using a LbI instruction.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Func	Done
Local temp,i	
) → temp	
$1 \rightarrow i$	
Lbl <i>top</i>	
$temp+i \rightarrow temp$	
If <i>i</i> <10 Then	
$+1 \rightarrow i$	
Goto <i>top</i>	
EndIf	
Return <i>temp</i>	
EndFunc	
	55
	Local $temp, i$ $0 \rightarrow temp$ $0 \rightarrow i$ Lbl top $top \rightarrow i \rightarrow temp$ $top \rightarrow temp$ $top \rightarrow temp$

Catalog > 🕎 ▶ Grad $Expr1 \triangleright Grad \Rightarrow expression$ In Degree angle mode: Converts *Expr1* to gradian angle measure. (1.5)▶Grad (1.66667)g Note: You can insert this operator from the computer keyboard by typing @>Grad. In Radian angle mode: (1.5)▶Grad (95.493)⁹

identity()		Catalog > 🗐
$identity(Integer) \Rightarrow matrix$	identity(4)	1 0 0 0
Returns the identity matrix with a dimension of <i>Integer</i> .		$\begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$
Integer must be a positive integer		[0 0 0 1]

If	Ca	talog > 🗓
If BooleanExpr	Define $g(x)$ =Func	Done
Statement	If $x < 0$ Then	
If BooleanExpr Then	Return x^2	
Block	EndIf	
EndIf	EndFunc	
	g(-2)	4

If BooleanExpr evaluates to true, executes the single statement Statement or the block of statements *Block* before continuing execution.

If BooleanExpr evaluates to false, continues execution without executing the statement or block of statements.

Block can be either a single statement or a sequence of statements separated with the ":" character.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

If BooleanExpr Then

Block1

Else

Block2

EndIf

If *BooleanExpr* evaluates to true, executes Block1 and then skips Block2.

If BooleanExpr evaluates to false, skips Block1 but executes Block2.

Block1 and Block2 can be a single statement.

If BooleanExpr1 Then

Block1

Elself BooleanExpr2 Then

Block2

Elself BooleanExprN Then

BlockN

EndIf

Allows for branching. If *BooleanExpr1* evaluates to true, executes *Block1*. If BooleanExpr1 evaluates to false, evaluates BooleanExpr2, and so on.

Define $g(x)$)=Func	Done
	If $x < 0$ Then	
	Return -x	
	Else	
	Return x	
	EndIf	
	EndFunc	
g(12)		12
g(-12)		12

Define $g(x)$ =Func
If $x < -5$ Then
Return 5
ElseIf $x > -5$ and $x < 0$ Then
Return -x
ElseIf $x \ge 0$ and $x \ne 10$ Then
Return x
ElseIf $x=10$ Then
Return 3
EndIf
EndFunc
Dona

	Done
g(-4)	4
g(10)	3

ifFn(BooleanExpr,Value_If_true [,Value_If_false [,Value_If_unknown]]) ⇒ expression, list, or matrix

Evaluates the boolean expression BooleanExpr (or each element from BooleanExpr) and produces a result based on the following rules:

- BooleanExpr can test a single value, a list, or a matrix.
- If an element of *BooleanExpr* evaluates to true, returns the corresponding element from *Value If true*.
- If an element of BooleanExpr evaluates to false, returns the corresponding element from Value_If_false. If you omit Value_If_false, returns undef.
- If an element of BooleanExpr is neither true nor false, returns the corresponding element Value_If_unknown. If you omit Value_If_unknown, returns undef.
- If the second, third, or fourth argument of the ifFn() function is a single expression, the Boolean test is applied to every position in BooleanExpr.

Note: If the simplified *BooleanExpr* statement involves a list or matrix, all other list or matrix arguments must have the same dimension(s), and the result will have the same dimension(s).

$$\overline{ifFn(\{1,2,3\}<2.5,\{5,6,7\},\{8,9,10\})} \\ \{5,6,10\}$$

Test value of **1** is less than 2.5, so its corresponding

Value_If_True element of **5** is copied to the result list.

Test value of **2** is less than **2**.5, so its corresponding

Value_If_True element of **6** is copied to the result list.

Test value of **3** is not less than **2**.5, so its corresponding $Value_If_False$ element of **10** is copied to the result list.

Value_If_true is a single value and corresponds to any selected position.

Value_If_false is not specified. Undef is used.

$$\frac{ \text{ifFn}(\{2,"a"\} < 2.5, \{6,7\}, \{9,10\}, "err") }{ \{6,"err"\} }$$

One element selected from $Value_If_true$.
One element selected from $Value_If_unknown$.

imag()

 $imag(Expr1) \Rightarrow expression$

Returns the imaginary part of the argument.

Catalog > 👰

 $\begin{array}{ccc} \frac{\mathrm{imag}(1+2\cdot i)}{\mathrm{imag}(z)} & 2\\ \hline \frac{\mathrm{imag}(z)}{\mathrm{imag}(x+i\cdot y)} & 0 \end{array}$

imag()

Catalog > 📳

Note: All undefined variables are treated as real variables. See also real(), page 146

$$imag(List1) \Rightarrow list$$

 $imag(\{-3,4-i,i\})$ $\{0,-1,1\}$

Returns a list of the imaginary parts of the elements.

$$imag(Matrix l) \Rightarrow matrix$$

Returns a matrix of the imaginary parts of the elements.

$$\operatorname{imag} \begin{bmatrix} a & b \\ i \cdot c & i \cdot d \end{bmatrix} \qquad \begin{bmatrix} 0 & 0 \\ c & d \end{bmatrix}$$

impDif()

Catalog > 🗐

where the order Ord defaults to 1.

Computes the implicit derivative for equations in which one variable is defined implicitly in terms of another.

$$impDif(x^2+y^2=100,x,y) \qquad \frac{-x}{y}$$

Indirection

See #(), page 226.

inString()

Catalog > 23

inString(srcString, subString[, Start]) ⇒
integer

Returns the character position in string *srcString* at which the first occurrence of string *subString* begins.

Start, if included, specifies the character position within *srcString* where the search begins. Default = 1 (the first character of *srcString*).

If srcString does not contain subString or Start is > the length of srcString, returns zero.

inString("Hello there","the")	7
inString("ABCEFG","D")	0

int() Catalog > \bigcirc int(Expr) \Rightarrow integer \bigcirc int(-2.5)

 $int(List1) \Rightarrow list$ $int(Matrix1) \Rightarrow matrix$ Returns the greatest integer that is less than or equal to the argument. This function is identical to **floor()**.

The argument can be a real or a complex number.

For a list or matrix, returns the greatest integer of each of the elements.

intDiv()	Catalog > ্রি
iiicDiv()	catalog > 4

intDiv(Number1, Number2) \Rightarrow integer intDiv(List1, List2) \Rightarrow list intDiv(Matrix1, Matrix2) \Rightarrow matrix

Returns the signed integer part of $(Number1 \div Number2)$.

For lists and matrices, returns the signed integer part of (argument 1 ÷ argument 2) for each element pair.

intDiv(-7,2)	-3
intDiv(4,5)	0
intDiv({12,-14,-16},{5,4,-3})	{2,-3,5}

integral See ∫(), page 221.

interpolate () Catalog > 🗐

interpolate(xValue, xList, yList, yPrimeList) $\Rightarrow list$

This function does the following:

Differential equation: $y'=-3 \cdot y + 6 \cdot t + 5$ and y(0)=5

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

interpolate ()

Catalog > 😰

Given xList, yList= $\mathbf{f}(xList)$, and yPrimeList= $\mathbf{f}'(xList)$ for some unknown function \mathbf{f} , a cubic interpolant is used to approximate the function \mathbf{f} at xValue. It is assumed that xList is a list of monotonically increasing or decreasing numbers, but this function may return a value even when it is not. This function walks through xList looking for an interval [xList[i], xList[i+1]] that contains xValue. If it finds such an interval, it returns an interpolated value for $\mathbf{f}(xValue)$; otherwise, it returns \mathbf{undef} .

xList, *yList*, and *yPrimeList* must be of equal dimension \geq 2 and contain expressions that simplify to numbers.

xValue can be an undefined variable, a number, or a list of numbers.

Use the interpolate() function to calculate the function values for the xvaluelist:

xvaluelist:=seq(i,i,0,10,0.5)

{0,0.5,1.,1.5,2.,2.5,3.,3.5,4.,4.5,5.,5.5,6.,6.5,

xlist:=mat list(rk 1)

{0..1..2..3..4..5..6..7..8..9..10.}

 $ylist:=mat \triangleright list(rk[2])$

{5.,3.19499,5.00394,6.99957,9.00593,10.9978

yprimelist:= $-3 \cdot y + 6 \cdot t + 5|y = y|$ and t = x list

{-10.,1.41503,1.98819,2.00129,1.98221,2.006•

interpolate(xvaluelist,xlist,ylist,yprimelist) {5,.2,67062,3,19499,4,02782,5,00394,6,00011}

 $inv\chi^2$ () Catalog > [1]

 $inv\chi^2(Area,df)$

invChi2(Area,df)

Computes the Inverse cumulative χ^2 (chisquare) probability function specified by degree of freedom, df for a given Area under the curve.

invF() Catalog > 👰

invF(Area,dfNumer,dfDenom)

invF(Area,dfNumer,dfDenom)

computes the Inverse cumulative F distribution function specified by dfNumer and dfDenom for a given Area under the curve.

invBinom

(CumulativeProb,NumTrials,Prob, OutputForm)⇒ scalar or matrix

Inverse binomial. Given the number of trials (NumTrials) and the probability of success of each trial (Prob), this function returns the minimum number of successes, k, such that the value, k, is greater than or equal to the given cumulative probability (CumulativeProb).

OutputForm=0, displays result as a scalar (default).

OutputForm=1, displays result as a matrix.

Example: Mary and Kevin are playing a dice game. Mary has to guess the maximum number of times 6 shows up in 30 rolls. If the number 6 shows up that many times or less, Mary wins. Furthermore, the smaller the number that she guesses, the greater her winnings. What is the smallest number Mary can guess if she wants the probability of winning to be greater than 77%?

invBinom $\left(0.77,30,\frac{1}{6}\right)$	6
invBinom $\left(0.77,30,\frac{1}{6},1\right)$	5 0.616447 6 0.776537

invBinomN()

invBinomN(CumulativeProb,Prob, NumSuccess,OutputForm)⇒ scalar or matrix

Inverse binomial with respect to N. Given the probability of success of each trial (*Prob*), and the number of successes (*NumSuccess*), this function returns the minimum number of trials, N, such that the value, N, is less than or equal to the given cumulative probability (*CumulativeProb*).

OutputForm=**0**, displays result as a scalar (default).

OutputForm=1, displays result as a matrix.

Catalog > 🗐

Example: Monique is practicing goal shots for netball. She knows from experience that her chance of making any one shot is 70%. She plans to practice until she scores 50 goals. How many shots must she attempt to ensure that the probability of making at least 50 goals is more than 0.99?

invNorm()

Catalog > 🕼

 $invNorm(Area[,\mu[,\sigma]])$

Computes the inverse cumulative normal distribution function for a given Area under the normal distribution curve specified by μ and σ

invt()

Catalog > 🔯

invt(Area,df)

Computes the inverse cumulative student-t probability function specified by degree of freedom, df for a given Area under the curve.

iPart() Catalog > 23

iPart(Number) ⇒ integer **iPart**(List1) ⇒ list **iPart**(Matrix1) ⇒ matrix

iPart(-1.234) -1 iPart $\left\{\frac{3}{2}$,-2.3,7.003 $\right\}$ $\left\{1,-2.,7.\right\}$

Returns the integer part of the argument.

For lists and matrices, returns the integer part of each element.

The argument can be a real or a complex number.

irr() Catalog > 👰

 $irr(CF0,CFList [,CFFreq]) \Rightarrow value$

Financial function that calculates internal rate of return of an investment.

CF0 is the initial cash flow at time 0; it must be a real number.

CFList is a list of cash flow amounts after the initial cash flow CFO.

CFFreq is an optional list in which each element specifies the frequency of occurrence for a grouped (consecutive) cash flow amount, which is the corresponding element of CFList. The default is 1; if you enter values, they must be positive integers < 10.000.

Note: See also mirr(), page 115.

$\begin{array}{l} \textit{list1} := & \left\{6000, -8000, 2000, -3000\right\} \\ & \left\{6000, -8000, 2000, -3000\right\} \\ \textit{list2} := & \left\{2, 2, 2, 1\right\} \\ & \text{irr} \left\{5000, \textit{list1}, \textit{list2}\right\} \\ & \left\{-4.64484\right\} \end{array}$

isPrime()		Catalog > 🗐
isPrime(Number) ⇒ Boolean constant expression	isPrime(5)	true
capiession	isPrime(6)	false

Catalog > 🗐

Returns true or false to indicate if *number* is a whole number > 2 that is evenly divisible only by itself and 1.

If Number exceeds about 306 digits and has no factors \leq 1021, isPrime(Number) displays an error message.

If you merely want to determine if *Number* is prime, use isPrime() instead of factor(). It is much faster, particularly if *Number* is not prime and has a second-largest factor that exceeds about five digits.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Function to find the next prime after a specified number:

Define nextprim	(n)=Func	Done
	Loop	
	$n+1 \rightarrow n$	
	If $isPrime(n)$	
	Return n	
	EndLoop	
	EndFunc	
nextprim(7)		11

isVoid()

 $isVoid(Var) \Rightarrow Boolean \ constant$ expression

 $isVoid(Expr) \Rightarrow Boolean constant$ expression

 $isVoid(List) \Rightarrow list of Boolean constant$ expressions

Returns true or false to indicate if the argument is a void data type.

For more information on void elements, see page 251.

a:=_	_
isVoid(a)	true
isVoid({1, .3})	{ false.true.false }

Lbl Catalog > 13

Lbl lahelName

Defines a label with the name *labelName* within a function.

You can use a **Goto** *labelName* instruction to transfer control to the instruction immediately following the label.

labelName must meet the same naming requirements as a variable name.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define $g()$	=Func	Done
	Local temp,i	
	$0 \rightarrow temp$	
	$1 \rightarrow i$	
	Lbl top	
	$temp+i \rightarrow temp$	
	If $i < 10$ Then	
	$i+1 \rightarrow i$	
	Goto top	
	EndIf	
	Return temp	
	EndFunc	
g()		55

lcm()

 $lcm(Number1, Number2) \Rightarrow expression$ $lcm(List1, List2) \Rightarrow list$ $lcm(Matrix1, Matrix2) \Rightarrow matrix$

Returns the least common multiple of the two arguments. The **Icm** of two fractions is the **Icm** of their numerators divided by the **gcd** of their denominators. The **Icm** of fractional floating-point numbers is their product.

For two lists or matrices, returns the least common multiples of the corresponding elements.

Catalog > [3]

 $\frac{\text{lcm}(6,9)}{\text{lcm}\left\{\left\{\frac{1}{3},-14,16\right\},\left\{\frac{2}{15},7,5\right\}\right\}} \qquad \left\{\frac{2}{3},14,80\right\}$

left() Catalog > [1]

 $left(sourceString[, Num]) \Rightarrow string$

Returns the leftmost *Num* characters contained in character string *sourceString*.

If you omit *Num*, returns all of *sourceString*.

 $left(List1[, Num]) \Rightarrow list$

left("Hello",2)

"He"

left($\{1,3,-2,4\},3$) $\{1,3,-2\}$

left() Catalog > 👰

Returns the leftmost *Num* elements contained in *List 1*.

If you omit *Num*, returns all of *List1*.

 $left(Comparison) \Rightarrow expression$

Returns the left-hand side of an equation or inequality.

$$ext{left}(x<3)$$
 x

libShortcut()

libShortcut(*LibNameString*, *ShortcutNameString* [, *LibPrivFlag*]) ⇒ *list of variables*

Creates a variable group in the current problem that contains references to all the objects in the specified library document <code>libNameString</code>. Also adds the group members to the Variables menu. You can then refer to each object using its <code>ShortcutNameString</code>.

Set LibPrivFlag=0 to exclude private library objects (default) Set LibPrivFlag=1 to include private library objects

To copy a variable group, see **CopyVar** on page 29.

To delete a variable group, see **DelVar** on page 48.

positive=from right, otherwise=both. (If omitted, *Direction* defaults to both.)

Catalog > 🔯

This example assumes a properly stored and refreshed library document named **linalg2** that contains objects defined as *clearmat*, *gauss1*, and *gauss2*.

{ la.clearmat,la.gauss1,la.gauss2 }

limit() or lim()		Catalog > 🗐
limit(<i>Expr1</i> , <i>Var</i> , <i>Point</i> [, <i>Direction</i>]) ⇒ expression	$\lim_{x\to 5} (2 \cdot x + 3)$	13
<pre>limit(List1, Var, Point [, Direction]) ⇒ list limit(Matrix1, Var, Point [, Direction]) ⇒</pre>	$\lim_{x\to 0^+} \left(\frac{1}{x}\right)$	∞
matrix	$\lim_{x \to 0} \left(\frac{\sin(x)}{x} \right)$	1
Returns the limit requested.	$\frac{ \sin(r+h)-\sin(r) }{ \sin(r+h)-\sin(r) }$	$\cos(x)$
Note: See also Limit template, page 6.	$\lim_{h\to 0} \left(\frac{\sin(x+h)^2 \sin(x)}{h} \right)$	(,
Direction: negative=from left,	$ \frac{1}{n}$	е

Limits at positive ∞ and at negative ∞ are always converted to one-sided limits from the finite side.

Depending on the circumstances, **limit()** returns itself or undef when it cannot determine a unique limit. This does not necessarily mean that a unique limit does not exist. undef means that the result is either an unknown number with finite or infinite magnitude, or it is the entire set of such numbers.

limit() uses methods such as L'Hopital's rule, so there are unique limits that it cannot determine. If ExprI contains undefined variables other than Var, you might have to constrain them to obtain a more concise result.

Limits can be very sensitive to rounding error. When possible, avoid the Approximate setting of the **Auto or Approximate** mode and approximate numbers when computing limits. Otherwise, limits that should be zero or have infinite magnitude probably will not, and limits that should have finite non-zero magnitude might not.

$\lim (a^x)$	undef
$\chi \rightarrow \infty$	
$\lim_{x \to \infty} (a^x) a>1$	∞
$\lim_{x \to \infty} \left(a^x \right) a > 0 \text{ and } a < 1$	0

LinRegBx

Catalog > 🗐

LinRegBx X, Y[,[Freq][,Category,Include]]

Computes the linear regression $y = a+b^{\bullet}x$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers > 0.

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description	
stat.RegEqn	Regression Equation: a+b•x	
stat.a, stat.b	Regression coefficients	
stat.r ²	Coefficient of determination	
stat.r	Correlation coefficient	
stat.Resid	Residuals from the regression	
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$	
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$	
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg	

Catalog > 🔯 LinRegMx

LinRegMx X, Y[,[Freq][,Category,Include]]

Computes the linear regression y = m•x+b on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and *Y* are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression Equation: y = m•x+b
stat.m, stat.b	Regression coefficients
stat.r ²	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.FreqReg	List of frequencies corresponding to stat.XReg and stat.YReg

LinRegtIntervals

Catalog > 💱

LinRegtIntervals X,Y[,F[,O[,CLev]]]

For Slope. Computes a level C confidence interval for the slope.

LinRegtIntervals X,Y[,F[,1,Xval[,CLev]]]

Catalog > 🗐

LinRegtIntervals

For Response. Computes a predicted y-value, a level C prediction interval for a single observation, and a level C confidence interval for the mean response.

A summary of results is stored in the *stat.results* variable. (See page 176.)

All the lists must have equal dimension.

X and Y are lists of independent and dependent variables.

F is an optional list of frequency values. Each element in F specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers \geq 0.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression Equation: a+b•x
stat.a, stat.b	Regression coefficients
stat.df	Degrees of freedom
stat.r ²	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression

For Slope type only

Output variable	Description
[stat.CLower, stat.CUpper]	Confidence interval for the slope
stat.ME	Confidence interval margin of error
stat.SESlope	Standard error of slope
stat.s	Standard error about the line

For Response type only

Output variable	Description
[stat.CLower, stat.CUpper]	Confidence interval for the mean response

Output variable	Description
stat.ME	Confidence interval margin of error
stat.SE	Standard error of mean response
[stat.LowerPred, stat.UpperPred]	Prediction interval for a single observation
stat.MEPred	Prediction interval margin of error
stat.SEPred	Standard error for prediction
stat.ŷ	a + b•XVal

LinRegtTest

Catalog > 🗐

LinRegtTest *X*,*Y*[,*Freq*[,*Hypoth*]]

Computes a linear regression on the X and Ylists and a t test on the value of slope β and the correlation coefficient ρ for the equation $y=\alpha+\beta x$. It tests the null hypothesis H_a: $\beta=0$ (equivalently, ρ =0) against one of three alternative hypotheses.

All the lists must have equal dimension.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers > 0.

Hypoth is an optional value specifying one of three alternative hypotheses against which the null hypothesis (H_0 : β = ρ =0) will be tested.

For H : $\beta \neq 0$ and $\rho \neq 0$ (default), set Hypoth=0For H^a: β <0 and ρ <0, set Hypoth<0 For H^a: β >0 and ρ >0, set Hypoth>0

A summary of results is stored in the stat.results variable. (See page 176.)

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: a + b•x
stat.t	t-Statistic for significance test
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom
stat.a, stat.b	Regression coefficients
stat.s	Standard error about the line
stat.SESlope	Standard error of slope
stat.r ²	Coefficient of determination
stat.r	Correlation coefficient
stat.Resid	Residuals from the regression

linSolve() Catalog > [3]

linSolve(SystemOfLinearEqns, Var1, Var2, ...) \Rightarrow list

linSolve(LinearEqn1 and LinearEqn2 and ..., Var1, Var2, ...) $\Rightarrow list$

linSolve({LinearEqn1, LinearEqn2, ...}, Var1, Var2, ...) ⇒ list

 $\begin{array}{l} \textbf{linSolve}(SystemOfLinearEqns, \ \{Var1, \\ Var2, \ldots\}) \Rightarrow list \end{array}$

linSolve(LinearEqn1 and LinearEqn2 and ..., {Var1, Var2, ...}) $\Rightarrow list$

linSolve({LinearEqn1, LinearEgn2, ...}, {Var1, Var2, ...}) $\Rightarrow list$

Returns a list of solutions for the variables *Var1*, *Var2*, ...

The first argument must evaluate to a system of linear equations or a single linear equation. Otherwise, an argument error occurs.

For example, evaluating linSolve (x=1 and x=2,x) produces an "Argument Error" result.

$$\begin{aligned} & \text{linSolve} \left\{ \begin{cases} 2 \cdot x + 4 \cdot y = 3 \\ 5 \cdot x - 3 \cdot y = 7 \end{cases}, \left\{ x, y \right\} \right\} & \left\{ \frac{37}{26}, \frac{1}{26} \right\} \\ & \text{linSolve} \left\{ \begin{cases} 2 \cdot x = 3 \\ 5 \cdot x - 3 \cdot y = 7 \end{cases}, \left\{ x, y \right\} \right\} & \left\{ \frac{3}{2}, \frac{1}{6} \right\} \\ & \text{linSolve} \left\{ \begin{cases} apple + 4 \cdot pear = 23 \\ 5 \cdot apple - pear = 17 \end{cases}, \left\{ apple, pear \right\} \right\} \\ & \left\{ \frac{13}{3}, \frac{14}{3} \right\} \\ & \text{linSolve} \left\{ \begin{cases} apple \cdot 4 + \frac{pear}{3} = 14 \\ -apple + pear = 6 \end{cases}, \left\{ apple, pear \right\} \right\} \\ & \left\{ \frac{36}{13}, \frac{114}{13} \right\} \end{aligned}$$

Δ List() Catalog > 🕮

 $\Delta List(List1) \Rightarrow list$

Note: You can insert this function from the keyboard by typing deltaList(...).

Returns a list containing the differences between consecutive elements in *List1*. Each element of *List1* is subtracted from the next element of List1. The resulting list is always one element shorter than the original *List1*.

Δ List({ 20,30,45,70 })	{10,15,25}

list ▶ mat() Catalog > 🕮

 $list \triangleright mat(List [, elementsPerRow]) \Rightarrow$ matrix

Returns a matrix filled row-by-row with the elements from List.

elementsPerRow, if included, specifies the number of elements per row. Default is the number of elements in *List* (one row).

If *List* does not fill the resulting matrix, zeros are added.

Note: You can insert this function from the computer keyboard by typing list@>mat (...).

list▶mat({1,2,3})	[1	2	3]
list▶mat({1,2,3,4,5},2)		1	2
		3	4
		5	0]

▶ In Catalog > 🕮

 $Expr \triangleright In \Rightarrow expression$

Causes the input Expr to be converted to an expression containing only natural logs (In).

Note: You can insert this operator from the computer keyboard by typing @>ln.

$\log_{10}(x)$ ln	$\ln(x)$
\ 10 }	ln(10)

In() ex kevs $ln(Expr1) \Rightarrow expression$ ln(2.)0.693147

 $ln(List1) \Rightarrow list$

If complex format mode is Real:

In()

ctrl ex keys

Returns the natural logarithm of the argument.

For a list, returns the natural logarithms of the elements.

 $In(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix natural logarithm of *squareMatrix1*. This is not the same as calculating the natural logarithm of each element. For information about the calculation method, refer to **cos()** on.

square Matrix I must be diagonalizable. The result always contains floating-point numbers.

In({-3,1.2,5})

"Error: Non-real calculation"

If complex format mode is Rectangular:

 $\ln(\{-3,1.2,5\})$ $\{\ln(3)+\pi\cdot i,0.182322,\ln(5)\}$

In Radian angle mode and Rectangular complex format:

 $\ln \begin{vmatrix}
1 & 5 & 3 \\
4 & 2 & 1 \\
6 & -2 & 1
\end{vmatrix}$ $\begin{bmatrix}
1.83145+1.73485 \cdot i & 0.009193-1.49086 \\
0.448761-0.725533 \cdot i & 1.06491+0.623491 \\
\end{cases}$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

-0.266891-2.08316·*i*

LnReg

Catalog > 👰

1.12436+1.79018

LnReg X, Y[, [Freq] [, Category, Include]]

Computes the logarithmic regression $y = a+b \cdot \ln(x)$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description		
stat.RegEqn	Regression equation: a+b•ln(x)		
stat.a, stat.b	Regression coefficients		
stat.r ²	Coefficient of linear determination for transformed data		
stat.r	Correlation coefficient for transformed data (ln(x), y)		
stat.Resid	Residuals associated with the logarithmic model		
stat.ResidTrans	Residuals associated with linear fit of transformed data		
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$		
stat.YReg	List of data points in the modified Y List actually used in the regression based on restrictions of Freq, Category List, and Include Categories		
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg		

Local Catalog > 🔯

Local *Var1*[, *Var2*] [, *Var3*] ...

Declares the specified *vars* as local variables. Those variables exist only during evaluation of a function and are deleted when the function finishes execution.

Note: Local variables save memory because they only exist temporarily. Also, they do not disturb any existing global variable values. Local variables must be used for For loops and for temporarily saving values in a multi-line function since modifications on global variables are not allowed in a function.

Define rollcount()	=Func
	Local i
	$1 \rightarrow i$
	Loop
	If randInt $(1,6)$ =randInt $(1,6)$
	Goto end
	$i+1 \rightarrow i$
	EndLoop
	Lbl end
	Return i
	EndFunc
	Done
rollcount()	16
rollcount()	3

Catalog > 🕮

مدمدها العما المعا

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

LOCK				
Lock $Var I[$,	Var2]	[,	Var3]	

Locks the specified variables or variable group. Locked variables cannot be modified or deleted.

You cannot lock or unlock the system variable *Ans*, and you cannot lock the system variable groups *stat*. or *tvm*.

Note: The Lock command clears the Undo/Redo history when applied to unlocked variables.

See unLock, page 197, and getLockInfo(), page 82.

	5 -
a:=65	65
Lock a	Done
getLockInfo(a)	1
a:=75	"Error: Variable is locked."
DelVar a	"Error: Variable is locked."
Unlock a	Done
a:=75	75
DelVar a	Done

$\log(b)$ $\log(Expr1[,Expr2]) \Rightarrow expression$ $\log(List1[,Expr2]) \Rightarrow list$

Returns the base-*Expr2* logarithm of the first argument.

Note: See also Log template, page 2.

For a list, returns the base-*Expr2* logarithm of the elements.

If the second argument is omitted, 10 is used as the base.

	ctri 10x Keys
log (2.)	0.30103
$\log_4(2.)$	0.5
$\log_3(10) - \log_3(5)$	log ₃ (2)

If complex format mode is Real:

$$log_{10}({-3,1.2,5})$$
 Error: Non—real result

If complex format mode is Rectangular:

$$\frac{\log_{10}(\{-3,1.2,5\})}{\log_{10}(3)+1.36438 \cdot i,0.079181,\log_{10}(5)\}}$$

log(squareMatrix1[,Expr]) ⇒
squareMatrix

Returns the matrix base-*Expr* logarithm of *squareMatrix1*. This is not the same as calculating the base-*Expr* logarithm of each element. For information about the calculation method, refer to **cos()**.

square Matrix 1 must be diagonalizable. The result always contains floating-point numbers.

If the base argument is omitted, 10 is used as base.

In Radian angle mode and Rectangular complex format:

$$\log_{10} \begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$$

0.795387+0.753438•*i* 0.003993-0.6474: 0.194895-0.315095•*i* 0.462485+0.2707* -0.115909-0.904706•*i* 0.488304+0.7774¢

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

▶ logbase

 $Expr \triangleright logbase(Expr1) \Rightarrow expression$

Causes the input Expression to be simplified to an expression using base *Expr1*.

Note: You can insert this operator from the computer keyboard by typing @>logbase (...).

Catalog > 📳

Catalog > 🗐

$$\log_{3}(10) - \log_{5}(5) \triangleright \log \operatorname{base}(5) \qquad \frac{\log_{5}\left(\frac{10}{3}\right)}{\log_{5}(3)}$$

Logistic

Logistic X, Y[, [Freq] [, Category, Include]]

Computes the logistic regression $y = (c/(1+a\cdot e^{-bx}))$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

 \boldsymbol{X} and \boldsymbol{Y} are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Logistic Catalog > Q3

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: c/(1+a•e ^{-bx})
stat.a, stat.b, stat.c	Regression coefficients
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

LogisticD Catalog > 1

LogisticD X, Y [, [Iterations], [Freq] [, Category, Include]]

Computes the logistic regression $y = (c/(1+a\cdot e^{-bx})+d)$ on lists X and Y with frequency Freq, using a specified number of Iterations. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Catalog > 🔯

LogisticD

Freq is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description		
stat.RegEqn	Regression equation: c/(1+a•e ^{-bx})+d)		
stat.a, stat.b, stat.c, stat.d	Regression coefficients		
stat.Resid	Residuals from the regression		
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$		
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$		
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg		

Catalog > 🗐

_

Loop

Block EndLoop

Repeatedly executes the statements in Block. Note that the loop will be executed endlessly, unless a **Goto** or **Exit** instruction is executed within Block.

Block is a sequence of statements separated with the ":" character.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define <i>rollcount</i> ()=Func
Local i
$1 \rightarrow i$
Loop
If $randInt(1,6) = randInt(1,6)$
Goto end
$i+1 \rightarrow i$
EndLoop
Lbl end
Return i
EndFunc
Don

	Done
rollcount()	16
rollcount()	3

LU III Matnin i Matnin a Matnin a Matnin

LU *Matrix*, *lMatrix*, *uMatrix*, *pMatrix* [,*Tol*]

Calculates the Doolittle LU (lower-upper) decomposition of a real or complex matrix. The lower triangular matrix is stored in *lMatrix*, the upper triangular matrix in *uMatrix*, and the permutation matrix (which describes the row swaps done during the calculation) in *pMatrix*.

lMatrix•uMatrix = pMatrix•matrix

Optionally, any matrix element is treated as zero if its absolute value is less than Tol. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, Tol is ignored.

- If you use ctrl enter or set the Auto or Approximate mode to Approximate, computations are done using floatingpoint arithmetic.
- If Tol is omitted or not used, the default tolerance is calculated as: 5E⁻14•max(dim(Matrix))•rowNorm (Matrix)

6	12	$\begin{vmatrix} 18 \\ 31 \end{vmatrix} \rightarrow m1$	6	12 14 8	18
5	14	$31 \rightarrow m1$	5	14	31
3	8	18]	3	8	18
L	0	10]	ے.	0	10

[3 9 19]	[2 9 19]
LU m1,lower,upper,perm	Done
lower	1 0 0
	$\left \frac{5}{6} 1 0 \right $
	$\left[\frac{1}{2} \ \frac{1}{2} \ 1\right]$
upper	6 12 18
	0 4 16
	$\begin{bmatrix} 0 & 0 & 1 \end{bmatrix}$
perm	$\begin{bmatrix} 1 & 0 & 0 \end{bmatrix}$
	0 1 0
	[0 0 1]

LU

The **LU** factorization algorithm uses partial pivoting with row interchanges.

$\begin{bmatrix} m & n \\ o & p \end{bmatrix} \rightarrow m1$		$\begin{bmatrix} m & n \\ o & p \end{bmatrix}$
LU m1,lower,upper,perm		Done
lower		1 0
		$\left\lfloor \frac{m}{o} 1 \right\rfloor$
upper	0	p
	0	$n-\frac{m\cdot p}{o}$
perm		0 1
		$\begin{bmatrix} 1 & 0 \end{bmatrix}$

Catalog > 🕎

M

Matrix 1.

mat ▶ list()		Catalog > 🕎
$mat \triangleright list(Matrix) \Rightarrow list$	mat▶list([1 2 3])	{1,2,3}
Returns a list filled with the elements in <i>Matrix</i> . The elements are copied from <i>Matrix</i> row by row.	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \rightarrow m1$ $mat \blacktriangleright list(m1)$	$ \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} $ $ \{1,2,3,4,5,6\} $

Note: You can insert this function from the computer keyboard by typing mat@>list (...).

max()		Catalog > 🗐
$\max(Expr1, Expr2) \Rightarrow expression$ $\max(List1, List2) \Rightarrow list$ $\max(Matrix1, Matrix2) \Rightarrow matrix$	$\max(2.3,1.4)$ $\max(\{1,2\},\{-4,3\})$	2.3 {1,3}
Returns the maximum of the two arguments. If the arguments are two lists or matrices, returns a list or matrix containing the maximum value of each pair of corresponding elements.		
$max(List) \Rightarrow expression$	max({0,1,-7,1.3,0.5})	1.3
Returns the maximum element in list.		
$max(Matrix1) \Rightarrow matrix$	$\max \begin{bmatrix} 1 & -3 & 7 \\ -4 & 0 & 0 & 3 \end{bmatrix}$	[1 0 7]
Returns a row vector containing the maximum element of each column in		

max()

Catalog > 23

Empty (void) elements are ignored. For more information on empty elements, see page 251.

Note: See also fMax() and min().

mean() Catalog > 🗐

 $mean(List[,freqList]) \Rightarrow expression$

Returns the mean of the elements in *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

 $mean(Matrix 1[, freqMatrix]) \Rightarrow matrix$

Returns a row vector of the means of all the columns in *Matrix 1*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *Matrix1*.

Empty (void) elements are ignored. For more information on empty elements, see page 251.

mean({0.2,0,1,-0.3,0.4})	0.26
mean({1,2,3},{3,2,1})	<u>5</u>
	3

In Rectangular vector format:

$ \text{mean} \begin{bmatrix} 0.2 & 0 \\ -1 & 3 \\ 0.4 & -0.5 \end{bmatrix} $	[-0.133333
	$\begin{bmatrix} \frac{-2}{15} & \frac{5}{6} \end{bmatrix}$
$ \operatorname{mean} \begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix}, \begin{bmatrix} 5 & 3 \\ 4 & 1 \\ 6 & 2 \end{bmatrix} $	$\begin{bmatrix} \frac{47}{15} & \frac{11}{3} \end{bmatrix}$

median() Catalog > [1]

 $median(List[,freqList]) \Rightarrow expression$

Returns the median of the elements in List.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

 $median(Matrix 1[, freqMatrix]) \Rightarrow matrix$

Returns a row vector containing the medians of the columns in *Matrix 1*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *Matrix1*.

Notes:

- All entries in the list or matrix must simplify to numbers.
- Empty (void) elements in the list or matrix are ignored. For more information on empty elements, see page 251.

MedMed Catalog > 🗐

MedMed X,Y [, Freq] [, Category, Include]]

Computes the median-median line y = $(m \cdot x + b)$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers > 0.

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Median-median line equation: m•x+b
stat.m, stat.b	Model coefficients

Output variable	Description
stat.Resid	Residuals from the median-median line
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

mid()	Catalog > 🗐
-------	-------------

mid(sourceString, Start[, Count]) ⇒ string

Returns *Count* characters from character string *sourceString*, beginning with character number *Start*.

If *Count* is omitted or is greater than the dimension of *sourceString*, returns all characters from *sourceString*, beginning with character number *Start*.

Count must be \geq 0. If Count = 0, returns an empty string.

 $mid(sourceList, Start [, Count]) \Rightarrow list$

Returns *Count* elements from *sourceList*, beginning with element number *Start*.

If *Count* is omitted or is greater than the dimension of *sourceList*, returns all elements from *sourceList*, beginning with element number *Start*.

Count must be \geq 0. If Count = 0, returns an empty list.

mid(sourceStringList, Start[, Count]) ⇒ list

Returns *Count* strings from the list of strings *sourceStringList*, beginning with element number *Start*.

mid("Hello there",2)	"ello there"
mid("Hello there",7,3)	"the"
mid("Hello there",1,5)	"Hello"
mid("Hello there",1,0)	"[]"

mid({9,8,7,6},3)	{7,6}
mid({9,8,7,6},2,2)	{8,7}
mid({9,8,7,6},1,2)	{9,8}
mid({9,8,7,6},1,0)	{□}

min() Catalog > [3] $min(Expr1, Expr2) \Rightarrow expression$ min(2.3,1.4) $\min(\{1,2\},\{-4,3\})$ { -4,2 } $min(List1, List2) \Rightarrow list$ $min(Matrix1, Matrix2) \Rightarrow matrix$ Returns the minimum of the two arguments. If the arguments are two lists or matrices, returns a list or matrix containing the minimum value of each pair of corresponding elements. $min(List) \Rightarrow expression$ $\min(\{0,1,-7,1.3,0.5\})$ Returns the minimum element of *List*. $min(Matrix 1) \Rightarrow matrix$ $\min \parallel 1$ [-4 -3 0.3] -4 0 0.3 Returns a row vector containing the

Note: See also fMin() and max().

Matrix 1.

minimum element of each column in

mirr()	C	atalog > 🗐
mirr (financeRate,reinvestRate,CF0,CFList [,CFFreq]) Financial function that returns the modified internal rate of return of an investment.	list1:={6000, 8000,2000, 3000 {6000, 800 list2:={2,2,2,1} mirr(4.65,12,5000,list1,list2}	0) 00,2000,-3000} {2,2,2,1} 13.41608607
financeRate is the interest rate that you pay on the cash flow amounts.		
reinvestRate is the interest rate at which the cash flows are reinvested.		
CF0 is the initial cash flow at time 0; it must be a real number.		
<i>CFList</i> is a list of cash flow amounts after the initial cash flow CFO.		
CFFreq is an optional list in which each element specifies the frequency of occurrence for a grouped (consecutive) cash flow amount, which is the corresponding element of CFList. The default is 1; if you enter values, they must be positive integers < 10,000.		

mod()

Catalog > [32]

Note: See also irr(), page 93.

$mod(Expr1, Expr2) \Rightarrow$	expression

 $mod(List1, List2) \Rightarrow list$ $mod(Matrix1, Matrix2) \Rightarrow matrix$

Returns the first argument modulo the second argument as defined by the identities:

mod(x,0) = xmod(x,y) = x - y floor(x/y)

When the second argument is non-zero, the result is periodic in that argument. The result is either zero or has the same sign as the second argument.

If the arguments are two lists or two matrices, returns a list or matrix containing the modulo of each pair of corresponding elements.

Note: See also remain(), page 149

	Catalog > Q
mod(7,0)	7
mod(7,3)	1
mod(-7,3)	2
mod(7,-3)	-2

mod(7,3)	1
mod(-7,3)	2
mod(7,-3)	-2
mod(-7,-3)	-1
mod({12,-14,16},{9,7,-5})	{3,0,-4}

mRow() Catalog > 🗐

 $mRow(Expr, Matrix 1, Index) \Rightarrow matrix$

Returns a copy of *Matrix1* with each element in row *Index* of *Matrix1* multiplied by Expr.

$mRow \begin{pmatrix} \frac{-1}{3}, \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}, 2 \end{pmatrix}$	1 -1	$\begin{bmatrix} 2 \\ -4 \\ 3 \end{bmatrix}$
--	---------	--

mRowAdd()

mRowAdd(Expr, Matrix 1, Index 1, Index 2) ⇒ matrix

Returns a copy of *Matrix1* with each element in row *Index2* of *Matrix1* replaced with:

 $Expr \cdot row Index 1 + row Index 2$

		o ⊸	-
$ \overline{\text{mRowAdd} \begin{bmatrix} -3, \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}, 1, 2 \end{bmatrix} } $		$\begin{bmatrix} 1 & 2 \\ 0 & -2 \end{bmatrix}$	
mRowAdd $\begin{bmatrix} n, \begin{bmatrix} a & b \\ c & d \end{bmatrix}, 1, 2 \end{bmatrix}$	$\begin{bmatrix} a \\ a \cdot n + c \end{bmatrix}$	b	

Catalog > 23

Catalog > [3] MultReg

MultReg Y, X1[,X2[,X3,...[,X10]]]

Calculates multiple linear regression of list Y on lists X1, X2, ..., X10. A summary of results is stored in the *stat.results* variable. (See page 176.)

All the lists must have equal dimension.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression Equation: b0+b1•x1+b2•x2+
stat.b0, stat.b1,	Regression coefficients
stat.R ²	Coefficient of multiple determination
stat. ŷ List	ŷ List = b0+b1•x1+
stat.Resid	Residuals from the regression

MultRegIntervals

Catalog > 23

MultRegintervals Y, X1[, X2[, X3,...[,X10]], XValList[, CLevel]

Computes a predicted y-value, a level C prediction interval for a single observation, and a level C confidence interval for the mean response.

A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression Equation: b0+b1•x1+b2•x2+
stat.ŷ	A point estimate: $\hat{y} = b0 + b1 \cdot xl +$ for $XValList$
stat.dfError	Error degrees of freedom

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval for a mean response
stat.ME	Confidence interval margin of error
stat.SE	Standard error of mean response
stat.LowerPred, stat.UpperrPred	Prediction interval for a single observation
stat.MEPred	Prediction interval margin of error
stat.SEPred	Standard error for prediction
stat.bList	List of regression coefficients, {b0,b1,b2,}
stat.Resid	Residuals from the regression

MultRegTests

Catalog > 23

MultRegTests *Y*, *X1*[, *X2*[, *X3*,...[, *X10*]]]

Multiple linear regression test computes a multiple linear regression on the given data and provides the global F test statistic and ttest statistics for the coefficients.

A summary of results is stored in the stat.results variable. (See page 176.)

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Outputs

Output variable	Description
stat.RegEqn	Regression Equation: b0+b1•x1+b2•x2+
stat.F	GlobalF test statistic
stat.PVal	P-value associated with global ${\cal F}$ statistic
stat.R ²	Coefficient of multiple determination
stat.AdjR ²	Adjusted coefficient of multiple determination
stat.s	Standard deviation of the error
stat.DW	Durbin-Watson statistic; used to determine whether first-order auto correlation is present in the model

Output variable	Description
stat.dfReg	Regression degrees of freedom
stat.SSReg	Regression sum of squares
stat.MSReg	Regression mean square
stat.dfError	Error degrees of freedom
stat.SSError	Error sum of squares
stat.MSError	Error mean square
stat.bList	{b0,b1,} List of coefficients
stat.tList	List of t statistics, one for each coefficient in the bList
stat.PList	List P-values for each t statistic
stat.SEList	List of standard errors for coefficients in bList
stat. ŷ List	\hat{y} List = b0+b1•x1+
stat.Resid	Residuals from the regression
stat.sResid	Standardized residuals; obtained by dividing a residual by its standard deviation
stat.CookDist	Cook's distance; measure of the influence of an observation based on the residual and leverage
stat.Leverage	Measure of how far the values of the independent variable are from their mean values

N

nand		ctrl = keys
BooleanExpr1 nand BooleanExpr2 returns Boolean expression	$x \ge 3$ and $x \ge 4$	<i>x</i> ≥4
BooleanList1 nand BooleanList2 returns	x≥3 nand x≥4	x<4

Boolean list BooleanMatrix1 nand BooleanMatrix2 returns *Boolean matrix*

Returns the negation of a logical and operation on the two arguments. Returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

nand

Integer 1 nand Integer $2 \Rightarrow integer$

Compares two real integers bit-by-bit using a nand operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 0 if both bits are 1; otherwise, the result is 1. The returned value represents the bit results, and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

3 and 4	0
3 nand 4	-1
$\{1,2,3\}$ and $\{3,2,1\}$	{1,2,1}
{1,2,3} nand {3,2,1}	{-2,-3,-2}

nCr() Catalog > 🗐 $nCr(Expr1, Expr2) \Rightarrow expression$ nCr(z,3)For integer Expr1 and Expr2 with $Expr1 \ge$ Ans|z=510

nCr(z,c)

Ans

nPr(z,c)

 $Expr2 \ge 0$, nCr() is the number of combinations of *Expr1* things taken *Expr2* at a time. (This is also known as a binomial coefficient.) Both arguments can be integers or symbolic expressions.

 $nCr(Expr, 0) \Rightarrow 1$

 $nCr(Expr, negInteger) \Rightarrow 0$

 $nCr(Expr, posInteger) \Rightarrow Expr \cdot (Expr-1) \dots$ (Expr-posInteger+1) / posInteger!

 $nCr(Expr, nonInteger) \Rightarrow expression! /$ ((Expr-nonInteger)!•nonInteger!)

 $nCr(List1, List2) \Rightarrow list$

Returns a list of combinations based on the corresponding element pairs in the two lists. The arguments must be the same size list.

 $nCr(Matrix 1, Matrix 2) \Rightarrow matrix$

 $nCr({5,4,3},{2,4,2})$

 $c! \cdot (z-c)!$

{10,1,3}

1

nCr()

Catalog > [3]

Returns a matrix of combinations based on the corresponding element pairs in the two matrices. The arguments must be the same size matrix.

nDerivative()

Catalog > 🗐

nDerivative(Expr1,Var=Value[,Order]) ⇒ value

nDerivative(Expr1,Var[,Order]) *|Var=Value* ⇒ value

nDerivative($ x , x=1$)	1
nDerivative(x ,x) x=0	undef
nDerivative $(\sqrt{x-1}, x) x=1$	undef

Returns the numerical derivative calculated using auto differentiation methods.

When *Value* is specified, it overrides any prior variable assignment or any current "|" substitution for the variable.

Order of the derivative must be 1 or 2.

newList()

Catalog > 🔯

 $newList(numElements) \Rightarrow list$

Returns a list with a dimension of mmElements. Fach element is zero.

Cutu	10 _D -	900
	{0,0,0	0,0}

newMat() Catalog > 🗐 $newMat(numRows, numColumns) \Rightarrow$ newMat(2,3) 0 0 0 matrix 0 0 0

newList(4)

Returns a matrix of zeros with the dimension *numRows* by *numColumns*.

nfMax()

Catalog > 🗐

 $nfMax(Expr, Var) \Rightarrow value$ $nfMax(Expr, Var, lowBound) \Rightarrow value$ $nfMax(Expr, Var, lowBound, upBound) \Rightarrow$ value nfMax(Expr, Var)

 $lowBound \leq Var \leq upBound \Rightarrow value$

nfMax() Catalog > 🗓 3

Returns a candidate numerical value of variable Var where the local maximum of Expr occurs.

If you supply lowBound and upBound, the function looks in the closed interval [lowBound,upBound] for the local maximum.

Note: See also fMax() and d().

nfMin() Catalog > 23

nfMin(Expr, Var) \Rightarrow valuenfMin(Expr, Var, lowBound) \Rightarrow valuenfMin(Expr, Var, lowBound, upBound) \Rightarrow value

nfMin(Expr, Var**)** | $lowBound \le Var \le upBound \implies value$

Returns a candidate numerical value of variable Var where the local minimum of Expr occurs.

If you supply lowBound and upBound, the function looks in the closed interval [lowBound,upBound] for the local minimum.

Note: See also fMin() and d().

 $\operatorname{nfMin}(x^2 + 2 \cdot x + 5, x)$ $\operatorname{nfMin}(0.5 \cdot x^3 - x - 2, x, -5, 5)$ -5.


nInt() Catalog > \bigcirc nInt(Expr1, Var, Lower, Upper) \Rightarrow expression $\frac{1.49365}{1.49365}$

If the integrand Expr1 contains no variable other than Var, and if Lower and Upper are constants, positive ∞ , or negative ∞ , then $\operatorname{nint}()$ returns an approximation of $\int (Expr1, Var, Lower, Upper)$. This approximation is a weighted average of some sample values of the integrand in the interval Lower < Var < Upper.

nInt()

Catalog > [13]

The goal is six significant digits. The adaptive algorithm terminates when it seems likely that the goal has been achieved, or when it seems unlikely that additional samples will vield a worthwhile improvement.



A warning is displayed ("Questionable accuracy") when it seems that the goal has not been achieved.

Nest nint() to do multiple numeric integration. Integration limits can depend on integration variables outside them.

Note: See also ∫(), page 221.

$$\operatorname{nInt}\left(\operatorname{nInt}\left(\frac{\mathbf{e}^{-x \cdot y}}{\sqrt{x^2 - y^2}}, y, -x, x\right), x, 0, 1\right) \qquad 3.30423$$

nom()

$nom(effectiveRate, CpY) \Rightarrow value$

Financial function that converts the annual effective interest rate effectiveRate to a nominal rate, given CpY as the number of compounding periods per year.

effectiveRate must be a real number, and CpY must be a real number > 0.

Note: See also eff(), page 58.

Catalog > [3]

ctrl = kevs

nor

BooleanExpr1 nor BooleanExpr2 returns Boolean expression BooleanList1 nor BooleanList2 returns Boolean list BooleanMatrix1 nor BooleanMatrix2 returns Boolean matrix

Returns the negation of a logical or operation on the two arguments. Returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

	U.I KCy3
x≥3 or x≥4	<i>x</i> ≥3
x≥3 nor x≥4	x<3

nor $Integer1 \text{ nor } Integer2 \Rightarrow integer$

Compares two real integers bit-by-bit using a **nor** operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if both bits are 1; otherwise, the result is 0. The returned value represents the bit results, and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

3 or 4	7
3 nor 4	-8
{1,2,3} or {3,2,1}	{3,2,3}
{1,2,3} nor {3,2,1}	{-4,-3,-4}

$\begin{array}{c} \textbf{norm()} & \textbf{Catalog} > \boxed{3} \\ \textbf{norm(} \textit{Matrix)} \Rightarrow \textit{expression} \\ \textbf{norm(} \textit{Vector)} \Rightarrow \textit{expression} \\ \textbf{Returns the Frobenius norm.} & \boxed{ \begin{array}{c} nom \begin{bmatrix} a & b \\ c & d \end{bmatrix} & \sqrt{a^2 + b^2 + c^2 + d^2} \\ \hline nom \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} & \sqrt{5} \\ \hline nom \begin{bmatrix} 1 & 2 \end{bmatrix} & \sqrt{5} \\ \hline nom \begin{bmatrix} 1 \\ 2 \end{bmatrix} & \sqrt{5} \end{array} } \end{array}$

normalLine()		Catalog > 🕎
$normalLine(Expr1, Var, Point) \Rightarrow expression$	normalLine $(x^2, x, 1)$	$\frac{3}{2}$ $\frac{x}{2}$
$normalLine(Expr1, Var=Point) \Rightarrow$	normalLine $((x-3)^2-4,x,3)$	<i>x</i> =3
expression	normalLine $\left(x^{\frac{1}{3}}, x=0\right)$	0
Returns the normal line to the curve		
represented by $Exprl$ at the point specified in $Var=Point$.	$ \underline{\text{normalLine}(\sqrt{ x }, x=0)} $	undef
Make sure that the independent variable is not defined. For example, If $f1(x)$:=5 and x:=3, then normalLine ($f1(x)$,x,2) returns		

"false."

normCdf() Catalog > 🕮

 $normCdf(lowBound,upBound[,\mu[,\sigma]]) \Rightarrow$ number if lowBound and upBound are numbers, list if lowBound and upBound are

Computes the normal distribution probability between lowBound and upBound for the specified μ (default=0) and σ (default=1).

For $P(X \leq upBound)$, set $lowBound = \overline{\infty}$.

normPdf() Catalog > 🕮

normPdf($XVal[\mu,\sigma]$ **)** \Rightarrow *number* if XVal is a number, *list* if XVal is a list

Computes the probability density function for the normal distribution at a specified XVal value for the specified μ and σ .

Catalog > 🕮 not

not $BooleanExpr \Rightarrow Boolean$ expression

Returns true, false, or a simplified form of the argument.

not $Integer l \Rightarrow integer$

Returns the one's complement of a real integer. Internally, *Integer 1* is converted to a signed, 64-bit binary number. The value of each bit is flipped (0 becomes 1, and vice versa) for the one's complement. Results are displayed according to the Base mode.

You can enter the integer in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, the integer is treated as decimal (base 10).

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see ▶ Base2, page 17.

not not innocent	innocent
$not(x \le 2)$	<i>x</i> ≥2
not(2≥3)	true

In Hex base mode:

Important: Zero, not the letter O.

not 0h7AC36 0	hFFFFFFFFFF853C9
---------------	------------------

In Bin base mode:

0b100101▶Base10	37
not 0b100101	
0b111111111111111111111111111111111111	111111111111
not 0b100101▶Base10	-38

To see the entire result,

press ▲ and then use ◀ and ▶ to move the cursor.

Note: A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

nPr() Catalog > 13

$nPr(Expr1, Expr2) \Rightarrow$	expression
---------------------------------	------------

For integer Expr1 and Expr2 with $Expr1 \ge Expr2 \ge 0$, nPr() is the number of permutations of Expr1 things taken Expr2 at a time. Both arguments can be integers or symbolic expressions.

$$nPr(Expr, 0 \Rightarrow 1$$

 $nPr(Expr, negInteger) \Rightarrow 1 / ((Expr+1) \cdot (Expr+2) \dots (expression-negInteger))$

 $nPr(Expr, posInteger) \Rightarrow Expr \cdot (Expr-1) \dots (Expr-posInteger+1)$

 $nPr(Expr, nonInteger) \Rightarrow Expr! / (Expr-nonInteger)!$

$$nPr(List1, List2) \Rightarrow list$$

Returns a list of permutations based on the corresponding element pairs in the two lists. The arguments must be the same size list.

$$nPr(Matrix 1, Matrix 2) \Rightarrow matrix$$

Returns a matrix of permutations based on the corresponding element pairs in the two matrices. The arguments must be the same size matrix.

	J 4
nPr(z,3)	$z \cdot (z-2) \cdot (z-1)$
Ans z=5	60
nPr(z,-3)	1
	$\overline{(z+1)\cdot(z+2)\cdot(z+3)}$
$\operatorname{nPr}(z,c)$	z!
	$\overline{(z-c)!}$
$Ans \cdot nPr(z-c,-c)$	1

$$nPr(\{5,4,3\},\{2,4,2\})$$
 {20,24,6}

$$nPr \begin{pmatrix} 6 & 5 \\ 4 & 3 \end{pmatrix}, \begin{vmatrix} 2 & 2 \\ 2 & 2 \end{pmatrix}$$
 $\begin{vmatrix} 30 & 20 \\ 12 & 6 \end{vmatrix}$

npv() Catalog > 🗐

npv(InterestRate,CFO,CFList[,CFFreq])

Financial function that calculates net present value; the sum of the present values for the cash inflows and outflows. A positive result for npv indicates a profitable investment.

InterestRate is the rate by which to discount the cash flows (the cost of money) over one period.

CF0 is the initial cash flow at time 0; it must be a real number.

CFList is a list of cash flow amounts after the initial cash flow CFO.

list1:={6000,-8000,2000,-3000} {6000,-8000,2000,-3000} list2:={2,2,2,1} npv{10.5000,list1,list2} 4769.91 npv() Catalog > 🕮

CFFreq is a list in which each element specifies the frequency of occurrence for a grouped (consecutive) cash flow amount, which is the corresponding element of CFList. The default is 1; if you enter values, they must be positive integers < 10.000.

nSolve() Catalog > 🕮

 $nSolve(Equation, Var[=Guess]) \Rightarrow number$ or error string

nSolve(Equation, Var[=Guess], lowBound) ⇒ number or error string

nSolve(Equation, Var $[=Guess],lowBound,upBound) \Rightarrow number$ or error string

nSolve(Equation, Var[=Guess]) | $lowBound \le Var \le upBound \Rightarrow number or$ error string

Iteratively searches for one approximate real numeric solution to *Equation* for its one variable. Specify the variable as:

variable variable = real number

For example, x is valid and so is x=3.

nSolve() is often much faster than solve() or zeros(), particularly if the "|" operator is used to constrain the search to a small interval containing exactly one simple solution.

nSolve() attempts to determine either one point where the residual is zero or two relatively close points where the residual has opposite signs and the magnitude of the residual is not excessive. If it cannot achieve this using a modest number of sample points, it returns the string "no solution found."

$nSolve(x^2+5\cdot x-25=9,x)$	3.84429
$nSolve(x^2=4, x=-1)$	-2.
$nSolve(x^2=4,x=1)$	2.

Note: If there are multiple solutions, you can use a guess to help find a particular solution.

nSolve
$$(x^2+5\cdot x-25=9,x)|_{x<0}$$
 -8.84429
nSolve $(x^2+5\cdot x-25=9,x)|_{x<0}$ nSolve $(x^2+5\cdot x-25=9,x)|_{x>0}$ and $x<0.25$ 0.006886
nSolve (x^2-1,x) "No solution found"

nSolve() Catalog > 👰

Note: See also cSolve(), cZeros(), solve(), and zeros().

0

OneVar Catalog > 🗊

OneVar [1,]X[,[Freq][,Category,Include]]

OneVar [*n*,]*X1*,*X2*[*X3*[,...[,*X20*]]]

Calculates 1-variable statistics on up to 20 lists. A summary of results is stored in the *stat.results* variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of numeric category codes for the corresponding X values.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

An empty (void) element in any of the lists X, Freq, or Category results in a void for the corresponding element of all those lists. An empty element in any of the lists XI through X20 results in a void for the corresponding element of all those lists. For more information on empty elements, see page 251.

Output variable	Description
stat.x	Mean of x values
$stat.\Sigmax$	Sum of x values
$stat.\Sigma x^2$	Sum of x ² values

Output variable	Description
stat.sx	Sample standard deviation of x
stat.σx	Population standard deviation of x
stat.n	Number of data points
stat.MinX	Minimum of x values
stat.Q ₁ X	1st Quartile of x
stat.MedianX	Median of x
stat.Q ₃ X	3rd Quartile of x
stat.MaxX	Maximum of x values
stat.SSX	Sum of squares of deviations from the mean of x

or		Catalog > 🗐
BooleanExpr1 or BooleanExpr2 returns Boolean expression BooleanList1 or BooleanList2 returns	$x \ge 3$ or $x \ge 4$	<i>x</i> ≥3
Boolean list	Define $g(x)$ =Func	Done
BooleanMatrix1 or BooleanMatrix2	If $x \le 0$ or $x \ge 5$	
returns Boolean matrix	Goto end	
D	Return $x \cdot 3$	
Returns true or false or a simplified form of	Lbl end	
the original entry.	EndFunc	
Returns true if either or both expressions	g(3)	9
simplify to true. Returns false only if both expressions evaluate to false.	g(0) A function did	not return a value

Note: See xor.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Integer1 or *Integer2* ⇒ *integer*

In Hex base mode:	
0h7AC36 or 0h3D5F	0h7BD7F
Important: Zero, not the letter (Ο.
In Bin base mode:	
0b100101 or 0b100	0b100101

Compares two real integers bit-by-bit using an or operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if either bit is 1; the result is 0 only if both bits are 0. The returned value represents the bit results, and is displayed according to the Base mode.

You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see ▶Base2, page 17.

Note: See xor.

Note: A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

ord()		Catalog > 🗐
$ord(String) \Rightarrow integer$	ord("hello")	104
$ord(ListI) \Rightarrow list$	char(104)	"h"
Returns the numeric code of the first	ord(char(24))	24
character in character string <i>String</i> , or a list of the first characters of each list element.	$\operatorname{ord}ig(ig\{ ext{"alpha","beta"}ig\}ig)$	{97,98}

P

P ► Rx()	Catalog > 🗊
$P \triangleright Rx(rExpr, \theta Expr) \Rightarrow expression$ $P \triangleright Rx(rList, \theta List) \Rightarrow list$	In Radian angle mode:
$P \triangleright Rx(rMatrix, \theta Matrix) \Rightarrow matrix$	$\frac{P \triangleright Rx(r,\theta)}{P \triangleright Rx(4,60^{\circ})} \frac{\cos(\theta) \cdot r}{2}$
Returns the equivalent x-coordinate of the (r, $\boldsymbol{\theta}$) pair.	$\frac{1 + \text{Rx}(\frac{\pi}{3}, 00)}{\text{P} + \text{Rx}\left(\left\{-3, 10, 1.3\right\}, \left\{\frac{\pi}{3}, \frac{-\pi}{4}, 0\right\}\right)}$
	$\left\{\frac{-3}{2},5\cdot\sqrt{2},1.3\right\}$

Note: The θ argument is interpreted as either a degree, gradian or radian angle, according to the current angle mode. If the argument is an expression, you can use °, G, or r to override the angle mode setting temporarily.

Note: You can insert this function from the computer keyboard by typing P@>Rx (...).

P ► Ry() Catalog > 23

 $P \triangleright Ry(rExpr, \theta Expr) \Rightarrow expression$

 $P \triangleright Ry(rList, \theta List) \Rightarrow list$ $P \triangleright Ry(rMatrix, \theta Matrix) \Rightarrow matrix$

Returns the equivalent y-coordinate of the (r, θ) pair.

Note: The θ argument is interpreted as either a degree, radian or gradian angle, according to the current angle mode. If the argument is an expression, you can use $^{\circ}$. G . or r to override the angle mode setting temporarily.

Note: You can insert this function from the computer keyboard by typing P@>Ry (...).

In Radian angle mode:

$P \triangleright Ry(r, \theta)$	$\sin(\theta) \cdot r$
P▶Ry(4,60°)	2.√3
$\mathbb{P} \triangleright \mathbb{R} \mathbf{y} \left\{ \left\{ -3,10,1.3 \right\}, \left\{ \frac{\pi}{3}, \frac{-\pi}{4}, 0 \right\} \right\}$	
$\left\{\frac{-3\cdot\sqrt{2}}{2}\right\}$	$\frac{1}{3}$, $-5 \cdot \sqrt{2}$, 0.

Catalog > 23 **PassErr**

PassErr

Passes an error to the next level.

If system variable errCode is zero, PassErr does not do anything.

The Else clause of the Trv...Else...EndTrv block should use **CIrErr** or **PassErr**. If the error is to be processed or ignored, use CIrErr. If what to do with the error is not known, use PassErr to send it to the next error handler. If there are no more pending Try...Else...EndTry error handlers, the error dialog box will be displayed as normal.

For an example of PassErr, See Example 2 under the Try command, page 191.

Note: See also CirErr, page 25, and Try, page

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

	,	
١	oiecewise(
ı	JIECEWISEL	

Catalog > [3]

piecewise(Expr1[, Cond1[, Expr2 [, Cond2 [, ...]]]])

Returns definitions for a piecewise function in the form of a list. You can also create piecewise definitions by using a template.

Done
1
undef

Note: See also Piecewise template, page 3.

poissCdf()

Catalog > 🗐

 $poissCdf(\lambda,lowBound,upBound) \Rightarrow number$ if lowBound and upBound are numbers, list if lowBound and upBound are lists

 $poissCdf(\lambda,upBound)$ for $P(0 \le X \le upBound) \Rightarrow$ number if upBound is a number, list if *upBound* is a list

Computes a cumulative probability for the discrete Poisson distribution with specified mean λ.

For $P(X \le upBound)$, set lowBound=0

poissPdf()

Catalog > 🗐

poissPdf(λ , XVal) \Rightarrow number if XVal is a number. *list* if XVal is a list

Computes a probability for the discrete Poisson distribution with the specified mean λ..

Vector ▶ Polar

Note: You can insert this operator from the computer keyboard by typing @>Polar.

Displays *vector* in polar form $[r \angle \theta]$. The vector must be of dimension 2 and can be a row or a column.

Note: ▶Polar is a display-format instruction, not a conversion function. You can use it only at the end of an entry line, and it does not update ans.

Note: See also ▶ Rect, page 146.

complexValue ▶ Polar

Displays complex Vector in polar form.

- Degree angle mode returns (r $\angle \theta$).
- Radian angle mode returns re^{it}

complex Value can have any complex form. However, an $re^{i\theta}$ entry causes an error in Degree angle mode.

Note: You must use the parentheses for an $(r \angle \theta)$ polar entry.

[1 3.]▶Polar	[3.16228 \(\text{\(\) \text{\(\text{\(\text{\(\) \text{\(\) \text{\(\text{\(\) \end{\(\) \text{\(\) \\ \\ \} \text{\(\) \text{\(\) \text{\(\) \text{\(\) \\ \} \text{\(\) \text{\(\) \text{\(\) \text{\(\) \\ \} \(\) \\ \\ \\ \\ \\ \\ \\ \\ \)
$\begin{bmatrix} x & y \end{bmatrix} \triangleright \text{Polar}$	$\angle \frac{\pi \cdot \operatorname{sign}(y)}{-\tan^{-1}\left(\frac{x}{x}\right)}$
$\left[\sqrt{x^{-}+y^{-}}\right]$	$\left[\frac{-\sin^{2}\left(\frac{1}{y}\right)}{2}\right]$

In Radian angle mode:

$$(3+4\cdot i) \blacktriangleright \text{Polar}$$

$$e^{i\cdot \left(\frac{\pi}{2} - \tan^{-1}\left(\frac{3}{4}\right)\right)} \cdot 5$$

$$\left(\left(4 \angle \frac{\pi}{3}\right)\right) \blacktriangleright \text{Polar}$$

$$e^{\frac{i\cdot \pi}{3}} \cdot 4$$

In Gradian angle mode:

In Degree angle mode:

$$(3+4\cdot i)$$
 Polar $\left(5 \angle 90-\tan^{-1}\left(\frac{3}{4}\right)\right)$

Catalog > [3] polyCoeffs() $polyCoeffs(Poly[,Var]) \Rightarrow list$ $\{4,-3,2\}$ polyCoeffs $(4 \cdot x^2 - 3 \cdot x + 2, x)$

polyCoeffs()

Catalog > 🗐

Returns a list of the coefficients of polynomial Poly with respect to variable Var.

Poly must be a polynomial expression in Var. We recommend that you do not omit Var unless Poly is an expression in a single variable.

$$\frac{}{\text{polyCoeffs}((x-1)^2 \cdot (x+2)^3)}$$
 {1,4,1,-10,-4,8}

Expands the polynomial and selects x for the omitted Var.

$$\frac{\operatorname{polyCoeffs}((x+y+z)^2,x)}{\left\{1,2\cdot(y+z),(y+z)^2\right\}}$$

$$\operatorname{polyCoeffs}((x+y+z)^2,y)$$

$$\frac{\left\{1,2\cdot(x+z),(x+z)^2\right\}}{\left\{1,2\cdot(x+y),(x+y)^2\right\}}$$

polyDegree()

 $polyDegree(Poly [,Var]) \Rightarrow value$

Returns the degree of polynomial expression Poly with respect to variable Var. If you omit Var, the polyDegree() function selects a default from the variables contained in the polynomial Poly.

Poly must be a polynomial expression in Var. We recommend that you do not omit Var unless Poly is an expression in a single variable.

Catalog > 🕡

polyDegree(5)	0
polyDegree($ln(2)+\pi,x$)	0

Constant polynomials

$$\frac{\text{polyDegree}(4 \cdot x^2 - 3 \cdot x + 2, x)}{\text{polyDegree}((x-1)^2 \cdot (x+2)^3)}$$

$$\frac{\text{polyDegree}((x+y^2+z^3)^2,x)}{\text{polyDegree}((x+y^2+z^3)^2,y)}$$

polyDegree
$$((x-1)^{10000}, x)$$
 10000

The degree can be extracted even though the coefficients cannot. This is because the degree can be extracted without expanding the polynomial.

polyEval()

Catalog > 23

 $polyEval(List1, Expr1) \Rightarrow expression$ $polyEval(List1, List2) \Rightarrow expression$

Interprets the first argument as the coefficient of a descending-degree polynomial, and returns the polynomial evaluated for the value of the second argument.

$polyEval(\{a,b,c\},x)$	$a \cdot x^2 + b \cdot x + c$
polyEval({1,2,3,4},2)	26
polyEval({1,2,3,4},{2,-7})	{26,-262}

polyGcd()

Catalog > 23

 $polyGcd(Expr1,Expr2) \Rightarrow expression$

Returns greatest common divisor of the two arguments.

Expr1 and Expr2 must be polynomial expressions.

List, matrix, and Boolean arguments are not allowed.

polyGcd(100,30)	10
$\operatorname{polyGcd}(x^2-1,x-1)$	x-1
/	

$$\frac{\text{polyGcd}(x^{3}-6\cdot x^{2}+11\cdot x-6,x^{2}-6\cdot x+8)}{\text{polyGcd}(x^{3}-6\cdot x^{2}+11\cdot x-6,x^{2}-6\cdot x+8)}$$

polyQuotient()

Catalog > 🗐

 $polyQuotient(Poly1,Poly2[,Var]) \Rightarrow$ expression

Returns the quotient of polynomial *Poly1* divided by polynomial *Poly2* with respect to the specified variable Var.

Poly1 and *Poly2* must be polynomial expressions in *Var*. We recommend that vou do not omit Var unless Poly1 and *Poly2* are expressions in the same single variable.

polyQuotient($x-1,x-3$)	1
$polyQuotient(x-1,x^2-1)$	C
$polyQuotient(x^2-1,x-1)$	x+1
$polyQuotient(x^3-6\cdot x^2+11\cdot x-6,x)$	$2_{-6\cdot x+8}$
	λ

polyQuotient(
$$(x-y)\cdot(y-z),x+y+z,x$$
) $y-z$
polyQuotient($(x-y)\cdot(y-z),x+y+z,y$)
$$2\cdot x-y+2\cdot z$$

polyQuotient(
$$(x-y)\cdot(y-z),x+y+z,z$$
) $-(x-y)$

polyRemainder()

Catalog > 🗓

polyRemainder(Poly1,Poly2 [,Var]) \Rightarrow expression

Returns the remainder of polynomial Poly1 divided by polynomial Poly2 with respect to the specified variable Var.

Poly1 and Poly2 must be polynomial expressions in Var. We recommend that you do not omit Var unless Poly1 and Poly2 are expressions in the same single variable.

polyRemainder(x-1,x-3)	2
$\frac{1}{\text{polyRemainder}(x-1,x^2-1)}$	<i>x</i> -1
${\text{polyRemainder}(x^2-1,x-1)}$	0

polyRemainder
$$((x-y)\cdot(y-z),x+y+z,x)$$

 $-(y-z)\cdot(2\cdot y+z)$
polyRemainder $((x-y)\cdot(y-z),x+y+z,y)$
 $-2\cdot x^2 - 5\cdot x\cdot z - 2\cdot z^2$
polyRemainder $((x-y)\cdot(y-z),x+y+z,z)$
 $(x-y)\cdot(x+2\cdot y)$

polyRoots()

Catalog > 📳

 $polyRoots(Poly,Var) \Rightarrow list$

 $polyRoots(ListOfCoeffs) \Rightarrow list$

The first syntax, polyRoots(Poly,Var), returns a list of real roots of polynomial Poly with respect to variable Var. If no real roots exist, returns an empty list: { }.

Poly must be a polynomial in one variable.

The second syntax, **polyRoots** (*ListOfCoeffs*), returns a list of real roots for the coefficients in *ListOfCoeffs*.

Note: See also cPolyRoots(), page 36.

polyRoots(v³+1,v)	{-1}
cPolyRoots(y ³ +1,y)	
$\left\{-1,\frac{1}{2}-\right\}$	$-\frac{\sqrt{3}}{2}\mathbf{i},\frac{1}{2}+\frac{\sqrt{3}}{2}\mathbf{i}$
$\overline{\text{polyRoots}(x^2+2^*x+1,x)}$	{-1,-1}
polyPoots({1,2,1})	{-1-1}

PowerReg

Catalog > 🗐

PowerReg X,Y[, Freq][, Category, Include]]

Computes the power regressiony = $(a \cdot (x)^b)$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Catalog > [3]

PowerReg

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: a•(x) ^b
stat.a, stat.b	Regression coefficients
stat.r ²	Coefficient of linear determination for transformed data
stat.r	Correlation coefficient for transformed data (ln(x), ln(y))
stat.Resid	Residuals associated with the power model
stat.ResidTrans	Residuals associated with linear fit of transformed data
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

Catalog > 23 **Prgm**

Prgm Block**EndPrgm**

Calculate GCD and display intermediate results.

Template for creating a user-defined program. Must be used with the Define, Define LibPub, or Define LibPriv command.

Prgm

Catalog > 📳

Block can be a single statement, a series of statements separated with the ":" character, or a series of statements on separate lines.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define $proggcd(a,b) = P$	rgm
L	ocal d
	√hile <i>b</i> ≠0
d	=mod (a,b)
a	:=b
b:	:=d
D	isp a," ",b
E	ndWhile
D	oisp "GCD=",a
E	ndPrgm

Done

proggcd(4560,450)	
	450 60
	60 30
	30 0
	GCD=30
	Done

prodSeq()

See Π (), page 223.

Product (PI)

See Π (), page 223.

Catalog > 🕮

product()	
$product(List[, Start[, End]]) \Rightarrow$	expressio

Returns the product of the elements contained in *List*. *Start* and *End* are optional. They specify a range of elements.

 $product(Matrix 1[, Start[, End]]) \Rightarrow matrix$

Returns a row vector containing the products of the elements in the columns of *Matrix 1*. *Start* and *end* are optional. They specify a range of rows.

Empty (void) elements are ignored. For more information on empty elements, see page 251.

product({1,2,3,4})	24
$\operatorname{product}(\{2,x,y\})$	2· <i>x</i> · <i>y</i>
product({4,5,8,9},2,3)	40

$ \frac{1}{4} $	2 5 8	3 6 9	[28 80 162]
$ product \begin{bmatrix} 1 \\ 4 \\ 7 \end{bmatrix}$	2 5 8	$\begin{bmatrix} 3 \\ 6 \\ 9 \end{bmatrix}$,1,2	[4 10 18]

 $propFrac(Expr1[, Var]) \Rightarrow expression$

propFrac(rational number) returns rational number as the sum of an integer and a fraction having the same sign and a greater denominator magnitude than numerator magnitude.

propFrac(rational expression,Var) returns the sum of proper ratios and a polynomial with respect to Var. The degree of Var in the denominator exceeds the degree of Var in the numerator in each proper ratio. Similar powers of *Var* are collected. The terms and their factors are sorted with Var as the main variable.

If Var is omitted, a proper fraction expansion is done with respect to the most main variable. The coefficients of the polynomial part are then made proper with respect to their most main variable first and so on.

For rational expressions, propFrac() is a faster but less extreme alternative to expand().

You can use the propFrac() function to represent mixed fractions and demonstrate addition and subtraction of mixed fractions.

$propFrac\left(\frac{4}{3}\right)$	$1+\frac{1}{3}$
$\operatorname{propFrac}\left(\frac{-4}{3}\right)$	$-1-\frac{1}{3}$

$$\frac{\left(\frac{x^{2}+x+1}{x+1} + \frac{y^{2}+y+1}{y+1}, x\right)}{\frac{1}{x+1} + x + \frac{y^{2}+y+1}{y+1}}$$

$$\frac{1}{x+1} + x + \frac{y^{2}+y+1}{y+1}$$

$$\frac{1}{x+1} + x + \frac{1}{y+1} + y$$

$\operatorname{propFrac}\left(\frac{11}{7}\right)$	$1 + \frac{4}{7}$
$propFrac\left(3 + \frac{1}{11} + 5 + \frac{3}{4}\right)$	$8 + \frac{37}{44}$
$propFrac\left(3+\frac{1}{11}-\left(5+\frac{3}{4}\right)\right)$	$-2 - \frac{29}{44}$

Q

QR

Catalog > 🕮

QR *Matrix*, *qMatrix*, *rMatrix*[, *Tol*]

Calculates the Householder QR factorization of a real or complex matrix. The resulting Q and R matrices are stored to the specified Matrix. The Q matrix is unitary. The R matrix is upper triangular.

The floating-point number (9.) in m1 causes results to be calculated in floating-point form.


QR Catalog > 🗓 3

Optionally, any matrix element is treated as zero if its absolute value is less than *Tol*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

- If you use ctrl enter or set the Auto or Approximate mode to Approximate, computations are done using floatingpoint arithmetic.
- If Tol is omitted or not used, the default tolerance is calculated as: 5E-14 •max(dim(Matrix)) •rowNorm (Matrix)

The QR factorization is computed numerically using Householder transformations. The symbolic solution is computed using Gram-Schmidt. The columns in *qMatName* are the orthonormal basis vectors that span the space defined by *matrix*.

1	2	3			1	2	3
4	5	6	→ m1		4	5	6
7	8	9.			[7	8	9.]
QR	. m	1,q	n,rm			D	one
qm			0.123091 0.	904534	0.40	082	48]
			0.492366 0.	301511	-0.8	164	197
			0.86164 -0	.301511	0.40	082	48]
rm			8.12404	9.60114	11	.07	82
			0.	0.904534	1.3	809	07
			0.	0.		0.	



QuadReg Catalog > Q

QuadReg X,Y[, Freq][, Category, Include]]

Computes the quadratic polynomial regression $y=a \cdot x^2+b \cdot x+c$ on lists X and Y with frequency Freq. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in Freq specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: a•x²+b•x+c
stat.a, stat.b, stat.c	Regression coefficients
stat.R ²	Coefficient of determination
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y List actually used in the regression based on restrictions of Freq, Category List, and Include Categories
stat.FreqReg	List of frequencies corresponding to stat.XReg and stat.YReg

Catalog > 🔯 QuartReg

QuartReg X,Y[, Freq[, Category, Include[]

Computes the quartic polynomial regression $y = a \cdot x^4 + b \cdot x^3 + c \cdot x^2 + d \cdot x + e$ on lists X and Y with frequency Freq. A summary of results is stored in the *stat.results* variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers ≥ 0 .

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression equation: $a \cdot x^4 + b \cdot x^3 + c \cdot x^2 + d \cdot x + e$
stat.a, stat.b, stat.c, stat.d, stat.e	Regression coefficients
stat.R ²	Coefficient of determination
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified <i>X List</i> actually used in the regression based on restrictions of <i>Freq</i> , <i>Category List</i> , and <i>Include Categories</i>
stat.YReg	List of data points in the modified Y List actually used in the regression based on restrictions of Freq, Category List, and Include Categories
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

R

R ▶ P θ()		Catalog > 🕡
$R \triangleright P\theta (xExpr, yExpr) \Rightarrow expression$	In Degree angle mode:	
$R \triangleright P\theta (xList, yList) \Rightarrow list$ $R \triangleright P\theta (xMatrix, yMatrix) \Rightarrow matrix$	$R \triangleright P\theta(x,y)$	$90 \cdot \text{sign}(y) - \tan^{-1}\left(\frac{x}{y}\right)$

R▶**P**θ()

Catalog > [13]

Catalog > 🕮

Returns the equivalent θ -coordinate of the (x,y) pair arguments.

Note: The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

Note: You can insert this function from the computer keyboard by typing R@>Ptheta (...).

In Gradian angle mode:

$$R \triangleright P\theta(x,y) \qquad 100 \cdot \operatorname{sign}(y) - \tan^{-1}\left(\frac{x}{y}\right)$$

In Radian angle mode:

$$R \triangleright P\theta(3,2) \qquad \tan^{-1}\left(\frac{2}{3}\right)$$

R▶Pθ[3 -4 2],
$$\begin{bmatrix} 0 & \frac{\pi}{4} & 1.5 \end{bmatrix}$$

$$\begin{bmatrix} 0 & \tan^{-1}\left(\frac{16}{\pi}\right) + \frac{\pi}{2} & 0.643501 \end{bmatrix}$$

R▶Pr()

 $R \triangleright Pr(xExpr, yExpr) \Rightarrow expression$

 $R \triangleright Pr(xList, yList) \Rightarrow list$ $R \triangleright Pr(xMatrix, yMatrix) \Rightarrow matrix$

Returns the equivalent r-coordinate of the (x,y) pair arguments.

Note: You can insert this function from the computer keyboard by typing R@>Pr (...).

In Radian angle mode:

$$\begin{array}{ccc}
\mathbb{R} \triangleright \Pr(3,2) & \sqrt{13} \\
\mathbb{R} \triangleright \Pr(x,y) & \sqrt{x^2 + y^2}
\end{array}$$

R
$$Pr \left[\begin{bmatrix} 3 & -4 & 2 \end{bmatrix}, \begin{bmatrix} 0 & \frac{\pi}{4} & 1.5 \end{bmatrix} \right]$$
 $\left[3 & \frac{\sqrt{\pi^2 + 256}}{4} & 2.5 \end{bmatrix}$

▶ Rad

 $Expr1 \triangleright Rad \Rightarrow expression$

Converts the argument to radian angle measure.

Note: You can insert this operator from the computer keyboard by typing @>Rad.

Catalog > 🗐 In Degree angle mode:

In Gradian angle mode:

rand()

 $rand() \Rightarrow expression$ $rand(\#Trials) \Rightarrow list$

Catalog > 🗐

Set the random-number seed.

rand()

Catalog > 😰

rand() returns a random value between 0 and 1.

RandSeed 1147	Done
rand(2)	{0.158206,0.717917}

rand(#Trials) returns a list containing #Trials random values between 0 and 1.

Catalog > 🗐

randBin(n, p) \Rightarrow expression randBin(n, p, #Trials) \Rightarrow list

randBin(80,0.5) 42 randBin(80,0.5,3) {41,32,39}

randBin(*n*, *p*) returns a random real number from a specified Binomial distribution.

randBin(n, p, #Trials) returns a list containing #Trials random real numbers from a specified Binomial distribution.

randint() Catalog > [2]

randint

(lowBound,upBound)

⇒ expression

randint

randint (lowBound,upBound ,#Trials) ⇒ list

randint

(lowBound,upBound)
returns a random
integer within the
range specified by
lowBound and
upBound integer
bounds.

randint

(lowBound,upBound, #Trials) returns a list containing #Trials random integers within the specified range.

randMat() Catalog > 23

 $randMat(numRows, numColumns) \Rightarrow$ matrix

Returns a matrix of integers between -9 and 9 of the specified dimension.

Both arguments must simplify to integers.

RandSeed 1147	ed 1147			one
randMat(3,3)	[8	3	-3	6
	-	2	3	-6
	[()	4	-6]

Note: The values in this matrix will change each time you press [enter].

Catalog > 🕮 randNorm()

 $randNorm(\mu, \sigma) \Rightarrow expression$ $randNorm(\mu, \sigma, \#Trials) \Rightarrow list$

 $randNorm(\mu, \sigma)$ returns a decimal number from the specified normal distribution. It could be any real number but will be heavily concentrated in the interval $[\mu-3\bullet\sigma, \mu+3\bullet\sigma]$.

 $randNorm(\mu, \sigma, \#Trials)$ returns a list containing #Trials decimal numbers from the specified normal distribution.

RandSeed 1147	Done
randNorm(0,1)	0.492541
randNorm(3,4.5)	-3.54356

randPoly()

 $randPoly(Var, Order) \Rightarrow expression$

Returns a polynomial in Var of the specified Order. The coefficients are random integers in the range -9 through 9. The leading coefficient will not be zero.

Order must be 0-99.

Catalog > 🗐

RandSeed 1147 Done randPoly(x,5) $-2 \cdot x^5 + 3 \cdot x^4 - 6 \cdot x^3 + 4 \cdot x - 6$

randSamp() Catalog > 🗐

 $randSamp(List, \#Trials[, noRepl]) \Rightarrow list$

Returns a list containing a random sample of #Trials trials from List with an option for sample replacement (noRepl=0), or no sample replacement (noRepl=1). The default is with sample replacement.

Define $list3 = \{1,2,3,4,5\}$	Done
Define <i>list4</i> =randSamp(<i>list3</i> ,6)	Done
list4 {2,3,4	1,3,1,2}

RandSeed

real()

Catalog > 🕮

RandSeed Number

If Number = 0, sets the seeds to the factory defaults for the random-number generator. If $Number \neq 0$, it is used to generate two seeds, which are stored in system variables seed1 and seed2.

RandSeed 1147	Done
rand()	0.158206

$real(Expr1) \Rightarrow expression$

Catalog > [3]

Returns the real part of the argument.

Note: All undefined variables are treated as real variables. See also imag(), page 88.

$$real(List1) \Rightarrow list$$

Returns the real parts of all elements.

$$real(Matrix 1) \Rightarrow matrix$$

Returns the real parts of all elements.

$real(2+3\cdot i)$	2
real(z)	z
$real(x+i\cdot y)$	x

$$real(\{a+i\cdot b,3,i\}) \qquad \qquad \{a,3,0\}$$

$real [a+i\cdot b]$	3	a	3
\bigcup_{c}	i]]	$\lfloor c$	0]

▶ Rect

Catalog > 23

Vector ▶ Rect

Note: You can insert this operator from the computer keyboard by typing @>Rect.

Displays *Vector* in rectangular form [x, y, zl. The vector must be of dimension 2 or 3 and can be a row or a column.

Note: ▶ **Rect** is a display-format instruction. not a conversion function. You can use it only at the end of an entry line, and it does not update ans.

Note: See also **▶Polar**, page 133.

complex Value ▶ Rect

Displays *complexValue* in rectangular form a+bi. The *complexValue* can have any complex form. However, an re^{ith} entry causes an error in Degree angle mode.

Note: You must use parentheses for an $(r \angle \theta)$ polar entry.

In Radian angle mode:

$$\frac{\pi}{4 \cdot e^{\frac{\pi}{3}}} \operatorname{Rect} \qquad \frac{\pi}{4 \cdot e^{\frac{\pi}{3}}}$$

$$\frac{\pi}{4 \cdot e^{\frac{\pi}{3}}} \operatorname{Rect} \qquad 2 + 2 \cdot \sqrt{3} \cdot e^{\frac{\pi}{3}}$$

In Gradian angle mode:

In Degree angle mode:

$$((4 \angle 60))$$
 Rect $2+2\cdot\sqrt{3}\cdot i$

Note: To type \angle , select it from the symbol list in the Catalog.

ref()

 $ref(Matrix 1[, Tol]) \Rightarrow matrix$

Returns the row echelon form of *Matrix1*.

Optionally, any matrix element is treated as zero if its absolute value is less than Tol. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

- If you use ctri enter or set the Auto or Approximate mode to Approximate, computations are done using floatingpoint arithmetic.
- If Tol is omitted or not used, the default tolerance is calculated as: 5E-14 •max(dim(*Matrix1*)) •rowNorm (Matrix 1)

Avoid undefined elements in *Matrix 1*. They can lead to unexpected results.

For example, if *a* is undefined in the following expression, a warning message appears and the result is shown as:

$$\operatorname{ref} \begin{bmatrix} a & 1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \qquad \qquad \begin{bmatrix} 1 & \frac{1}{a} & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

Catalog > 23

$$\operatorname{ref} \begin{bmatrix} -2 & -2 & 0 & -6 \\ 1 & -1 & 9 & -9 \\ -5 & 2 & 4 & -4 \end{bmatrix} \qquad \begin{bmatrix} 1 & \frac{-2}{5} & \frac{-4}{5} & \frac{4}{5} \\ 0 & 1 & \frac{4}{7} & \frac{11}{7} \\ 0 & 0 & 1 & \frac{-62}{71} \end{bmatrix}$$

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \rightarrow mI \qquad \begin{bmatrix} a & b \\ c & d \end{bmatrix}$$

$$\operatorname{ref}(mI) \qquad \begin{bmatrix} 1 & \frac{d}{c} \\ 0 & 1 \end{bmatrix}$$

ref()

Catalog > 📳

The warning appears because the generalized element 1/a would not be valid for a=0.

You can avoid this by storing a value to a beforehand or by using the constraint ("|") operator to substitute a value, as shown in the following example.

	a	1	$\begin{bmatrix} 0 \\ 0 \end{bmatrix} a=0$	[0	1	0]
ref	0	1	0 a=0	0	0	1
\	0	0	1	0	0	0]

Note: See also rref(), page 156.

RefreshProbeVars		Catalog > 🗊
D. C. ali D. ali al Vana	F	

RefreshProbeVars

Allows you to access sensor data from all connected sensor probes in your TI-Basic program.

StatusVar Value	Status
statusVar =0	Normal (continue with the program)
	The Vernier DataQuest™ application is in data collection mode.
statusVar =1	Note: The Vernier DataQuest™ application must be in meter mode for this command to work.
=2	The Vernier DataQuest™ application is not launched.
statusVar =3	The Vernier DataQuest™ application is launched, but you have not connected any probes.

Example

Define temp()=

Prgm

© Check if system is ready

RefreshProbeVars status

If status=0 Then

Disp "ready"

For n, 1, 50

RefreshProbeVars status

temperature:=meter.temperature

Disp "Temperature:

",temperature

If temperature>30 Then

Disp "Too hot"

EndIf

 $\ensuremath{\texttt{©}}$ Wait for 1 second between

samples

Wait 1

EndFor

RefreshProbeVars

Catalog > 🕮

Else

Disp "Not ready. Try again later"

EndIf

EndPrqm

Note: This can also be used with TI-InnovatorTM Hub.

remain() Catalog > 🕮 remain(Expr1, Expr2) $\Rightarrow expression$ remain(7,0) 7 remain(7,3)1 $remain(List1, List2) \Rightarrow list$ remain(-7,3) -1 remain(Matrix 1. Matrix 2) $\Rightarrow matrix$ remain(7,-3) 1 Returns the remainder of the first remain(-7,-3) -1 argument with respect to the second remain({12,-14,16},{9,7,-5}) 3,0,1 argument as defined by the identities: remain(x,0) x remain(x,y) x-y•iPart(x/y) As a consequence, note that remain(-x,y) remain∏9 -1 remain(x,y). The result is either zero or it 1

Note: See also mod(), page 116.

Catalog > 23 Request

Request promptString, var[, DispFlag [.statusVar]]

has the same sign as the first argument.

Request promptString, func(arg1, ...argn) [, DispFlag [, statusVar]]

Programming command: Pauses the program and displays a dialog box containing the message *promptString* and an input box for the user's response.

When the user types a response and clicks **OK**, the contents of the input box are assigned to variable var.

Define a program:

Define request demo()=Prgm Request "Radius: ",r Disp "Area = ",pi*r² EndPrgm

Run the program and type a response:

request demo()

Request

If the user clicks **Cancel**, the program proceeds without accepting any input. The program uses the previous value of *var* if *var* was already defined.

The optional DispFlag argument can be any expression.

- If DispFlag is omitted or evaluates to 1, the prompt message and user's response are displayed in the Calculator history.
- If DispFlag evaluates to 0, the prompt and response are not displayed in the history.

The optional *statusVar* argument gives the program a way to determine how the user dismissed the dialog box. Note that *statusVar* requires the *DispFlag* argument.

- If the user clicked OK or pressed Enter or Ctrl+Enter, variable status Var is set to a value of 1.
- Otherwise, variable status Var is set to a value of 0.

The func() argument allows a program to store the user's response as a function definition. This syntax operates as if the user executed the command:

Define func(arg1, ...argn) = user's response

The program can then use the defined function *func*(). The *promptString* should guide the user to enter an appropriate *user's response* that completes the function definition.

Note: You can use the Request command within a user-defined program but not within a function.

To stop a program that contains a **Request** command inside an infinite loop:

Handheld: Hold down the figure on key and press enter repeatedly.



Result after selecting OK:

Radius: 6/2 Area= 28.2743

Define a program:

Define polynomial()=Prgm
 Request "Enter a polynomial in
x:",p(x)
 Disp "Real roots are:",polyRoots
(p(x),x)
EndPrgm

Run the program and type a response:

polynomial()



Result after entering x^3+3x+1 and selecting **OK**:

Real roots are: {-0.322185}

Catalog > 23

Request

- Windows®: Hold down the F12 key and press Enter repeatedly.
- Macintosh®: Hold down the F5 key and press Enter repeatedly.
- iPad®: The app displays a prompt. You can continue waiting or cancel.

Note: See also RequestStr, page 151.

RequestStr

Catalog > 🗐

RequestStr promptString, var[, DispFlag]

Programming command: Operates identically to the first syntax of the Request command, except that the user's response is always interpreted as a string. By contrast, the **Request** command interprets the response as an expression unless the user encloses it in quotation marks ("").

Note: You can use the **RequestStr** command within a user-defined program but not within a function.

To stop a program that contains a **RequestStr** command inside an infinite loop:

- Handheld: Hold down the Gion key and press enter repeatedly.
- Windows®: Hold down the F12 key and press Enter repeatedly.
- Macintosh®: Hold down the F5 key and press Enter repeatedly.
- iPad®: The app displays a prompt. You can continue waiting or cancel.

Note: See also Request, page 149.

Define a program:

Define requestStr demo()=Prgm RequestStr "Your name:",name,0 Disp "Response has ",dim(name)," characters." EndPrgm

Run the program and type a response:

requestStr_demo()



Result after selecting **OK** (Note that the DispFlag argument of **0** omits the prompt and response from the history):

requestStr demo()

Response has 5 characters.

Return

Catalog > 23

Return [Expr]

Returns Expr as the result of the function. Use within a **Func...EndFunc** block.

Note: Use **Return** without an argument within a **Prgm...EndPrgm** block to exit a program.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define **factorial** (nn)=

Func

Local answer,counter

 $1 \rightarrow answer$

For counter,1,nn

answer · counter → answer

EndFor

Return answer

EndFunc

factorial (3) 6

right() Catalog > [3]

 $right(List1[, Num]) \Rightarrow list$

right($\{1,3,-2,4\},3$) $\{3,-2,4\}$

Returns the rightmost Num elements contained in List1.

If you omit Num, returns all of List1.

 $right(sourceString[, Num]) \Rightarrow string$

Returns the rightmost *Num* characters contained in character string *sourceString*.

If you omit *Num*, returns all of *sourceString*.

 $right(Comparison) \Rightarrow expression$

Returns the right side of an equation or inequality.

right(x<3)

rk23 () Catalog > 🗓 3

rk23(Expr, Var, depVar, {Var0, VarMax}, depVar0, VarStep [, diftol]) \Rightarrow matrix

rk23(SystemOfExpr, Var, ListOfDepVars, {Var0, VarMax}, ListOfDepVars0, VarStep[, diftol]) \Rightarrow matrix

rk23(ListOfExpr, Var, ListOfDepVars, {Var0, VarMax}, ListOfDepVars0, VarStep[, diftol]) ⇒ matrix

Differential equation:

y'=0.001*y*(100-y) and y(0)=10

rk23 $(0.001 \cdot y \cdot (100 - y), t, y, \{0,100\}, 10, 1)$ $\begin{bmatrix} 0. & 1. & 2. & 3. & 4\\ 10. & 10.9367 & 11.9493 & 13.042 & 14.2 \end{bmatrix}$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

Uses the Runge-Kutta method to solve the system

$$\frac{d depVar}{d Var} = Expr(Var, depVar)$$

with depVar(Var0)=depVar0 on the interval [Var0, VarMax]. Returns a matrix whose first row defines the Var output values as defined by VarStep. The second row defines the value of the first solution component at the corresponding Var values, and so on.

Expr is the right hand side that defines the ordinary differential equation (ODE).

SystemOfExpr is a system of right-hand sides that define the system of ODEs (corresponds to order of dependent variables in ListOfDepVars).

ListOfExpr is a list of right-hand sides that define the system of ODEs (corresponds to order of dependent variables in ListOfDepVars).

Var is the independent variable.

ListOfDepVars is a list of dependent variables.

{Var0, VarMax} is a two-element list that tells the function to integrate from *Var0* to VarMax.

ListOfDepVars0 is a list of initial values for dependent variables.

If *VarStep* evaluates to a nonzero number: sign(VarStep) = sign(VarMax-Var0) and solutions are returned at Var0+i*VarStep for all i=0,1,2,... such that Var0+i*VarStepis in [var0, VarMax] (may not get a solution value at VarMax).

if VarStep evaluates to zero, solutions are returned at the "Runge-Kutta" Var values.

diftol is the error tolerance (defaults to 0.001).

Same equation with diftol set to 1.E-6

Compare above result with CAS exact solution obtained using deSolve() and segGen():

deSolve(
$$y$$
'=0.001· y ·(100- y) and y (0)=10, t , y)
$$y = \frac{100 \cdot (1.10517)^t}{(1.10517)^t + 9}.$$

seqGen
$$\left(\frac{100.\cdot(1.10517)^t}{(1.10517)^t+9.},t_{\nu},\{0,100\}\right)$$

 $\left\{10.,10.9367,11.9494,13.0423,14.2189,15.48\right\}$

System of equations:

$$\begin{cases} y1' = -y1 + 0.1 \cdot y1 \cdot y2 \\ y2' = 3 \cdot y2 - y1 \cdot y2 \end{cases}$$

with y1(0)=2 and y2(0)=5

$$\begin{aligned} \operatorname{rk23} & \left\{ \begin{matrix} -yI + 0.1 \cdot yI \cdot y2 \\ 3 \cdot y2 - yI \cdot y2 \end{matrix}, t, \{yI,y2\}, \{0,5\}, \{2,5\}, 1 \right) \\ 0. & 1. & 2. & 3. & 4. \\ 2. & 1.94103 & 4.78694 & 3.25253 & 1.82848 \\ 5. & 16.8311 & 12.3133 & 3.51112 & 6.27245 \end{aligned} \right. \end{aligned}$$

root()		Catalog > 🕡
$root(Expr) \Rightarrow root$ $root(Expr1, Expr2) \Rightarrow root$	3/8	2
${f root}(Expr)$ returns the square root of $Expr$.	$\sqrt[3]{3}$	$\frac{1}{3}^{3}$
root(Expr1, Expr2) returns the Expr2 root of Expr1. Expr1 can be a real or complex floating point constant, an integer or complex rational constant, or a general	<u>3√3.</u>	1.44225

Note: See also Nth root template, page 1.

symbolic expression.

rotate() Catalog > 👰

 $rotate(Integer1[,\#ofRotations]) \Rightarrow integer$

Rotates the bits in a binary integer. You can enter *Integer1* in any number base; it is converted automatically to a signed, 64-bit binary form. If the magnitude of *Integer1* is too large for this form, a symmetric modulo operation brings it within the range. For more information, see **Base2**, page 17.

If #ofRotations is positive, the rotation is to the left. If #ofRotations is negative, the rotation is to the right. The default is -1 (rotate right one bit).

For example, in a right rotation:

Each bit rotates right.

0b00000000000001111010110000110101

Rightmost bit rotates to leftmost.

produces:

0b10000000000000111101011000011010

The result is displayed according to the Base mode.

 $rotate(List1[,\#ofRotations]) \Rightarrow list$

Returns a copy of *List1* rotated right or left by #of Rotations elements. Does not alter *List1*.

In Bin base mode:

rotate(0b1111111111111	1111111111111111111111
0b100000000000000000000000000000000000	000000000000000011
rotate(256,1)	0b1000000000

To see the entire result,

press ▲ and then use ◀ and ▶ to move the
cursor.

In Hex base mode:

rotate(0h78E)	0h3C7
rotate(0h78E,-2)	0h80000000000001E3
rotate(0h78E,2)	0h1E38

Important: To enter a binary or hexadecimal number, always use the 0b or 0h prefix (zero, not the letter O).

In Dec base mode:

$rotate({1,2,3,4})$	$\{4,1,2,3\}$
rotate({1,2,3,4},-2)	{3,4,1,2}
rotate({1,2,3,4},1)	{2,3,4,1}

1 235

If #ofRotations is positive, the rotation is to the left. If #of Rotations is negative, the rotation is to the right. The default is -1 (rotate right one element).

 $rotate(String1[,\#ofRotations]) \Rightarrow string$

Returns a copy of *String1* rotated right or left by #ofRotations characters. Does not alter *String1*.

If #ofRotations is positive, the rotation is to the left. If #ofRotations is negative, the rotation is to the right. The default is -1 (rotate right one character).

rotate("abcd")	"dabc"
rotate("abcd",-2)	"cdab"
rotate("abcd",1)	"bcda"

round() Catalog > 🕮

 $round(Expr1[, digits]) \Rightarrow expression$

Returns the argument rounded to the specified number of digits after the decimal point.

digits must be an integer in the range 0-12. If *digits* is not included, returns the argument rounded to 12 significant digits.

Note: Display digits mode may affect how this is displayed.

 $round(List1[, digits]) \Rightarrow list$

Returns a list of the elements rounded to the specified number of digits.

 $round(Matrix 1[, digits]) \Rightarrow matrix$

Returns a matrix of the elements rounded to the specified number of digits.

Tound(1:251507,5)	1.233

round[1 234567 3]

$$\frac{1}{\text{round}(\{\pi,\sqrt{2},\ln(2)\},4)} \\
= \{3.1416,1.4142,0.6931\}$$

round
$$\begin{bmatrix} \ln(5) & \ln(3) \\ \pi & e^1 \end{bmatrix}$$
, 1 $\begin{bmatrix} 1.6 & 1.1 \\ 3.1 & 2.7 \end{bmatrix}$

Catalog > 🕮 rowAdd()

 $rowAdd(Matrix1, rIndex1, rIndex2) \Rightarrow$ matrix

Returns a copy of *Matrix1* with row rIndex2 replaced by the sum of rows rIndex 1 and rIndex 2.

	$\begin{bmatrix} 3 & 4 \\ 0 & 2 \end{bmatrix}$
$rowAdd \begin{bmatrix} a & b \\ c & d \end{bmatrix}, 1, 2 $	$\begin{bmatrix} a & b \\ a+c & b+d \end{bmatrix}$

rowDim()

 $rowDim(Matrix) \Rightarrow expression$

Returns the number of rows in *Matrix*.

Note: See also colDim(), page 26.

1	2	1	2
3	$4 \rightarrow m1$	3	4
5	6	5	6

rowDim(m1) 3

rowNorm()

 $rowNorm(Matrix) \Rightarrow expression$

Returns the maximum of the sums of the absolute values of the elements in the rows in *Matrix*.

Note: All matrix elements must simplify to numbers. See also **colNorm()**, page 26.

Catalog > 🗐

Catalog > 🕮

rowNorm 5 6 -7 3 4 9 25

rowSwap()

rowSwap(Matrix 1, rIndex 1, rIndex 2) \Rightarrow matrix

Returns *Matrix1* with rows *rIndex1* and *rIndex2* exchanged.

	Catalog	>	Į.
_		_	

1 2	1 2
$\begin{vmatrix} 3 & 4 \end{vmatrix} \rightarrow mat$	3 4
[5 6]	[5 6]
rowSwap(mat,1,3)	[5 6]
	3 4
	[1 2]

rref()

 $rref(Matrix 1[, Tol]) \Rightarrow matrix$

Returns the reduced row echelon form of *Matrix 1*.

Optionally, any matrix element is treated as zero if its absolute value is less than *Tol*. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

If you use <u>ctrl</u> <u>lenter</u> or set the **Auto or Approximate** mode to Approximate, computations are done using floating-point arithmetic.

Catalog > 23

$$\operatorname{ref} \left(\begin{bmatrix} -2 & -2 & 0 & -6 \\ 1 & -1 & 9 & -9 \\ -5 & 2 & 4 & -4 \end{bmatrix} \right) \qquad \left[\begin{bmatrix} 1 & 0 & 0 & \frac{66}{71} \\ 0 & 1 & 0 & \frac{147}{71} \\ 0 & 0 & 1 & \frac{-62}{71} \end{bmatrix} \right]$$

If *Tol* is omitted or not used, the default tolerance is calculated as: 5E-14 •max(dim(*Matrix1*)) •rowNorm (Matrix 1)

Note: See also ref(), page 147.

S

sec()

trig key

 $sec(Expr1) \Rightarrow expression$

 $sec(List1) \Rightarrow list$

Returns the secant of *Expr1* or returns a list containing the secants of all elements in List 1.

Note: The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode setting. You can use °, G, or r to override the angle mode temporarily.

In Degree angle mode:

$$\frac{\sec(45)}{\sec(\{1,2.3,4\})} \qquad \frac{\sqrt{2}}{\left\{\frac{1}{\cos(1)},1.00081,\frac{1}{\cos(4)}\right\}}$$

sec -1()

trig kev

 $sec^{-1}(Exprl) \Rightarrow expression$

 $sec^{-1}(List1) \Rightarrow list$

Returns the angle whose secant is Expr1 or returns a list containing the inverse secants of each element of *List1*.

Note: The result is returned as a degree, gradian, or radian angle, according to the current angle mode setting.

Note: You can insert this function from the keyboard by typing arcsec (...).

In Degree angle mode:

In Gradian angle mode:

$$\sec^{-1}(\sqrt{2})$$
 50

In Radian angle mode:

$$\sec^{-1}(\{1,2,5\})$$
 $\left\{0,\frac{\pi}{3},\cos^{-1}(\frac{1}{5})\right\}$

sech()

Catalog > 23

 $sech(Expr1) \Rightarrow expression$

 $sech(List1) \Rightarrow list$

Returns the hyperbolic secant of *Expr1* or returns a list containing the hyperbolic secants of the *List1* elements.

sech(3)	1
, ,	cosh(3)
sech({1,2.3,4})	
$\left\{\frac{1}{\cosh(1)}, 0.198\right.$	$\left\{\frac{1}{\cosh(4)}\right\}$

sech -1()

Catalog > 🕮

 $sech^{-1}(Exprl) \Rightarrow expression$

 $sech^{-1}(List1) \Rightarrow list$

Returns the inverse hyperbolic secant of ExprI or returns a list containing the inverse hyperbolic secants of each element of ListI.

Note: You can insert this function from the keyboard by typing **arcsech** (...).

In Radian angle and Rectangular complex mode:

$$\begin{array}{c} \overline{\operatorname{sech}^{\circ}(1)} & 0 \\ \overline{\operatorname{sech}^{\circ}(\left\{1, -2, 2.1\right\})} \\ \left\{0, \frac{2 \cdot \pi}{3} \cdot i, 8. \mathbf{e}^{-1} 5 + 1.07448 \cdot i\right\} \end{array}$$

Send

Hub Menu

Send exprOrString1 [, exprOrString2] ...

Programming command: Sends one or more TI-Innovator™ Hub commands to a connected hub.

exprOrString must be a valid
TI-Innovator™ Hub Command. Typically,
exprOrString contains a "SET ..." command
to control a device or a "READ ..." command
to request data.

The arguments are sent to the hub in succession.

Note: You can use the **Send** command within a user-defined program but not within a function.

Note: See also Get (page 77), GetStr (page 84), and eval() (page 61).

Example: Turn on the blue element of the built-in RGB LED for 0.5 seconds.

Example: Request the current value of the hub's built-in light-level sensor. A **Get** command retrieves the value and assigns it to variable *lightval*.

Send "READ BRIGHTNESS"	Done
Get lightval	Done
lightval	0.347922

Example: Send a calculated frequency to the hub's built-in speaker. Use special variable *iostr.SendAns* to show the hub command with the expression evaluated.

Hub Menu Send



seq()

 $seq(Expr, Var, Low, High[, Step]) \Rightarrow list$

Increments *Var* from *Low* through *High* by an increment of *Step*, evaluates *Expr*, and returns the results as a list. The original contents of Var are still there after seq() is completed.

The default value for Step = 1.

Catalog >

$$\frac{\operatorname{seq}(n^2, n, 1, 6)}{\operatorname{seq}\left(\frac{1}{n}, n, 1, 10, 2\right)} \qquad \begin{cases} 1, 4, 9, 16, 25, 36 \end{cases} \\
\frac{1}{3}, \frac{1}{5}, \frac{1}{7}, \frac{1}{9} \end{cases} \\
\frac{1}{3} \operatorname{seq}\left(\frac{1}{n^2}, n, 1, 10, 1\right) \qquad \frac{1968329}{1270080}$$

Note: To force an approximate result,

Handheld: Press ctrl enter. Windows®: Press Ctrl+Enter. Macintosh®: Press #+Enter. iPad®: Hold enter, and select ≈ .

$$sum \left| seq \left(\frac{1}{n^2}, n, 1, 10, 1 \right) \right|$$
 1.54977

seqGen()

 $seqGen(Expr, Var, depVar, \{Var0,$ VarMax}[, ListOfInitTerms [, VarStep[, $CeilingValue]]]) <math>\Rightarrow list$

Generates a list of terms for sequence depVar(Var)=Expr as follows: Increments independent variable *Var* from *Var0* through VarMax by VarStep, evaluates depVar(Var) for corresponding values of \hat{Var} using the Expr formula and ListOfInitTerms, and returns the results as a list.

seqGen(ListOrSystemOfExpr, Var, ListOfDepVars, {Var0, VarMax} [, MatrixOfInitTerms[, VarStep[, CeilingValue[]]) \Rightarrow matrix

Catalog > 23

Generate the first 5 terms of the sequence u $(n) = u(n-1)^2/2$, with u(1)=2 and VarStep=1.

$$\operatorname{seqGen}\left(\frac{(u(n-1))^{2}}{n}, n, u, \{1, 5\}, \{2\}\right)$$

$$\left\{2, 2, \frac{4}{3}, \frac{4}{9}, \frac{16}{405}\right\}$$

Example in which Var0=2:

seqGen
$$\left(\frac{u(n-1)+1}{n}, n, u, \{2,5\}, \{3\}\right)$$
 $\left\{3, \frac{4}{3}, \frac{7}{12}, \frac{19}{60}\right\}$

Generates a matrix of terms for a system (or list) of sequences ListOfDepVars(Var) =ListOrSystemOfExpr as follows: Increments independent variable Var from Var0 through VarMax by VarStep, evaluates ListOfDepVars(Var) for corresponding values of Var using ListOrSystemOfExpr formula and MatrixOfInitTerms, and returns the results as a matrix.

The original contents of *Var* are unchanged after **seqGen()** is completed.

The default value for VarStep = 1.

Example in which initial term is symbolic:

$$\frac{\operatorname{seqGen}(u(n-1)+2,n,u,\{1,5\},\{a\})}{\{a,a+2,a+4,a+6,a+8\}}$$

System of two sequences:

$$\begin{split} \operatorname{seqGen}\!\left\{\!\left\{\frac{1}{n},\!\frac{u2(n\!-\!1)}{2}\!+\!uI(n\!-\!1)\right\}\!,\!\{uI,\!u2\},\!\{1,\!5\}\!\begin{bmatrix} -\\ 2 \end{bmatrix}\!\right] \\ & \begin{bmatrix} 1 & \frac{1}{2} & \frac{1}{3} & \frac{1}{4} & \frac{1}{5} \\ 2 & 2 & \frac{3}{2} & \frac{13}{12} & \frac{19}{24} \end{bmatrix} \end{split}$$

Note: The Void (_) in the initial term matrix above is used to indicate that the initial term for u1(n) is calculated using the explicit sequence formula u1(n)=1/n.

seqn()

seqn($Expr(u, n[, ListOfInitTerms[, nMax[, CeilingValue]]]) <math>\Rightarrow list$

Generates a list of terms for a sequence u (n)=Expr(u, n) as follows: Increments n from 1 through nMax by 1, evaluates u(n) for corresponding values of n using the Expr(u, n) formula and ListOfInitTerms, and returns the results as a list.

 $seqn(Expr(n[, nMax[, CeilingValue]]) \Rightarrow list$

Generates a list of terms for a non-recursive sequence u(n)=Expr(n) as follows: Increments n from 1 through nMax by 1, evaluates u(n) for corresponding values of n using the Expr(n) formula, and returns the results as a list.

If *nMax* is missing, *nMax* is set to 2500

If nMax=0, nMax is set to 2500

Note: seqn() calls seqGen() with $n\theta$ =1 and nstep =1

Catalog > 🗐

Generate the first 6 terms of the sequence u(n) = u(n-1)/2, with u(1)=2.

$$seqn\left(\frac{u(n-1)}{n}, \{2\}, 6\right) \\
\left\{2, 1, \frac{1}{3}, \frac{1}{12}, \frac{1}{60}, \frac{1}{360}\right\}$$

seqn
$$\left(\frac{1}{n^2},6\right)$$
 $\left\{1,\frac{1}{4},\frac{1}{9},\frac{1}{16},\frac{1}{25},\frac{1}{36}\right\}$

 $series(Expr1, Var, Order[, Point]) \Rightarrow$ expression

series(Expr1, Var, Order[, Point]) | $Var>Point \Rightarrow expression$

series(Expr1, Var, Order[, Point]) | $Var < Point \Rightarrow expression$

Returns a generalized truncated power series representation of *Expr1* expanded about *Point* through degree *Order*. *Order* can be any rational number. The resulting powers of (Var - Point) can include negative and/or fractional exponents. The coefficients of these powers can include logarithms of (Var - Point) and other functions of *Var* that are dominated by all powers of (Var - Point) having the same exponent sign.

Point defaults to 0. *Point* can be ∞ or $-\infty$, in which cases the expansion is through degree Order in 1/(Var - Point).

series(...) returns "series(...)" if it is unable to determine such a representation, such as for essential singularities such as sin(1/z) at z=0, $e^{-1/z}$ at z=0, or e^z at z = ∞ or $-\infty$.

If the series or one of its derivatives has a jump discontinuity at *Point*, the result is likely to contain sub-expressions of the form sign(...) or abs(...) for a real expansion variable or (-1)^{floor(...angle(...)}...) for a complex expansion variable, which is one ending with " ". If you intend to use the series only for values on one side of *Point*, then append the appropriate one of "|Var>" Point", "| Var < Point", "| " $Var \ge Point$ ", or " $Var \leq Point$ " to obtain a simpler result.

series() can provide symbolic approximations to indefinite integrals and definite integrals for which symbolic solutions otherwise can't be obtained.

series
$$\left(\frac{1-\cos(x-1)}{(x-1)^2}, x, 4, 1\right)$$
 $\qquad \frac{1}{2} - \frac{(x-1)^2}{24} + \frac{(x-1)^4}{720}$
series $\left(\frac{-1}{e^z}, z_-, 1\right)$ $\qquad z_- - 1$
series $\left(\left(1 + \frac{1}{n}\right)^n, n, 2, \infty\right)$ $\qquad e^{-\frac{\mathbf{e}}{2 \cdot n}} + \frac{11 \cdot \mathbf{e}}{24 \cdot n^2}$

series
$$\left(\tan^{1}\left(\frac{1}{x}\right), x, 5\right), x > 0$$
 $\frac{\pi}{2} - x + \frac{x^{3}}{3} - \frac{x^{5}}{5}$
series $\left(\int \frac{\sin(x)}{x} dx, x, 6\right)$ $x - \frac{x^{3}}{18} + \frac{x^{5}}{600}$
series $\left(\int_{0}^{x} \sin(x \cdot \sin(t)) dt, x, 7\right)$ $\frac{x^{3}}{2} - \frac{x^{5}}{24} - \frac{29 \cdot x^{7}}{720}$

series
$$((1+\mathbf{e}^x)^2, x, 2, 1)$$

 $(\mathbf{e}+1)^2+2 \cdot \mathbf{e} \cdot (\mathbf{e}+1) \cdot (x-1)+\mathbf{e} \cdot (2 \cdot \mathbf{e}+1) \cdot (x-1)^2$

series() distributes over 1st-argument lists and matrices.

series() is a generalized version of taylor().

As illustrated by the last example to the right, the display routines downstream of the result produced by series(...) might rearrange terms so that the dominant term is not the leftmost one.

Note: See also dominantTerm(), page 55.

setMode()

Catalog > 🗐

setMode(modeNameInteger,
settingInteger) ⇒ integer
setMode(list) ⇒ integer list

Valid only within a function or program.

setMode(modeNameInteger, settingInteger) temporarily sets mode modeNameInteger to the new setting settingInteger, and returns an integer corresponding to the original setting of that mode. The change is limited to the duration of the program/function's execution.

modeNameInteger specifies which mode you want to set. It must be one of the mode integers from the table below.

settingInteger specifies the new setting for the mode. It must be one of the setting integers listed below for the specific mode you are setting.

setMode(*list*) lets you change multiple settings. *list* contains pairs of mode integers and setting integers. **setMode**(*list*) returns a similar list whose integer pairs represent the original modes and settings.

If you have saved all mode settings with $getMode(0) \rightarrow var$, you can use setMode(var) to restore those settings until the function or program exits. See getMode(), page 83.

Display approximate value of π using the default setting for Display Digits, and then display π with a setting of Fix2. Check to see that the default is restored after the program executes.

Define prog1()=	-Prgm	Done	
	Disp approx (π)		
	setMode(1,16)		
	Disp approx (π)		
	EndPrgm		
prog1()			
		3.14159	
		3.14	
		 Done	

Note: The current mode settings are passed to called subroutines. If any subroutine changes a mode setting, the mode change will be lost when control returns to the calling routine.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Mode Name	Mode Integer	Setting Integers
Display Digits	1	1=Float, 2=Float1, 3=Float2, 4=Float3, 5=Float4, 6=Float5, 7=Float6, 8=Float7, 9=Float8, 10=Float9, 11=Float10, 12=Float11, 13=Float12, 14=Fix0, 15=Fix1, 16=Fix2, 17=Fix3, 18=Fix4, 19=Fix5, 20=Fix6, 21=Fix7, 22=Fix8, 23=Fix9, 24=Fix10, 25=Fix11, 26=Fix12
Angle	2	1=Radian, 2=Degree, 3=Gradian
Exponential Format	3	1=Normal, 2=Scientific, 3=Engineering
Real or Complex	4	1=Real, 2=Rectangular, 3=Polar
Auto or Approx.	5	1=Auto, 2=Approximate, 3=Exact
Vector Format	6	1=Rectangular, 2=Cylindrical, 3=Spherical
Base	7	1=Decimal, 2=Hex, 3=Binary
Unit system	8	1=SI, 2=Eng/US

Catalog > 🔯 shift()

 $shift(Integer1[,\#ofShifts]) \Rightarrow integer$

Shifts the bits in a binary integer. You can enter Integer 1 in any number base; it is converted automatically to a signed, 64-bit binary form. If the magnitude of *Integer1* is too large for this form, a symmetric modulo operation brings it within the range. For more information, see ▶Base2, page 17.

In Bin base mode:

shift(0b1111010110000110101)	
	0b111101011000011010
shift(256,1)	0b1000000000

In Hex base mode:

shift()

Catalog > 🗐

If #ofShifts is positive, the shift is to the left. If #ofShifts is negative, the shift is to the right. The default is -1 (shift right one bit).

shift(0h78E)	0h3C7
shift(0h78E,-2)	0h1E3
shift(0h78E,2)	0h1E38

In a right shift, the rightmost bit is dropped and 0 or 1 is inserted to match the leftmost bit. In a left shift, the leftmost bit is dropped and 0 is inserted as the rightmost bit.

Important: To enter a binary or hexadecimal number, always use the 0b or 0h prefix (zero, not the letter O).

For example, in a right shift:

Each bit shifts right.

0b000000000000111101011000011010

Inserts 0 if leftmost bit is 0, or 1 if leftmost bit is 1.

produces:

0b00000000000000111101011000011010

The result is displayed according to the Base mode. Leading zeros are not shown.

 $shift(List1[,\#ofShifts]) \Rightarrow list$

Returns a copy of List1 shifted right or left by #ofShifts elements. Does not alter List1.

If #ofShifts is positive, the shift is to the left. If #ofShifts is negative, the shift is to the right. The default is -1 (shift right one element).

Elements introduced at the beginning or end of *list* by the shift are set to the symbol "undef".

 $shift(String1[,\#ofShifts]) \Rightarrow string$

Returns a copy of *String1* shifted right or left by *#ofShifts* characters. Does not alter *String1*.

If #ofShifts is positive, the shift is to the left. If #ofShifts is negative, the shift is to the right. The default is -1 (shift right one character).

In Dec base mode:

shift({1,2,3,4})	{undef,1,2,3}
shift({1,2,3,4},-2)	$\{$ undef,undef,1,2 $\}$
$shift({1,2,3,4},2)$	${3,4,undef,undef}$

shift("abcd")	" abc"	
shift("abcd",-2)	" ab"	
shift("abcd",1)	"bcd "	

shift() Catalog > 🕮

Characters introduced at the beginning or end of *string* by the shift are set to a space.

sign() Catalog > 🗐

 $sign(Expr1) \Rightarrow expression$

 $sign(List1) \Rightarrow list$ $sign(Matrix 1) \Rightarrow matrix$

For real and complex *Expr1*, returns Expr1/abs(Expr1) when $Expr1 \neq 0$.

Returns 1 if Expr1 is positive. Returns -1 if Expr1 is negative.

sign(0) represents the unit circle in the complex domain.

For a list or matrix, returns the signs of all the elements.

sign(-3.2)	-1.
sign({2,3,4,-5})	{1,1,1,-1}
sign(1+ x)	1

If complex format mode is Real:

sign([-3	0	3])	[-1 ±]	l 1

Catalog > 🗐 simult()

 $simult(coeffMatrix, constVector[, Tol]) \Rightarrow$ matrix

Returns a column vector that contains the solutions to a system of linear equations.

Note: See also **linSolve()**, page 102.

coeffMatrix must be a square matrix that contains the coefficients of the equations.

const Vector must have the same number of rows (same dimension) as coeffMatrix and contain the constants.

Optionally, any matrix element is treated as zero if its absolute value is less than Tol. This tolerance is used only if the matrix has floating-point entries and does not contain any symbolic variables that have not been assigned a value. Otherwise, *Tol* is ignored.

If you set the Auto or Approximate mode to Approximate, computations are done using floating-point arithmetic.

Solve for x and y:

$$x + 2y = 1$$

 $3x + 4y = -1$


simult
$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$$
, $\begin{bmatrix} 1 \\ -1 \end{bmatrix}$ $\begin{bmatrix} -3 \\ 2 \end{bmatrix}$

The solution is x=-3 and y=2.

Solve:

$$ax + by = 1$$

$$cx + dy = 2$$



-7

 If Tol is omitted or not used, the default tolerance is calculated as: 5E-14 •max(dim(coeffMatrix))
 •rowNorm(coeffMatrix)

simult(coeffMatrix, constMatrix[, Tol]) ⇒
matrix

Solves multiple systems of linear equations, where each system has the same equation coefficients but different constants.

Each column in *constMatrix* must contain the constants for a system of equations. Each column in the resulting matrix contains the solution for the corresponding system.

Solve:

x + 2y = 13x + 4y = -1

x + 2y = 2

3x + 4y = -3

simult $\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$, $\begin{bmatrix} 1 & 2 \\ -1 & -3 \end{bmatrix}$

For the first system, x=-3 and y=2. For the second system, x=-7 and y=9/2.

► sin Catalog > Q3

Expr ightharpoonup sin

Note: You can insert this operator from the computer keyboard by typing @>sin.

Represents *Expr* in terms of sine. This is a display conversion operator. It can be used only at the end of the entry line.

► sin reduces all powers of cos(...) modulo 1-sin(...)^2 so that any remaining powers of sin(...) have exponents in the range (0, 2). Thus, the result will be free of cos(...) if and only if cos(...) occurs in the given expression only to even powers.

Note: This conversion operator is not supported in Degree or Gradian Angle modes. Before using it, make sure that the Angle mode is set to Radians and that *Expr* does not contain explicit references to degree or gradian angles.

 $\frac{(\cos(x))^2 \cdot \sin \qquad 1 - (\sin(x))^2}{(\cos(x))^2 \cdot \sin \qquad 1 - (\sin(x))^2}$

sin()

trig key

 $sin(Expr1) \Rightarrow expression$

In Degree angle mode:

sin()

$$sin(List1) \Rightarrow list$$

sin(Expr1) returns the sine of the argument as an expression.

sin(List1) returns a list of the sines of all elements in List1.

Note: The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode. You can use o, g, or r to override the angle mode setting temporarily.

$\sin\left(\frac{\pi}{r}\right)$	√2
4 /	2
sin(45)	$\sqrt{2}$
	_

$$\sin(\{0,60,90\})$$
 $\left\{0,\frac{\sqrt{3}}{2},1\right\}$

In Gradian angle mode:

sin(50)	$\sqrt{2}$
	2

In Radian angle mode:

$\sin\left(\frac{\pi}{4}\right)$	$\frac{\sqrt{2}}{2}$
sin(45°)	$\frac{2}{\sqrt{2}}$
	$\overline{2}$

$sin(squareMatrix1) \Rightarrow squareMatrix$

Returns the matrix sine of *squareMatrix1*. This is not the same as calculating the sine of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode:

$$\sin \begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 0.9424 & -0.04542 & -0.031999 \\ -0.045492 & 0.949254 & -0.020274 \\ -0.048739 & -0.00523 & 0.961051 \end{bmatrix}$$

sin ⁻¹()

trig key

 $sin^{-1}(Expr1) \Rightarrow expression$

$$sin^{-1}(List1) \Rightarrow list$$

sin⁻¹(Expr1) returns the angle whose sine is *Expr1* as an expression.

 $sin^{-1}(List 1)$ returns a list of the inverse sines of each element of List1.

Note: The result is returned as a degree. gradian or radian angle, according to the current angle mode setting.

In Degree angle mode:

sin-1(1) 90

In Gradian angle mode:

sin-1(1) 100

In Radian angle mode:

 $\sin^{-1}(\{0,0.2,0.5\})$ {0,0.201358,0.523599}

sin -1()



Note: You can insert this function from the keyboard by typing arcsin (...).

 $sin^{-1}(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix inverse sine of *squareMatrix1*. This is not the same as calculating the inverse sine of each element. For information about the calculation method, refer to **cos()**.

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode and Rectangular complex format mode:

$$\begin{array}{l} \sin^3\!\!\left(\!\!\!\begin{array}{cc} 1 & 5 \\ 4 & 2 \end{array}\!\!\right) \\ \left[\!\!\!\begin{array}{ccc} -0.174533 - 0.12198 \cdot \boldsymbol{i} & 1.74533 - 2.35591 \cdot \boldsymbol{i} \\ 1.39626 - 1.88473 \cdot \boldsymbol{i} & 0.174533 - 0.593162 \cdot \boldsymbol{i} \end{array}\!\!\!\right] \end{array}$$

sinh() Catalog > 🗓

 $sinh(Expr1) \Rightarrow expression$

 $sinh(List1) \Rightarrow list$

sinh (*Expr1*) returns the hyperbolic sine of the argument as an expression.

sinh (*List1*) returns a list of the hyperbolic sines of each element of *List1*.

 $sinh(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix hyperbolic sine of *squareMatrix1*. This is not the same as calculating the hyperbolic sine of each element. For information about the calculation method, refer to **cos()**.

squareMatrix I must be diagonalizable. The result always contains floating-point numbers.

 $\frac{\sinh(1.2)}{\sinh(\{0,1.2,3.\})} \frac{1.50946}{\{0,1.50946,10.0179\}}$

In Radian angle mode:

sinh¹() Catalog > ℚ3

 $sinh^{-1}(Expr1) \Rightarrow expression$

 $sinh^{-1}(List1) \Rightarrow list$

sinh⁻¹(*Expr1*) returns the inverse hyperbolic sine of the argument as an expression.

sinh⁻¹(*List1*) returns a list of the inverse hyperbolic sines of each element of *List1*.

sinh -1() Catalog > [13]

Note: You can insert this function from the keyboard by typing arcsinh (...).

 $sinh^{-1}(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix inverse hyperbolic sine of squareMatrix 1. This is not the same as calculating the inverse hyperbolic sine of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode:

Catalog > 23 SinReg

SinReg X, Y[, [Iterations], [Period][, Category, Include]]

Computes the sinusoidal regression on lists X and Y. A summary of results is stored in the stat.results variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Iterations is a value that specifies the maximum number of times (1 through 16) a solution will be attempted. If omitted, 8 is used. Typically, larger values result in better accuracy but longer execution times, and vice versa.

Period specifies an estimated period. If omitted, the difference between values in Xshould be equal and in sequential order. If you specify *Period*, the differences between x values can be unequal.

Category is a list of category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

The output of **SinReg** is always in radians, regardless of the angle mode setting.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.RegEqn	Regression Equation: a•sin(bx+c)+d
stat.a, stat.b, stat.c, stat.d	Regression coefficients
stat.Resid	Residuals from the regression
stat.XReg	List of data points in the modified X $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.YReg	List of data points in the modified Y $List$ actually used in the regression based on restrictions of $Freq$, $Category$ $List$, and $Include$ $Categories$
stat.FreqReg	List of frequencies corresponding to stat. XReg and stat. YReg

solve()

Catalog > 🗐

solve(Equation, Var) ⇒ Boolean expression solve(Equation, Var=Guess) ⇒ Boolean expression solve(Inequality, Var) ⇒ Boolean expression

solve $(a \cdot x^2 + b \cdot x + c = 0, x)$ $x = \frac{\sqrt{b^2 - 4 \cdot a \cdot c - b}}{2 \cdot a}$ or $x = \frac{-(\sqrt{b^2 - 4 \cdot a \cdot c} + b)}{2 \cdot a}$

Returns candidate real solutions of an equation or an inequality for *Var*. The goal is to return candidates for all solutions. However, there might be equations or inequalities for which the number of solutions is infinite.

Solution candidates might not be real finite solutions for some combinations of values for undefined variables.

Ans|a=1 and b=1 and c=1

$$x = \frac{-1}{2} + \frac{\sqrt{3}}{2} \cdot i \text{ or } x = \frac{-1}{2} - \frac{\sqrt{3}}{2} \cdot i$$

For the Auto setting of the Auto or Approximate mode, the goal is to produce exact solutions when they are concise, and supplemented by iterative searches with approximate arithmetic when exact solutions are impractical.

Due to default cancellation of the greatest common divisor from the numerator and denominator of ratios, solutions might be solutions only in the limit from one or both sides.

For inequalities of types \geq , \leq , <, or >, explicit solutions are unlikely unless the inequality is linear and contains only Var.

For the Exact mode, portions that cannot be solved are returned as an implicit equation or inequality.

Use the constraint ("|") operator to restrict the solution interval and/or other variables that occur in the equation or inequality. When you find a solution in one interval, you can use the inequality operators to exclude that interval from subsequent searches.

false is returned when no real solutions are found. true is returned if solve() can determine that any finite real value of *Var* satisfies the equation or inequality.

Since **solve()** always returns a Boolean result, you can use "and," "or," and "not" to combine results from **solve()** with each other or with other Boolean expressions.

Solutions might contain a unique new undefined constant of the form nj with j being an integer in the interval 1–255. Such variables designate an arbitrary integer.

$$\overline{\operatorname{solve}((x-a) \cdot \mathbf{e}^x = x \cdot (x-a), x)}
 x=a \text{ or } x=-0.567143$$

$$\frac{}{\left(x+1\right)\cdot\frac{x-1}{x-1}+x-3}$$

solve
$$(5 \cdot x - 2 \ge 2 \cdot x, x)$$
 $x \ge \frac{2}{3}$

exact(solve(
$$(x-a) \cdot e^x = x \cdot (x-a) \cdot x$$
))
 $e^x + x = 0 \text{ or } x = a$

In Radian angle mode:

solve
$$\left| \tan(x) = \frac{1}{x}, x \right| |x>0 \text{ and } x<1$$

 $x=0.860334$

$$solve(x=x+1,x)$$
 false $solve(x=x,x)$ true

$$\frac{1}{2 \cdot x - 1 \le 1 \text{ and solve}(x^2 \ne 9, x)} \quad x \ne 3 \text{ and } x \le 1$$

In Radian angle mode:

$$solve(\sin(x)=0,x) \qquad x=n1\cdot\pi$$

In Real mode, fractional powers having odd denominators denote only the real branch. Otherwise, multiple branched expressions such as fractional powers, logarithms, and inverse trigonometric functions denote only the principal branch. Consequently, solve() produces only solutions corresponding to that one real or principal branch.

solve({
$$Eqn1, Eqn2 [,...]$$
} { $VarOrGuess1, VarOrGuess2 [, ...]$ }) $\Rightarrow Boolean expression$

Returns candidate real solutions to the simultaneous algebraic equations, where each VarOrGuess specifies a variable that you want to solve for.

You can separate the equations with the **and** operator, or you can enter a *SystemOfEqns* using a template from the Catalog. The number of *VarOrGuess* arguments must match the number of equations. Optionally, you can specify an initial guess for a variable. Each *VarOrGuess* must have the form:

For example, x is valid and so is x=3.

$\left(\begin{array}{c} \frac{1}{2} \end{array}\right)$	x=-1
solve $\langle x^3 = -1, x \rangle$	
$solve(\sqrt{x}=-2,x)$	false
$solve(-\sqrt{x}=-2,x)$	x=4

solve
$$(y=x^2-2 \text{ and } x+2\cdot y=-1, \{x,y\})$$

 $x=\frac{-3}{2} \text{ and } y=\frac{1}{4} \text{ or } x=1 \text{ and } y=-1$

If all of the equations are polynomials and if you do NOT specify any initial guesses, solve() uses the lexical Gröbner/Buchberger elimination method to attempt to determine all real solutions.

For example, suppose you have a circle of radius r at the origin and another circle of radius r centered where the first circle crosses the positive x-axis. Use solve() to find the intersections.


As illustrated by r in the example to the right, simultaneous polynomial equations can have extra variables that have no values, but represent given numeric values that could be substituted later.

You can also (or instead) include solution variables that do not appear in the equations. For example, you can include z as a solution variable to extend the previous example to two parallel intersecting cylinders of radius r.

The cylinder solutions illustrate how families of solutions might contain arbitrary constants of the form $\mathbf{c}k$, where k is an integer suffix from 1 through 255.

For polynomial systems, computation time or memory exhaustion may depend strongly on the order in which you list solution variables. If your initial choice exhausts memory or your patience, try rearranging the variables in the equations and/or varOrGuess list.

If you do not include any guesses and if any equation is non-polynomial in any variable but all equations are linear in the solution variables, solve() uses Gaussian elimination to attempt to determine all real solutions.



solve
$$\left\{x^2 + y^2 = r^2 \text{ and } (x - r)^2 + y^2 = r^2, \left\{x, y\right\}\right\}$$

 $x = \frac{r}{2} \text{ and } y = \frac{\sqrt{3} \cdot r}{2} \text{ or } x = \frac{r}{2} \text{ and } y = \frac{-\sqrt{3} \cdot r}{2}$

solve
$$\left(x^2+y^2=r^2 \text{ and } (x-r)^2+y^2=r^2, \left\{x,y,z\right\}\right)$$

 $x=\frac{r}{2}$ and $y=\frac{\sqrt{3} \cdot r}{2}$ and $z=c1$ or $x=\frac{r}{2}$ and $y=\frac{r}{2}$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

solve
$$\left(x + e^z \cdot y = 1 \text{ and } x - y = \sin(z), \left\{x, y\right\}\right)$$

$$x = \frac{e^z \cdot \sin(z) + 1}{e^z + 1} \text{ and } y = \frac{-\left(\sin(z) - 1\right)}{e^z + 1}$$

Catalog > 🕮

If a system is neither polynomial in all of its variables nor linear in its solution variables, solve() determines at most one solution using an approximate iterative method. To do so, the number of solution variables must equal the number of equations, and all other variables in the equations must simplify to numbers.

Each solution variable starts at its guessed value if there is one; otherwise, it starts at 0.0.

Use guesses to seek additional solutions one by one. For convergence, a guess may have to be rather close to a solution.

solve
$$(e^z \cdot y = 1 \text{ and } -y = \sin(z), \{y, z\})$$

y=2.812e-10 and z=21.9911 or y=0.001871

To see the entire result,

press ▲ and then use ◀ and ▶ to move the cursor.

solve
$$\left(e^{z} \cdot y = 1 \text{ and } -y = \sin(z), \left\{ y, z = 2 \cdot \pi \right\} \right)$$

 $y = 0.001871 \text{ and } z = 6.28131$

SortA List1[, List2] [, List3]... SortA Vector1[, Vector2] [, Vector3]...

Sorts the elements of the first argument in ascending order.

If you include additional arguments, sorts the elements of each so that their new positions match the new positions of the elements in the first argument.

All arguments must be names of lists or vectors. All arguments must have equal dimensions.

Empty (void) elements within the first argument move to the bottom. For more information on empty elements, see page 251.

$\{2,1,4,3\} \rightarrow list1$	{2,1,4,3}
SortA list1	Done
list1	{1,2,3,4}
$\{4,3,2,1\} \rightarrow list2$	{4,3,2,1}
SortA list2,list1	Done
list2	{1,2,3,4}
list1	$\{4,3,2,1\}$

SortD Catalog > 🕮

SortD *List1*[, *List2*][, *List3*]... **SortD** Vector1[,Vector2][,Vector3]...

Identical to SortA, except SortD sorts the elements in descending order.

Empty (void) elements within the first argument move to the bottom. For more information on empty elements, see page 251.

$\{2,1,4,3\} \rightarrow list1$	{2,1,4,3}
$\{1,2,3,4\} \rightarrow list2$	{1,2,3,4}
SortD <i>list1,list2</i>	Done
list1	{4,3,2,1}
list2	{3,4,1,2}

Catalog > 🕮 ➤ Sphere

Vector ▶ Sphere

Note: You can insert this operator from the computer keyboard by typing @>Sphere.

Displays the row or column vector in spherical form $[\rho \angle \theta \angle \phi]$.

Vector must be of dimension 3 and can be either a row or a column vector.

Note: ► **Sphere** is a display-format instruction, not a conversion function. You can use it only at the end of an entry line.

Note: To force an approximate result,

Handheld: Press ctrl enter. Windows®: Press Ctrl+Enter. Macintosh®: Press #+Enter. iPad®: Hold enter, and select ≈ .


$$\left[2 \ \angle \frac{\pi}{4} \ 3\right] \triangleright \text{Sphere} \\
\left[3.60555 \ \angle 0.785398 \ \angle 0.588003\right]$$

Press enter

$$\left[2 \angle \frac{\pi}{4} \quad 3\right] \triangleright \text{Sphere}$$

$$\left[\sqrt{13} \angle \frac{\pi}{4} \angle \sin^{-1}\left(\frac{2 \cdot \sqrt{13}}{13}\right)\right]$$

 $3\sqrt{a}$



sqrt() Catalog > [3]

 $\int \{9,a,4\}$

 $sqrt(Expr1) \Rightarrow expression$

 $sqrt(List1) \Rightarrow list$

Returns the square root of the argument.

For a list, returns the square roots of all the elements in List1.

Note: See also Square root template, page 1.

Catalog > 🗐

stat.results stat.results

Displays results from a statistics calculation.

The results are displayed as a set of namevalue pairs. The specific names shown are dependent on the most recently evaluated statistics function or command.

You can copy a name or value and paste it into other locations.

Note: Avoid defining variables that use the same names as those used for statistical analysis. In some cases, an error condition could occur. Variable names used for statistical analysis are listed in the table below.

$xlist:=\{1,2,3,4,5\}$	{1,2,3,4,5}
$vlist = \{4,8,11,14,17\}$	{4,8,11,14,17}

LinRegMx xlist, ylist, 1: stat.results

"Title"	"Linear Regression (mx+b)"
"RegEqn"	"m*x+b"
"m"	3.2
"b"	1.2
"r²"	0.996109
"r"	0.998053
"Resid"	"{}"

stat.values	["Linear Regression (mx+b)"
	"m*x+b"
	3.2
	1.2
	0.996109
	0.998053
	" {-0.4,0.4,0.2,0.,-0.2} "

stat.a	stat.dfDenom	stat.MedianY	stat.Q3X	stat.SSBlock
stat.AdjR ²	stat.dfBlock	stat.MEPred	stat.Q3Y	stat.SSCol
stat.b	stat.dfCol	stat.MinX	stat.r	stat.SSX
stat.b0	stat.dfError	stat.MinY	stat.r ²	stat.SSY
stat.b1	stat.dfInteract	stat.MS	stat.RegEqn	stat.SSError
stat.b2	stat.dfReg	stat.MSBlock	stat.Resid	stat.SSInteract
stat.b3	stat.dfNumer	stat.MSCol	stat.ResidTrans	stat.SSReg
stat.b4	stat.dfRow	stat.MSError	stat.σx	stat.SSRow
stat.b5	stat.DW	stat.MSInteract	stat.σy	stat.tList
stat.b6	stat.e	stat.MSReg	stat.σx1	stat.UpperPred
stat.b7	stat.ExpMatrix	stat.MSRow	stat.σx2	stat.UpperVal
stat.b8	stat.F	stat.n	stat. Σ x	stat.X
stat.b9	stat.FBlock	Stat. p̂	$stat.\Sigma x^2$	stat. \overline{X} 1
stat.b10	stat.Fcol	stat. \hat{p} 1	stat. Σ xy	stat. \overline{x} 2
stat.bList	stat.FInteract	stat. \hat{p} 2	stat. Σ y	stat.XDiff
$stat.\chi^2$	stat.FreqReg	stat. $\hat{\pmb{p}}$ Diff	$stat.\Sigmay^{z}$	stat.XList
stat.c	stat.Frow	stat.PList	stat.s	stat.XReg
stat.CLower	stat.Leverage	stat.PVal	stat.SE	stat.XVal
stat.CLowerList	stat.LowerPred	stat.PValBlock	stat.SEList	stat.XValList
stat.CompList	stat.LowerVal	stat.PValCol	stat.SEPred	stat. y
stat.CompMatrix	stat.m	stat.PValInteract	stat.sResid	stat. ŷ
stat.CookDist	stat.MaxX	stat.PValRow	stat.SEslope	stat. ŷ List
stat.CUpper	stat.MaxY	stat.Q1X	stat.sp	stat.YReg
stat.CUpperList	stat.ME	stat.Q1Y	stat.SS	stat. Theg
stat.d	stat.MedianX			

Note: Each time the Lists & Spreadsheet application calculates statistical results, it copies the "stat." group variables to a "stat#." group, where # is a number that is incremented automatically. This lets you maintain previous results while performing multiple calculations.

Catalog > 😰 stat.values

stat.values

See the stat.results example.

Displays a matrix of the values calculated for the most recently evaluated statistics function or command.

Unlike stat.results, stat.values omits the names associated with the values.

You can copy a value and paste it into other locations.

 $stDevPop(List [, freqList]) \Rightarrow expression$

Returns the population standard deviation of the elements in *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

Note: *List* must have at least two elements. Empty (void) elements are ignored. For more information on empty elements, see page 251.

 $stDevPop(Matrix1[,freqMatrix]) \Rightarrow matrix$

Returns a row vector of the population standard deviations of the columns in *Matrix 1*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *Matrix1*.

Note: *Matrix I* must have at least two rows. Empty (void) elements are ignored. For more information on empty elements, see page 251.

In Radian angle and auto modes:

$$\frac{1}{\text{stDevPop}(\{a,b,c\})} \frac{\sqrt{2 \cdot (a^2 - a \cdot (b+c) + b^2 - b \cdot c + c^2)}}{3} \frac{3}{\text{stDevPop}(\{1,2,5,-6,3,-2\})} \frac{\sqrt{465}}{6} \frac{1}{\text{stDevPop}(\{1,3,2,5,-6,4\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,3,2,5,-6,4\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,3,2,5,-6,4\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,2,5,-6,4\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,3,2,5,-6,4\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,2,5,-6,4\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,2,5,-6,4\},\{3,2,5\},\{3,2,5\})} \frac{1}{\text{stDevPop}(\{1,2,5,-6,4\},\{3,2,5\},\{3,2,5\},\{3,2,5$$

$$stDevPop \begin{bmatrix} 1 & 2 & 5 \\ -3 & 0 & 1 \\ 5 & 7 & 3 \end{bmatrix} \begin{bmatrix} \frac{4\sqrt{6}}{3} & \frac{\sqrt{78}}{3} & \frac{2\sqrt{6}}{3} \end{bmatrix} \\
stDevPop \begin{bmatrix} -1.2 & 5.3 \\ 2.5 & 7.3 \\ 6 & -4 \end{bmatrix} \begin{bmatrix} 4 & 2 \\ 3 & 3 \\ 1 & 7 \end{bmatrix} \\
[2.52608 & 5.21506]$$

stDevSamp()

 $stDevSamp(List[, freqList]) \Rightarrow expression$

Returns the sample standard deviation of the elements in *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

Note: *List* must have at least two elements. Empty (void) elements are ignored. For more information on empty elements, see page 251.

$$\frac{\text{stDevSamp}(\{a,b,c\})}{\sqrt{3\cdot(a^2-a\cdot(b+c)+b^2-b\cdot c+c^2)}} \\ \frac{\sqrt{3\cdot(a^2-a\cdot(b+c)+b^2-b\cdot c+c^2)}}{3} \\ \text{stDevSamp}(\{1.2,5,-6,3,-2\}) \\ \frac{\sqrt{62}}{2} \\ \text{stDevSamp}(\{1.3,2.5,-6.4\},\{3,2,5\}) \\ \\ 4.33345$$

stDevSamp()

Catalog > 🕮

 $stDevSamp(Matrix 1[, freqMatrix]) \Rightarrow$ matrix

Returns a row vector of the sample standard deviations of the columns in Matrix 1.

Each freqMatrix element counts the number of consecutive occurrences of the corresponding element in *Matrix 1*.

Note: Matrix I must have at least two rows. Empty (void) elements are ignored. For more information on empty elements, see page 251.

Calculator section of your product

guidebook.

$$stDevSamp \begin{pmatrix} 1 & 2 & 5 \\ -3 & 0 & 1 \\ 5 & 7 & 3 \end{pmatrix} \begin{bmatrix} 4 & \sqrt{13} & 2 \end{bmatrix}$$

$$stDevSamp \begin{pmatrix} -1.2 & 5.3 \\ 2.5 & 7.3 \\ 6 & -4 \end{bmatrix} \begin{bmatrix} 4 & 2 \\ 3 & 3 \\ 1 & 7 \end{pmatrix}$$

$$\begin{bmatrix} 2.7005 & 5.44695 \end{bmatrix}$$

Catalog > 🗐 Stop Stop i = 00 Define prog1()=Prgm Programming command: Terminates the Done For i, 1, 10, 1program. If i=5Stop is not allowed in functions. Stop EndFor Note for entering the example: For EndPrgm instructions on entering multi-line program prog1() Done and function definitions, refer to the

Store See \rightarrow (store), page 233.

string()		Catalog > 🕡
$string(Expr) \Rightarrow string$	string(1.2345)	"1.2345"
Simplifies $Expr$ and returns the result as a	string(1+2)	"3"
character string.	$string(cos(x)+\sqrt{3})$	$\cos(x)+\sqrt{3}$

5

Catalog > [3] subMat() subMat(Matrix1[, startRow][, startCol][, 1 2 3 endRow[, endCol]) \Rightarrow matrix $\rightarrow m1$ 4 5 6 4 5 6 7 8 9 7 8 9 Returns the specified submatrix of *Matrix1*. subMat(m1,2,1,3,2)4 5 Defaults: startRow=1, startCol=1. 7 8 endRow=last row, endCol=last column. subMat(m1,2,2)5 6 8 9

Sum (Sigma)

See Σ (), page 224.

sum()		Catalog > 🕡
$sum(List[, Start[, End]]) \Rightarrow expression$	sum({1,2,3,4,5})	15
Returns the sum of all elements in $List$.	$\operatorname{sum}(\{a,2\cdot a,3\cdot a\})$	6· <i>a</i>
<i>Start</i> and <i>End</i> are optional. They specify a range of elements.	$\frac{\text{sum}(\text{seq}(n, n, 1, 10))}{\text{sum}(\{1, 3, 5, 7, 9\}, 3)}$	55 21
Any void argument produces a void result. Empty (void) elements in $List$ are ignored. For more information on empty elements, see page 251.		
$sum(Matrix 1[, Start[, End]]) \Rightarrow matrix$	sum[1 2 3]	[5 7 9]
Returns a row vector containing the sums of all elements in the columns in $Matrix 1$.	$ \begin{array}{c cccc} & & & & & & \\ \hline & & & & & & \\ & & & & & \\ & & & & & $	[12 15 18]
Start and End are optional. They specify a range of rows.	$ \begin{array}{c cccc} & \boxed{7 & 8 & 9} \\ \hline & \boxed{1 & 2 & 3} & \end{array} $	[11 13 15]
Any void argument produces a void result. Empty (void) elements in <i>Matrix1</i> are	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	

sumIf()

Catalog > 🗐

 $sumlf(List,Criteria[,SumList]) \Rightarrow value$

ignored. For more information on empty

elements, see page 251.

Returns the accumulated sum of all elements in *List* that meet the specified *Criteria*. Optionally, you can specify an alternate list, *sumList*, to supply the elements to accumulate.

sumIf($\{1,2,e,3,\pi,4,5,6\},2.5)$	
	$e^{+\pi+7}$
sumIf({1,2,3,4},2 <5,{10,20,30,40}</td <td>r)</td>	r)
	70

List can be an expression, list, or matrix. *SumList*, if specified, must have the same dimension(s) as List.

Criteria can be:

- A value, expression, or string. For example, 34 accumulates only those elements in *List* that simplify to the value 34.
- A Boolean expression containing the symbol ? as a placeholder for each element. For example, ?<10 accumulates only those elements in *List* that are less than 10.

When a *List* element meets the *Criteria*. the element is added to the accumulating sum. If you include *sumList*, the corresponding element from *sumList* is added to the sum instead.

Within the Lists & Spreadsheet application, you can use a range of cells in place of List and *sumList*.

Empty (void) elements are ignored. For more information on empty elements, see page 251.

Note: See also countif(), page 35.

sumSeq()

See Σ (), page 224.

system()

system(Eqn1[, Eqn2[, Eqn3[, ...]]])

system(*Expr1*[, *Expr2*[, *Expr3*[, ...]]])

Returns a system of equations, formatted as a list. You can also create a system by using a template.

Note: See also System of equations, page 3.

Catalog > 🕮

x=4 and y=-4

Alphabetical Listing 181

T (transpose)

Catalog > 📳

 $Matrix l T \Rightarrow matrix$

Returns the complex conjugate transpose of Matrix 1.

Note: You can insert this operator from the computer keyboard by typing @t.

$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}^{T}$	$\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$	4	7
4 5 6	2	5	8
[7 8 9]	3	6	9
$ \begin{bmatrix} a & b \\ c & d \end{bmatrix}^{T} $		а	c d
$\begin{bmatrix} c & d \end{bmatrix}$			
$ \begin{array}{ c c c } \hline 1+i & 2+i \\ 3+i & 4+i \end{array} $	1-i 2-i	3	-i
$\begin{bmatrix} 3+i & 4+i \end{bmatrix}$	[2-i	4	-i ₋

tan()

trig key

 $tan(Expr1) \Rightarrow expression$

 $tan(List1) \Rightarrow list$

tan(Expr1) returns the tangent of the argument as an expression.

tan(List1) returns a list of the tangents of all elements in List1.

Note: The argument is interpreted as a degree, gradian or radian angle, according to the current angle mode. You can use °, g or r to override the angle mode setting temporarily.

In Degree angle mode:

$\tan\left(\frac{\pi}{4}^{r}\right)$	1
tan(45)	1
tan({0,60,90})	$\{0,\sqrt{3},\text{undef}\}$

In Gradian angle mode:

$\tan\left(\frac{\pi}{4}r\right)$	1
tan(50)	1
tan({0,50,100})	$\{0,1,$ undef $\}$

In Radian angle mode:

$\tan\left(\frac{\pi}{4}\right)$	1
tan(45°)	1
$\tan\left\{\left\{\pi,\frac{\pi}{3},-\pi,\frac{\pi}{4}\right\}\right\}$	$\{0,\sqrt{3},0,1\}$

 $tan(squareMatrix1) \Rightarrow squareMatrix$

Returns the matrix tangent of squareMatrix 1. This is not the same as calculating the tangent of each element. For information about the calculation method, refer to cos().

In Radian angle mode:

$$\tan \begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$$

$$\begin{bmatrix} -28.2912 & 26.0887 & 11.1142 \\ 12.1171 & -7.83536 & -5.48138 \\ 36.8181 & -32.8063 & -10.4594 \end{bmatrix}$$



squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

trig key tan -1()

 $tan^{-1}(Exprl) \Rightarrow expression$

 $tan^{-1}(List1) \Rightarrow list$

 $tan^{-1}(Expr1)$ returns the angle whose tangent is *Expr1* as an expression.

tan -1 (List 1) returns a list of the inverse tangents of each element of List1.

Note: The result is returned as a degree, gradian or radian angle, according to the current angle mode setting.

Note: You can insert this function from the keyboard by typing arctan (...).

 $tan^{-1}(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix inverse tangent of squareMatrix1. This is not the same as calculating the inverse tangent of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

In Degree angle mode:

In Gradian angle mode:

$$tan^{-1}(1)$$
 50

In Radian angle mode:

$$\tan^{-1}(\{0,0.2,0.5\}) = \{0,0.197396,0.463648\}$$

In Radian angle mode:

tangentLine()

 $tangentLine(Expr1, Var, Point) \Rightarrow$ expression

 $tangentLine(Expr1, Var=Point) \Rightarrow$ expression

Returns the tangent line to the curve represented by Expr1 at the point specified in Var=Point.

$tangentLine(x^2,x,1)$	2· <i>x</i> -1
tangentLine $((x-3)^2-4, x=3)$	-4
$\frac{1}{\text{tangentLine}\left(x^{\frac{1}{3}}, x=0\right)}$	<i>x</i> =0
$\frac{1}{\text{tangentLine}(\sqrt{x^2-4}, x=2)}$	undef
$x:=3: tangentLine(x^2,x,1)$	5

Catalog > 🕮

Make sure that the independent variable is not defined. For example, If f1(x):=5 and x:=3, then tangentLine(f1(x),x,2) returns "false."

tanh() Catalog > 23

 $tanh(Exprl) \Rightarrow expression$

 $tanh(List1) \Rightarrow list$

 $\frac{\tanh(1.2)}{\tanh(\{0,1\})} \qquad 0.833655$ $\frac{\tanh(\{0,1\})}{\{0,\tanh(1)\}}$

tanh(Expr1) returns the hyperbolic tangent of the argument as an expression.

tanh(*List1*) returns a list of the hyperbolic tangents of each element of *List1*.

 $tanh(squareMatrix 1) \Rightarrow squareMatrix$

Returns the matrix hyperbolic tangent of squareMatrix I. This is not the same as calculating the hyperbolic tangent of each element. For information about the calculation method, refer to cos().

squareMatrix I must be diagonalizable. The result always contains floating-point numbers.

In Radian angle mode:

$$\tanh\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$$

$$\begin{bmatrix} -0.097966 & 0.933436 & 0.425972 \\ 0.488147 & 0.538881 & -0.129382 \\ 1.28295 & -1.03425 & 0.428817 \end{bmatrix}$$

tanh¹()

 $tanh^{-1}(Expr1) \Rightarrow expression$

 $tanh^{-1}(List1) \Rightarrow list$

tanh⁻¹(Expr1) returns the inverse hyperbolic tangent of the argument as an expression.

tanh⁻¹(*List1*) returns a list of the inverse hyperbolic tangents of each element of *List1*.

Note: You can insert this function from the keyboard by typing arctanh (...).

 $tanh^{-1}(squareMatrix1) \Rightarrow squareMatrix$

In Rectangular complex format:

$$\frac{\tanh^{3}(0)}{\tanh^{3}(\{1,2.1,3\})} = \left\{ \text{unde f,} 0.518046 - 1.5708 \cdot \mathbf{i}, \frac{\ln(2)}{2} - \frac{\pi}{2} \cdot \mathbf{i} \right\}$$

Catalog > [13]

In Radian angle mode and Rectangular complex format:

tanh¹() Catalog > 🕮

Returns the matrix inverse hyperbolic tangent of *squareMatrix1*. This is not the same as calculating the inverse hyperbolic tangent of each element. For information about the calculation method, refer to cos ().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers.

$$tanh^{-1}\begin{bmatrix} 1 & 5 & 3 \\ 4 & 2 & 1 \\ 6 & -2 & 1 \end{bmatrix}$$

-0.099353+0.164058·*i* 0.267834 - 1.49080.087596-0.725533·i 0.479679-0.94730 0.511463-2.08316·i -0.878563+1.7901

To see the entire result. press ▲ and then use ◀ and ▶ to move the cursor.

taylor()

 $taylor(Expr1, Var, Order[, Point]) \Rightarrow$ expression

Returns the requested Taylor polynomial. The polynomial includes non-zero terms of integer degrees from zero through *Order* in (*Var* minus *Point*). **taylor()** returns itself if there is no truncated power series of this order, or if it would require negative or fractional exponents. Use substitution and/or temporary multiplication by a power of (Var minus Point) to determine more general power series.

Point defaults to zero and is the expansion point.

Catalog > 23

$$\frac{\operatorname{taylor}(\mathbf{e}^{\sqrt{x}}, x, 2)}{\operatorname{taylor}(\mathbf{e}^{t}, t, 4)|t = \sqrt{x}} \qquad \frac{3}{24 + \frac{x^2}{6} + \frac{x}{2} + \sqrt{x} + 1}$$

$$\frac{\operatorname{taylor}\left(\frac{1}{x \cdot (x - 1)}, x, 3\right)}{\operatorname{taylor}\left(\frac{1}{x \cdot (x - 1)}, x, 3, 0\right)} \qquad \operatorname{taylor}\left(\frac{1}{x \cdot (x - 1)}, x, 3, 0\right)$$

$$= \operatorname{capand}\left(\frac{\operatorname{taylor}\left(\frac{x}{x \cdot (x - 1)}, x, 4\right)}{x}, x\right)$$

$$-x^3 - x^2 - x - \frac{1}{x} - 1$$

tCdf() Catalog > 🗐

 $tCdf(lowBound,upBound,df) \Rightarrow number if$ lowBound and upBound are numbers, list if lowBound and upBound are lists

Computes the Student-t distribution probability between *lowBound* and *upBound* for the specified degrees of freedom df.

For $P(X \le upBound)$, set $lowBound = \overline{\infty}$.

tCollect() Catalog > 🕮

$tCollect(Expr1) \Rightarrow expression$

Returns an expression in which products and integer powers of sines and cosines are converted to a linear combination of sines and cosines of multiple angles, angle sums. and angle differences. The transformation converts trigonometric polynomials into a linear combination of their harmonics.

Sometimes tCollect() will accomplish your goals when the default trigonometric simplification does not. tCollect() tends to reverse transformations done by tExpand(). Sometimes applying tExpand() to a result from tCollect(), or vice versa, in two separate steps simplifies an expression.

t Collect $((\cos(\alpha))^2)$	$\cos(2\cdot \alpha)+1$
((00)(0))	2
$tCollect(sin(\alpha) \cdot cos(\beta))$	$\sin(\alpha-\beta)+\sin(\alpha+\beta)$
	2

tExpand()

$tExpand(Expr1) \Rightarrow expression$

Returns an expression in which sines and cosines of integer-multiple angles, angle sums, and angle differences are expanded. Because of the identity $(\sin(x))2+(\cos(x))$ 2=1, there are many possible equivalent results. Consequently, a result might differ from a result shown in other publications.

Sometimes tExpand() will accomplish your goals when the default trigonometric simplification does not. tExpand() tends to reverse transformations done by tCollect(). Sometimes applying tCollect() to a result from tExpand(), or vice versa, in two separate steps simplifies an expression.

Note: Degree-mode scaling by $\pi/180$ interferes with the ability of tExpand() to recognize expandable forms. For best results, tExpand() should be used in Radian mode.

Catalog > 🗐 $tExpand(sin(3 \cdot \varphi))$ $4 \cdot \sin(\varphi) \cdot (\cos(\varphi))^2 - \sin(\varphi)$

 $tExpand(cos(\alpha-\beta))$ $\cos(\alpha) \cdot \cos(\beta) + \sin(\alpha) \cdot \sin(\beta)$

Catalog > 23 Text

TextpromptString[, DispFlag]

Programming command: Pauses the program and displays the character string promptString in a dialog box.

When the user selects **OK**, program execution continues.

The optional *flag* argument can be any expression.

- If DispFlag is omitted or evaluates to **1**, the text message is added to the Calculator history.
- If DispFlag evaluates to $\mathbf{0}$, the text message is not added to the history.

If the program needs a typed response from the user, refer to Request, page 149, or RequestStr, page 151.

Note: You can use this command within a user-defined program but not within a function.

Define a program that pauses to display each of five random numbers in a dialog

Within the Prgm...EndPrgm template, complete each line by pressing ← instead of enter. On the computer keyboard, hold down Alt and press Enter.

Define text demo()=Prgm For i,1,5 strinfo:="Random number " & string(rand(i)) Text strinfo EndFor EndPrgm

Run the program:

text demo()

Sample of one dialog box:



Then See If, page 86.

tInterval

Catalog > 🗐

tInterval List[, Freq[, CLevel]]

(Data list input)

tinterval \bar{x} , sx, n[, CLevel]

(Summary stats input)

Computes a t confidence interval. A summary of results is stored in the stat.results variable. (See page 176.) tInterval Catalog > 🗓

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval for an unknown population mean
stat.X	Sample mean of the data sequence from the normal random distribution
stat.ME	Margin of error
stat.df	Degrees of freedom
stat.σx	Sample standard deviation
stat.n	Length of the data sequence with sample mean

tInterval_2Samp

Catalog > 23

tInterval_2Samp List1,List2[,Freq1[,Freq2 [,CLevel[,Pooled]]]]

(Data list input)

tInterval_2Samp $\bar{x}1$,sx1,n1, $\bar{x}2$,sx2,n2 [,CLevel[,Pooled]]

(Summary stats input)

Computes a two-sample *t* confidence interval. A summary of results is stored in the *stat.results* variable. (See page 176.)

Pooled=1 pools variances; *Pooled*=0 does not pool variances.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. x 1-x 2	Sample means of the data sequences from the normal random distribution
stat.ME	Margin of error
stat.df	Degrees of freedom

Output variable	Description
stat.x1, stat.x2	Sample means of the data sequences from the normal random distribution
stat.σx1, stat.σx2	Sample standard deviations for List 1 and List 2
stat.n1, stat.n2	Number of samples in data sequences
stat.sp	The pooled standard deviation. Calculated when $Pooled$ = YES

tmpCnv()	Catalog > ৠ
----------	-------------

tmpCnv(Expr_otempUnit,_otempUnit2) $\Rightarrow expression _^\circ tempUnit2$

Converts a temperature value specified by Expr from one unit to another. Valid temperature units are:

°C Celsius

°F Fahrenheit

°K Kelvin

°R Rankine

To type °, select it from the Catalog symbols.

For example, 100_°C converts to 212_°F.

To convert a temperature range, use $\Delta tmpCnv()$ instead.

tmpCnv(100·_°C,_°F)	212.·_°F
tmpCnv(32·_°F,_°C)	0.·_°C
tmpCnv(0·_°C,_°K)	273.15∙_°K
tmpCnv(0·_°F,_°R)	459.67∙_°R

Note: You can use the Catalog to select temperature units.

Δ tn	npC	nv()					Catalog > 🗐
	_		0.	T T	0.	77	

 $\Delta tmpCnv(Expr\ ^\circ tempUnit, _^\circ tempUnit2)$ ⇒ expression \(^\circ\tempUnit2\)

Note: You can insert this function from the keyboard by typing deltaTmpCnv (...).

Converts a temperature range (the difference between two temperature values) specified by Expr from one unit to another. Valid temperature units are:

ΔtmpCnv(100·_°C,_°F)	180.·_°F
ΔtmpCnv(180·_°F,_°C)	100.⋅_°C
∆tmpCnv(100·_°C,_°K)	100.⋅_°K
ΔtmpCnv(100·_°F,_°R)	100.⋅_°R
∆tmpCnv(1·_°C,_°F)	1.8∙_°F

Note: You can use the Catalog to select temperature units.

[°]C Celsius

[°]F Fahrenheit

[°]K Kelvin

[°]R Rankine

 Δ tmpCnv() Catalog > [1]

To enter $^{\circ}$, select it from the Symbol Palette or type @d.

To type _ , press ctrl ___.

 1_{C} and 1_{C} have the same magnitude, as do 1_{C} and 1_{C} R. However, 1_{C} is 9/5 as large as 1_{C} F.

For example, a 100_°C range (from 0_°C to 100_°C) is equivalent to a 180_°F range.

To convert a particular temperature value instead of a range, use **tmpCnv()**.

tPdf() Catalog > Q3

 $tPdf(XVal,df) \Rightarrow number \text{ if } XVal \text{ is a number, } list \text{ if } XVal \text{ is a list}$

Computes the probability density function (pdf) for the Student-*t* distribution at a specified *x* value with specified degrees of freedom *df*.

trace() Catalog > $\boxed{1}$ trace(squareMatrix) \Rightarrow expression

Returns the trace (sum of all the elements on the main diagonal) of squareMatrix. $\frac{1 \quad 2 \quad 3}{4 \quad 5 \quad 6} \quad 15$ $\frac{1}{7 \quad 8 \quad 9} \quad 15$ $\frac{1}{8 \quad 9} \quad 15$ $\frac{1}{8 \quad 9} \quad 15$

Try

Trv

block1

Else

block2

EndTrv

Executes *block1* unless an error occurs. Program execution transfers to block2 if an error occurs in block1. System variable errCode contains the error code to allow the program to perform error recovery. For a list of error codes, see "Error codes and messages," page 261.

block1 and block2 can be either a single statement or a series of statements separated with the ":" character.


Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

To see the commands Try, ClrErr, and PassErr in operation, enter the eigenvals() program shown at the right. Run the program by executing each of the following expressions.

$$eigenvals \begin{bmatrix} -3\\ -41\\ 5 \end{bmatrix}, \begin{bmatrix} -1 & 2 & -3.1 \end{bmatrix}$$

$$eigenvals \begin{bmatrix} 1 & 2 & 3 \end{bmatrix}, \begin{bmatrix} 1 \\ 1 \end{bmatrix}$$

Note: See also CIrErr, page 25, and PassErr, page 131.



Define eigenvals(a,b)=Prgm © Program eigenvals(A,B) displays eigenvalues of A•B

Try Disp "A= ",a Disp "B= ",b Disp " "

Disp "Eigenvalues of A•B are:",eigVI(a*b)

If errCode=230 Then Disp "Error: Product of A•B must be a square matrix" ClrFrr Flse PassFrr **FndIf**

EndTry EndPrgm

Else

tTest Catalog > 🕎

tTest μ*0,List*[,*Freq*[,*Hypoth*]]

(Data list input)

tTest $\mu 0, \overline{x}, sx, n, [Hypoth]$

(Summary stats input)

Performs a hypothesis test for a single unknown population mean μ when the population standard deviation σ is unknown. A summary of results is stored in the *stat.results* variable. (See page 176.)

Test H_0 : $\mu = \mu 0$, against one of the following:

For H_1 : $\mu < \mu 0$, set Hypoth < 0

For H^a: $\mu \neq \mu 0$ (default), set *Hypoth*=0

For H_a: $\mu > \mu 0$, set *Hypoth*>0

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.t	$(\overline{x} - \mu 0) / (stdev / sqrt(n))$
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom
stat.x̄	Sample mean of the data sequence in List
stat.sx	Sample standard deviation of the data sequence
stat.n	Size of the sample

tTest_2Samp

Catalog > 🕼

tTest_2Samp *List1*,*List2*[,*Freq1*[,*Freq2*[,*Hypoth*[,*Pooled*]]]]

(Data list input)

 $\begin{tabular}{ll} \textbf{tTest_2Samp} \ \overline{\mathtt{X}} \ \textit{l,sx1,n1,} \overline{\mathtt{X}} \ \textit{2,sx2,n2[,} Hypoth \\ \textit{[,Pooled]]} \end{tabular}$

(Summary stats input)

Catalog > [13]

tTest 2Samp

Computes a two-sample t test. A summary of results is stored in the stat.results variable. (See page 176.)

Test H_a : $\mu 1 = \mu 2$, against one of the following:

For H₂: μ 1< μ 2, set Hypoth<0

For H^a: $\mu 1 \neq \mu 2$ (default), set Hypoth=0

For H_a^a : $\mu 1 > \mu 2$, set Hypoth > 0

Pooled=1 pools variances *Pooled*=**0** does not pool variances

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.t	Standard normal value computed for the difference of means
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat.df	Degrees of freedom for the t-statistic
stat.x1, stat.x2	Sample means of the data sequences in $List\ 1$ and $List\ 2$
stat.sx1, stat.sx2	Sample standard deviations of the data sequences in $List\ 1$ and $List\ 2$
stat.n1, stat.n2	Size of the samples
stat.sp	The pooled standard deviation. Calculated when Pooled=1.

tvmFV() Catalog > 🗐

tvmFV(N,I,PV,Pmt,[PpY],[CpY],[PmtAt])⇒ value

tvmFV(120,5,0,-500,12,12) 77641.1

Financial function that calculates the future value of money.

Note: Arguments used in the TVM functions are described in the table of TVM arguments, page 195. See also amortTbl(), page 8.

tvmI() Catalog > 🕮 tvml(N,PV,Pmt,FV,[PpY],[CpY],[PmtAt])

⇒ value

tvmI(240,100000,-1000,0,12,12)

10.5241

tvml() Catalog > [j]

Financial function that calculates the interest rate per year.

Note: Arguments used in the TVM functions are described in the table of TVM arguments, page 195. See also **amortTbl()**, page 8.

tvmN() Catalog > [2]

tvmN(I,PV,Pmt,FV,[PpY],[CpY],[PmtAt]) $\Rightarrow value$

tvmN(5,0,-500,77641,12,12) 120.

Financial function that calculates the number of payment periods.

Note: Arguments used in the TVM functions are described in the table of TVM arguments, page 195. See also **amortTbl()**, page 8.

tvmPmt() Catalog > [3]

tvmPmt(N,I,PV,FV,[PpY],[CpY],[PmtAt]) $\Rightarrow value$

tvmPmt(60,4,30000,0,12,12) -552.496

Financial function that calculates the amount of each payment.

Note: Arguments used in the TVM functions are described in the table of TVM arguments, page 195. See also **amortTbl()**, page 8.

tvmPV() Catalog > 13

tvmPV(N,I,Pmt,FV,[PpY],[CpY],[PmtAt]) $\Rightarrow value$

tvmPV(48,4,-500,30000,12,12) -3426.7

Financial function that calculates the present value.

Note: Arguments used in the TVM functions are described in the table of TVM arguments, page 195. See also **amortTbl()**, page 8.

TVM argument*	Description	Data type
N	Number of payment periods	real number
I	Annual interest rate	real number
PV	Present value	real number
Pmt	Payment amount	real number
FV	Future value	real number
РрҮ	Payments per year, default=1	integer > 0
СрҮ	Compounding periods per year, default=1	integer > 0
PmtAt	Payment due at the end or beginning of each period, default=end	integer (0=end, 1=beginning)

^{*} These time-value-of-money argument names are similar to the TVM variable names (such as tvm.pv and tvm.pmt) that are used by the Calculator application's finance solver. Financial functions, however, do not store their argument values or results to the TVM variables.

TwoVar Catalog > 🕮

TwoVar X, Y[, [Freq][, Category, Include]]

Calculates the TwoVar statistics. A summary of results is stored in the *stat.results* variable. (See page 176.)

All the lists must have equal dimension except for *Include*.

X and Y are lists of independent and dependent variables.

Freq is an optional list of frequency values. Each element in *Freq* specifies the frequency of occurrence for each corresponding X and Y data point. The default value is 1. All elements must be integers > 0.

Category is a list of numeric category codes for the corresponding X and Y data.

Include is a list of one or more of the category codes. Only those data items whose category code is included in this list are included in the calculation.

Catalog > 🔯

TwoVar

An empty (void) element in any of the lists X, Freq, or Category results in a void for the corresponding element of all those lists. An empty element in any of the lists XIthrough $\dot{X}20$ results in a void for the corresponding element of all those lists. For more information on empty elements, see page 251.

Output variable	Description
stat.x	Mean of x values
stat. Σx	Sum of x values
stat.Σx2	Sum of x2 values
stat.sx	Sample standard deviation of x
stat.σx	Population standard deviation of x
stat.n	Number of data points
stat. <u>y</u>	Mean of y values
$stat.\Sigmay$	Sum of y values
$stat.\Sigma y^2$	Sum of y2 values
stat.sy	Sample standard deviation of y
stat.σy	Population standard deviation of y
stat.Σxy	Sum of x•y values
stat.r	Correlation coefficient
stat.MinX	Minimum of x values
stat.Q ₁ X	1st Quartile of x
stat.MedianX	Median of x
stat.Q ₃ X	3rd Quartile of x
stat.MaxX	Maximum of x values
stat.MinY	Minimum of y values
stat.Q ₁ Y	1st Quartile of y
stat.MedY	Median of y
stat.Q ₃ Y	3rd Quartile of y

Output variable	Description
stat.MaxY	Maximum of y values
$stat.\Sigma(x-\overline{x})^2$	Sum of squares of deviations from the mean of x
$stat.\Sigma(y-\overline{y})^2$	Sum of squares of deviations from the mean of y

U

Catalog > 🔯 unitV()

 $unitV(Vector 1) \Rightarrow vector$

Returns either a row- or column-unit vector, depending on the form of Vector 1.

Vector 1 must be either a single-row matrix or a single-column matrix.

$$\frac{\text{unitV}(\begin{bmatrix} a & b & c \end{bmatrix})}{\begin{bmatrix} a & b & \\ \sqrt{a^2+b^2+c^2} & \sqrt{a^2+b^2+c^2} & \sqrt{a^2+b^2+c} \\ \text{unitV}(\begin{bmatrix} 1 & 2 & 1 \end{bmatrix}) & \begin{bmatrix} \sqrt{6} & \sqrt{6} & \sqrt{6} \\ 6 & 3 & 6 \end{bmatrix} \\ \text{unitV}\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix} & \begin{bmatrix} \sqrt{14} \\ \frac{14}{\sqrt{14}} \\ \frac{7}{\sqrt{3}\sqrt{14}} \\ 14 \end{bmatrix}$$

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

unLock unLock Var1[, Var2] [, Var3] ... unLock Var.

Unlocks the specified variables or variable group. Locked variables cannot be modified or deleted.

See Lock, page 106, and getLockInfo(), page 82.

a:=65	65
Lock a	Done
getLockInfo(a)	1
a:=75	"Error: Variable is locked."
DelVar a	"Error: Variable is locked."
Unlock a	Done
a:=75	75
DelVar a	Done

Catalog > [3]

varPop() Catalog > [1]

 $varPop(List[, freqList]) \Rightarrow expression$

Returns the population variance of *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

Note: *List* must contain at least two elements.

If an element in either list is empty (void), that element is ignored, and the corresponding element in the other list is also ignored. For more information on empty elements, see page 251.

varPop({5,10,15,20,25,30})	875 12
Ans·1.	72.9167

varSamp() Catalog > [3]

 $varSamp(List[, freqList]) \Rightarrow expression$

Returns the sample variance of *List*.

Each *freqList* element counts the number of consecutive occurrences of the corresponding element in *List*.

Note: *List* must contain at least two elements.

If an element in either list is empty (void), that element is ignored, and the corresponding element in the other list is also ignored. For more information on empty elements, see page 251.

varSamp(Matrix1[, freqMatrix]) ⇒
matrix

Returns a row vector containing the sample variance of each column in *Matrix 1*.

Each *freqMatrix* element counts the number of consecutive occurrences of the corresponding element in *Matrix1*.

$\operatorname{varSamp}(\{a,b,c\})$	
$a^2 - a \cdot (b + c) + b^2$	$-b \cdot c + c^2$
3	
varSamp({1,2,5,-6,3,-2})	31
	2
$varSamp({1,3,5},{4,6,2})$	68
	33

varSamp					4.75	1.03	4]
varSamp	-1.1 3.4 -2.3	2.2 5.1 4.3	$\begin{bmatrix} 6 \\ 2 \\ 5 \end{bmatrix}$	3 4 1			
				[3.91	731	2.084	11]

Catalog > [13] varSamp()

If an element in either matrix is empty (void), that element is ignored, and the corresponding element in the other matrix is also ignored. For more information on empty elements, see page 251.

Note: Matrix 1 must contain at least two rows.

W

Catalog > 🗐 Wait

Wait timeInSeconds

Suspends execution for a period of timeInSeconds seconds.

Wait is particularly useful in a program that needs a brief delay to allow requested data to become available.

The argument timeInSeconds must be an expression that simplifies to a decimal value in the range 0 through 100. The command rounds this value up to the nearest 0.1 seconds.

To cancel a Wait that is in progress,

- Handheld: Hold down the Gion key and press enter repeatedly.
- Windows®: Hold down the F12 key and press Enter repeatedly.
- Macintosh®: Hold down the F5 key and press Enter repeatedly.
- iPad®: The app displays a prompt. You can continue waiting or cancel.

Note: You can use the Wait command within a user-defined program but not within a function.

To wait 4 seconds:

Wait 4

To wait 1/2 second:

Wait 0.5

To wait 1.3 seconds using the variable seccount:

seccount:=1.3 Wait seccount

This example switches a green LED on for 0.5 seconds and then switches it off.


Send "SET GREEN 1 ON" Wait 0.5 Send "SET GREEN 1 OFF" warnCodes(Expr1, StatusVar) \Rightarrow expression

Evaluates expression *Expr1*, returns the result, and stores the codes of any generated warnings in the *StatusVar* list variable. If no warnings are generated, this function assigns *StatusVar* an empty list.

Expr1 can be any valid TI-Nspire^{\mathbb{M}} or TI-Nspire^{\mathbb{M}} CAS math expression. You cannot use a command or assignment as Expr1.

Status Var must be a valid variable name.

For a list of warning codes and associated messages, see page 269.



To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

when() Catalog > [[3]

when(Condition, trueResult [, falseResult] [, unknownResult]) ⇒ expression

Returns *trueResult*, *falseResult*, or *unknownResult*, depending on whether *Condition* is true, false, or unknown.

Returns the input if there are too few arguments to specify the appropriate result.

Omit both *falseResult* and *unknownResult* to make an expression defined only in the region where *Condition* is true.

Use an **undef** *falseResult* to define an expression that graphs only on an interval.

when() is helpful for defining recursive functions.

$$when(x<0,x+3)|x=5$$
 undef

when
$$(n>0, n \cdot factoral(n-1), 1) \rightarrow factoral(n)$$

Done

factoral(3)

6

3!

While Condition Block

EndWhile

Executes the statements in *Block* as long as Condition is true.

Block can be either a single statement or a sequence of statements separated with the ":" character.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define $sum_of_recip(n)$ =Func Local i,tempsum $1 \rightarrow i$ $0 \rightarrow tempsum$ While $i \le n$ tempsum+ $i+1 \rightarrow i$ EndWhile Return tempsum EndFunc

Done sum of recip(3) 11 6



Catalog > 🕮 xor

BooleanExpr1 xor BooleanExpr2 returns Boolean expressionBooleanList1 xor BooleanList2 returns Boolean listBooleanMatrix1 xor BooleanMatrix2 returns Boolean matrix

Returns true if *BooleanExpr1* is true and

BooleanExpr2 is false, or vice versa.

Returns false if both arguments are true or if both are false. Returns a simplified Boolean expression if either of the arguments cannot be resolved to true or false.

Note: See or, page 129.

Integer1 xor Integer2⇒ integer

Compares two real integers bit-by-bit using an xor operation. Internally, both integers are converted to signed, 64-bit binary numbers. When corresponding bits are compared, the result is 1 if either bit (but not both) is 1: the result is 0 if both bits are 0 or both bits are 1. The returned value represents the bit results, and is displayed according to the Base mode.

true xor true false 5>3 xor 3>5 true

In Hex base mode:

Important: Zero, not the letter O.

0h7AC36 xor 0h3D5F 0h79169

In Bin base mode:

0b100101 xor 0b100 0b100001 You can enter the integers in any number base. For a binary or hexadecimal entry, you must use the 0b or 0h prefix, respectively. Without a prefix, integers are treated as decimal (base 10).

If you enter a decimal integer that is too large for a signed, 64-bit binary form, a symmetric modulo operation is used to bring the value into the appropriate range. For more information, see ▶Base2, page 17.

Note: See or, page 129.

Note: A binary entry can have up to 64 digits (not counting the 0b prefix). A hexadecimal entry can have up to 16 digits.

Ζ

zeros()

 $zeros(Expr, Var) \Rightarrow list$

 $zeros(Expr, Var=Guess) \Rightarrow list$

Returns a list of candidate real values of Var that make Expr=0. zeros() does this by computing exp list(solve (Expr=0, Var), Var).

For some purposes, the result form for zeros() is more convenient than that of solve(). However, the result form of zeros() cannot express implicit solutions, solutions that require inequalities, or solutions that do not involve Var.

Note: See also cSolve(), cZeros(), and solve ().

zeros({Expr1, Expr2}, {VarOrGuess2 [, ...]}) \Rightarrow matrix

Returns candidate real zeros of the simultaneous algebraic expressions, where each *VarOrGuess* specifies an unknown whose value you seek.

Optionally, you can specify an initial guess for a variable. Each *VarOrGuess* must have the form:

Catalog > 📳

$$zeros(a \cdot x^2 + b \cdot x + c, x)$$

$$\left\{ \frac{\sqrt{b^2 - 4 \cdot a \cdot c - b}}{2 \cdot a}, \frac{-(\sqrt{b^2 - 4 \cdot a \cdot c} + b)}{2 \cdot a} \right\}$$

$$a \cdot x^2 + b \cdot x + c|x = Ans[2]$$

$$\frac{\operatorname{exact}\left(\operatorname{zeros}\left(a \cdot \left(e^{x} + x\right) \cdot \left(\operatorname{sign}(x) - 1\right), x\right)\right) \quad \left\{ \square \right\}}{\operatorname{exact}\left(\operatorname{solve}\left(a \cdot \left(e^{x} + x\right) \cdot \left(\operatorname{sign}(x) - 1\right) = 0, x\right)\right)}$$

$$e^{x} + x = 0 \text{ or } x > 0 \text{ or } a = 0$$

variable

– or –

variable = real or non-real number

For example, x is valid and so is x=3.

If all of the expressions are polynomials and if you do NOT specify any initial guesses, zeros() uses the lexical Gröbner/Buchberger elimination method to attempt to determine all real zeros.


For example, suppose you have a circle of radius r at the origin and another circle of radius r centered where the first circle crosses the positive x-axis. Use zeros() to find the intersections.

As illustrated by r in the example to the right, simultaneous polynomial expressions can have extra variables that have no values, but represent given numeric values that could be substituted later.

Each row of the resulting matrix represents an alternate zero, with the components ordered the same as the *varOrGuess* list. To extract a row, index the matrix by [row].

You can also (or instead) include unknowns that do not appear in the expressions. For example, you can include z as an unknown to extend the previous example to two parallel intersecting cylinders of radius r. The cylinder zeros illustrate how families of zeros might contain arbitrary constants in the form ck, where k is an integer suffix from 1 through 255.

For polynomial systems, computation time or memory exhaustion may depend strongly on the order in which you list unknowns. If your initial choice exhausts memory or your patience, try rearranging the variables in the expressions and/or varOrGuess list.



zeros
$$\left\{\left\{x^2+y^2-r^2,\left(x-r\right)^2+y^2-r^2\right\},\left\{x,y\right\}\right\}$$

$$\left[\frac{r}{2} \quad \frac{-\sqrt{3}\cdot r}{2} \\ \frac{r}{2} \quad \frac{\sqrt{3}\cdot r}{2}\right]$$

Extract row 2:

$$Ans[2] \qquad \qquad \left[\frac{r}{2} \ \frac{\sqrt{3} \cdot r}{2}\right]$$

zeros
$$\left\{ \left\{ x^2 + y^2 - r^2, (x - r)^2 + y^2 - r^2 \right\}, \left\{ x, y, z \right\} \right\}$$

$$\left[\frac{r}{2} \frac{-\sqrt{3} \cdot r}{2} \quad c1 \right]$$

$$\left[\frac{r}{2} \frac{\sqrt{3} \cdot r}{2} \quad c1 \right]$$

If you do not include any guesses and if any expression is non-polynomial in any variable but all expressions are linear in the unknowns, zeros() uses Gaussian elimination to attempt to determine all real zeros.

If a system is neither polynomial in all of its variables nor linear in its unknowns, zeros() determines at most one zero using an approximate iterative method. To do so, the number of unknowns must equal the number of expressions, and all other variables in the expressions must simplify to numbers.

Each unknown starts at its guessed value if there is one; otherwise, it starts at 0.0.

Use guesses to seek additional zeros one by one. For convergence, a guess may have to be rather close to a zero.

zeros
$$\left\{x+e^z \cdot y-1, x-y-\sin(z)\right\}, \left\{x,y\right\}$$

$$\left[\frac{e^z \cdot \sin(z)+1}{e^z+1} \quad \frac{-\left(\sin(z)-1\right)}{e^z+1}\right]$$

zeros(
$$\{e^{z} \cdot y-1, y-\sin(z)\}, \{y,z\}$$
)
$$\begin{bmatrix}
0.041458 & 3.18306 \\
0.001871 & 6.28131 \\
4.76e-11 & 1796.99 \\
2.e-13 & 254.469
\end{bmatrix}$$

zeros(
$$\{e^z \cdot y - 1, \neg y - \sin(z)\}, \{y, z = 2 \cdot \pi\}$$
)
[0.001871 6.28131]

zInterval

Catalog > 🗐

zInterval σ,*List*[,*Freq*[,*CLevel*]]

(Data list input)

zInterval σ, \overline{x}, n [,CLevel]

(Summary stats input)

Computes a z confidence interval. A summary of results is stored in the *stat.results* variable. (See page 176.)

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval for an unknown population mean
$stat.\overline{\mathbf{x}}$	Sample mean of the data sequence from the normal random distribution
stat.ME	Margin of error
stat.sx	Sample standard deviation

Output variable	Description
stat.n	Length of the data sequence with sample mean
stat.σ	Known population standard deviation for data sequence List

zInterval_1Prop

Catalog > 23

zinterval 1Prop x,n [,CLevel]

Computes a one-proportion z confidence interval. A summary of results is stored in the *stat.results* variable. (See page 176.)

x is a non-negative integer.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. \hat{p}	The calculated proportion of successes
stat.ME	Margin of error
stat.n	Number of samples in data sequence

zInterval 2Prop

Catalog > 23

zInterval 2Prop x1,n1,x2,n2[,CLevel]

Computes a two-proportion z confidence interval. A summary of results is stored in the *stat.results* variable. (See page 176.)

x1 and x2 are non-negative integers.

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. \hat{p} Diff	The calculated difference between proportions
stat.ME	Margin of error

Output variable	Description
stat. p ̂ 1	First sample proportion estimate
stat. p̂ 2	Second sample proportion estimate
stat.n1	Sample size in data sequence one
stat.n2	Sample size in data sequence two

zInterval_2Samp

Catalog > 🔯

 $\begin{array}{l} \textbf{zInterval_2Samp} \ \sigma_{\textbf{1}}, \sigma_{\textbf{2}} \ , List1, List2[\ , Freq1\\ [\ , Freq2, [CLevel]]] \end{array}$

(Data list input)

 $\begin{array}{l} \textbf{zInterval_2Samp} \ \sigma_{\textbf{1'}} \sigma_{\textbf{2'}} \overline{\mathbf{x}} \ \textit{I,n1,} \overline{\mathbf{x}} \ \textit{2,n2} \\ \textbf{[,} CLevel] \end{array}$

(Summary stats input)

Computes a two-sample *z* confidence interval. A summary of results is stored in the *stat.results* variable. (See page 176.)

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.CLower, stat.CUpper	Confidence interval containing confidence level probability of distribution
stat. $\overline{x}1$ - $\overline{x}2$	Sample means of the data sequences from the normal random distribution
stat.ME	Margin of error
stat. \overline{x} 1, stat. \overline{x} 2	Sample means of the data sequences from the normal random distribution
stat.σx1, stat.σx2	Sample standard deviations for $List\ 1$ and $List\ 2$
stat.n1, stat.n2	Number of samples in data sequences
stat.r1, stat.r2	Known population standard deviations for data sequence $List\ 1$ and $List\ 2$

zTest Catalog > 💓

zTest $\mu\theta$, σ ,List,[Freq[,Hypoth]]

(Data list input)

zTest $\mu \theta$, σ , \overline{x} ,n[,Hypoth]

(Summary stats input)

Performs a z test with frequency freqlist. A summary of results is stored in the stat.results variable. (See page 176.)

Test H_0 : $\mu = \mu 0$, against one of the following:

For H_{$_{_{1}}$}: $\mu < \mu 0$, set Hypoth < 0

For H^a: $\mu \neq \mu 0$ (default), set Hypoth=0For H^a: $\mu > \mu 0$, set Hypoth>0

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.z	$(\overline{\mathbf{x}} - \mu 0) / (\sigma / \text{sqrt(n)})$
stat.P Value	Least probability at which the null hypothesis can be rejected
$\operatorname{stat}.\overline{\mathbf{x}}$	Sample mean of the data sequence in ${\it List}$
stat.sx	Sample standard deviation of the data sequence. Only returned for ${\it Data}$ input.
stat.n	Size of the sample

Catalog > 🔯 zTest_1Prop

Output variable	Description
stat.p0	Hypothesized population proportion
stat.z	Standard normal value computed for the proportion
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat. \hat{p}	Estimated sample proportion
stat.n	Size of the sample

Catalog > 🗐 zTest_2Prop

 $zTest_2Prop x1,n1,x2,n2[,Hypoth]$

zTest_2Prop Catalog > [2]

Computes a two-proportion z test. A summary of results is stored in the *stat.results* variable. (See page 176.)

x1 and x2 are non-negative integers.

Test H_0 : p1 = p2, against one of the following:

For H : pl > p2, set Hypoth > 0For H^a: $pl \neq p2$ (default), set Hypoth = 0For H^a_a: p < p0, set Hypoth < 0

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.z	Standard normal value computed for the difference of proportions
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
stat. p ̂ 1	First sample proportion estimate
stat. p̂ 2	Second sample proportion estimate
stat. $\hat{\pmb{p}}$	Pooled sample proportion estimate
stat.n1, stat.n2	Number of samples taken in trials 1 and 2

zTest_2Samp

Catalog > 📳

zTest_2Samp σ_1, σ_2 , List1, List2[, Freq1 [, Freq2[, Hypoth]]]

(Data list input)

 $\mathbf{zTest_2Samp} \ \sigma_{\mathbf{1'}}\sigma_{\mathbf{2'}}\overline{\mathsf{x}}\ l,\!nl,\!\overline{\mathsf{x}}\ 2,\!n2[,\!Hypoth]$

(Summary stats input)

Computes a two-sample *z* test. A summary of results is stored in the *stat.results* variable. (See page 176.)

Test H_0 : $\mu 1 = \mu 2$, against one of the following:

For H₂: μ 1 < μ 2, set Hypoth<0

For H_a^a : $\mu 1 \neq \mu 2$ (default), set Hypoth=0

For H_a: μ 1 > μ 2, Hypoth>0

zTest_2Samp Catalog > 🕎

For information on the effect of empty elements in a list, see "Empty (Void) Elements," page 251.

Output variable	Description
stat.z	Standard normal value computed for the difference of means
stat.PVal	Smallest level of significance at which the null hypothesis can be rejected
$stat.\overline{x}1$, $stat.\overline{x}2$	Sample means of the data sequences in List1 and List2
stat.sx1, stat.sx2	Sample standard deviations of the data sequences in $List1$ and $List2$
stat.n1, stat.n2	Size of the samples

Symbols

+ (add)		+ key
$Expr1 + Expr2 \Rightarrow expression$	56	56
Returns the sum of the two arguments.	56+4	60
	60+4	64
	64+4	68
	68+4	72
$List1 + List2 \Rightarrow list$	$\left\{22,\pi,\frac{\pi}{2}\right\} \rightarrow l1$	$\left\{22,\pi,\frac{\pi}{2}\right\}$
$Matrix1 + Matrix2 \Rightarrow matrix$	(-)	(-)
Returns a list (or matrix) containing the	$\left\{10,5,\frac{\pi}{2}\right\} \to l2$	$\left\{10,5,\frac{\pi}{2}\right\}$
sums of corresponding elements in $List1$ and $List2$ (or $Matrix1$ and $Matrix2$).	$\frac{11+12}{Ans+\{\pi,-5,-\pi\}}$	$\frac{\left\{32,\pi+5,\pi\right\}}{\left\{\pi+32,\pi,0\right\}}$
Dimensions of the arguments must be	$\begin{bmatrix} a & b \end{bmatrix} + \begin{bmatrix} 1 & 0 \end{bmatrix}$	$\begin{bmatrix} a+1 & b \end{bmatrix}$
equal.	$\begin{bmatrix} c & d \end{bmatrix} \begin{bmatrix} 0 & 1 \end{bmatrix}$	$\begin{bmatrix} c & d+1 \end{bmatrix}$
$Expr + List1 \Rightarrow list$	15+{10,15,20}	{25,30,35}
$List1 + Expr \Rightarrow list$	{10,15,20}+15	{25,30,35}
Returns a list containing the sums of $Expr$ and each element in $List1$.		
$Expr + Matrix 1 \Rightarrow matrix$	20+ 1 2	21 2

 $Matrix1 + Expr \Rightarrow matrix$

Returns a matrix with Expr added to each element on the diagonal of Matrix 1. *Matrix1* must be square.

Note: Use .+ (dot plus) to add an expression to each element.

- (subtract)		- key
$Expr1 - Expr2 \Rightarrow expression$	6-2	4
Returns Expr1 minus Expr2.	$\pi - \frac{\pi}{6}$	$\frac{5 \cdot \pi}{6}$
$List1 - List2 \Rightarrow list$ $Matrix1 - Matrix2 \Rightarrow matrix$	$\left\{22,\pi,\frac{\pi}{2}\right\} - \left\{10,5,\frac{\pi}{2}\right\}$	$\{12,\pi-5,0\}$
$Matrix 1 - Matrix 2 \rightarrow matrix$	[3 4]-[1 2]	[2 2]

 $\begin{bmatrix} 3 & 4 \end{bmatrix}$

3

- (subtract)



Subtracts each element in *List2* (or *Matrix2*) from the corresponding element in *List1* (or *Matrix1*), and returns the results.

Dimensions of the arguments must be equal.

$$Expr - List1 \Rightarrow list$$

$$List1 - Expr \Rightarrow list$$

Subtracts each *List1* element from *Expr* or subtracts *Expr* from each *List1* element, and returns a list of the results.

$$Expr - Matrix 1 \Rightarrow matrix$$

$$Matrix 1 - Expr \Rightarrow matrix$$

Expr – Matrix I returns a matrix of Expr times the identity matrix minus Matrix I. Matrix I must be square.

Matrix 1 - Expr returns a matrix of Expr times the identity matrix subtracted from Matrix 1. Matrix 1 must be square.

Note: Use .— (dot minus) to subtract an expression from each element.

15-{10,15,20}	{5,0,-5}
{10,15,20}-15	{-5,0,5}

20-1	2	19	-2
[3	4	[-3	16]

• (multiply)

 $Expr1 \cdot Expr2 \Rightarrow expression$

Returns the product of the two arguments.

 $List1 \cdot List2 \Rightarrow list$

Returns a list containing the products of the corresponding elements in *List1* and *List2*.

Dimensions of the lists must be equal.

 $Matrix 1 \cdot Matrix 2 \Rightarrow matrix$

Returns the matrix product of *Matrix1* and *Matrix2*.

The number of columns in *Matrix1* must equal the number of rows in *Matrix2*.

$$x \cdot y \cdot x$$
 $x^2 \cdot y$ $\{1,2,3\} \cdot \{4,5,6\}$ $\{4,10,18\}$

 $2 \cdot 3.45$

$$\begin{cases}
1,2,3 \\ \cdot \left\{4,5,6\right\} \\
\left\{\frac{2}{a},\frac{3}{2}\right\} \cdot \left\{a^2,\frac{b}{3}\right\} \\
\left\{2 \cdot a,\frac{b}{2}\right\}
\end{cases}$$

$$\begin{bmatrix}
1 & 2 & 3 \\
4 & 5 & 6
\end{bmatrix} \cdot \begin{bmatrix}
a & d \\
b & e \\
c & f
\end{bmatrix} \\
= \begin{bmatrix}
a+2 \cdot b+3 \cdot c & d+2 \cdot e+3 \cdot f \\
4 \cdot a+5 \cdot b+6 \cdot c & 4 \cdot d+5 \cdot e+6 \cdot f
\end{bmatrix}$$

× kev

6.9

• (multiply)

× key

 $Expr \cdot List1 \Rightarrow list$

 $\pi \cdot \{4,5,6\}$

 $\{4 \cdot \pi, 5 \cdot \pi, 6 \cdot \pi\}$

 $List1 \cdot Expr \Rightarrow list$

Returns a list containing the products of Expr and each element in List 1.

 $Expr \cdot Matrix 1 \Rightarrow matrix$

 $Matrix 1 \bullet Expr \Rightarrow matrix$

Returns a matrix containing the products of *Expr* and each element in *Matrix1*.

$\begin{bmatrix} 1 & 2 \end{bmatrix} \cdot 0.01$	0.01 0.03	0.02
[3 4]	[0.03	0.04
λ·identity(3)	[λ	0 0
	0	0 0 1 0
	[o	0 A]

Note: Use .•(dot multiply) to multiply an expression by each element.

÷ kev

 $Expr1/Expr2 \Rightarrow expression$

Returns the quotient of Expr1 divided by Expr2.

Note: See also Fraction template, page 1.

 $List1/List2 \Rightarrow list$

Returns a list containing the quotients of *List1* divided by *List2*.

Dimensions of the lists must be equal.

 $Expr/List1 \Rightarrow list$

 $List1/Expr \Rightarrow list$

Returns a list containing the quotients of Expr divided by List1 or List1 divided by Expr.

 $Matrix1/Expr \Rightarrow matrix$

Returns a matrix containing the quotients of Matrix 1/Expr.

 $Matrix1/Value \Rightarrow matrix$



$\frac{\{1.,2,3\}}{\{4,5,6\}}$	$\left\{0.25, \frac{2}{5}, \frac{1}{2}\right\}$

$\frac{a}{\left\{3,a,\sqrt{a}\right\}}$	$\left\{\frac{a}{3},1,\sqrt{a}\right\}$
$\frac{\{a,b,c\}}{a\cdot b\cdot c}$	$\left[\frac{1}{b \cdot c}, \frac{1}{a \cdot c}, \frac{1}{a \cdot b}\right]$

$\begin{bmatrix} a & b & c \end{bmatrix}$	_1_	_1_	_1_
$a \cdot b \cdot c$	$b \cdot c$	$a \cdot c$	$a \cdot b$

/(divide)

÷ key

Note: Use ./ (dot divide) to divide an expression by each element

expression by each element.	

^ (power)		^ key
Expr1 ^ Expr2⇒ expression	$\overline{4^2}$	16
$List1 \land List2 \Rightarrow list$	${a,2,c}^{\{1,b,3\}}$	$\left\{a,2^b,c^3\right\}$

Returns the first argument raised to the power of the second argument.

Note: See also Exponent template, page 1.

For a list, returns the elements in *List1* raised to the power of the corresponding elements in *List2*.

In the real domain, fractional powers that have reduced exponents with odd denominators use the real branch versus the principal branch for complex mode.

$$Expr \land Listl \Rightarrow list$$

Returns Expr raised to the power of the elements in List 1.

$$List1 \land Expr \Rightarrow list$$

Returns the elements in List1 raised to the power of Expr.

 $squareMatrix1 \land integer \Rightarrow matrix$

Returns *squareMatrix1* raised to the *integer* power.

squareMatrix1 must be a square matrix.

If integer = -1, computes the inverse matrix.

If integer < -1, computes the inverse matrix to an appropriate positive power.

<i>p</i> · · · ·	$\left\{p^a,p^2,\frac{1}{p^3}\right\}$
{1,2,3,4} ⁻²	$\left\{1, \frac{1}{4}, \frac{1}{9}, \frac{1}{16}\right\}$
	7 10 15 22
$ \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^{-1} $	$\begin{bmatrix} -2 & 1 \\ \frac{3}{2} & \frac{-1}{2} \end{bmatrix}$ $\begin{bmatrix} \frac{11}{2} & \frac{-5}{2} \\ \frac{-15}{4} & \frac{7}{4} \end{bmatrix}$
$ \begin{array}{c c} \hline \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^{-2} \end{array} $	$ \begin{bmatrix} \frac{11}{2} & \frac{-5}{2} \end{bmatrix} $
	$\begin{bmatrix} \frac{-15}{4} & \frac{7}{4} \end{bmatrix}$

 $\{a,2,-3\}$

x² (square)

Expr1²⇒ expression

Returns the square of the argument.

 $List 1^2 \Rightarrow list$

Returns a list containing the squares of the elements in List1.

 $squareMatrix 1^2 \Rightarrow matrix$

Returns the matrix square of squareMatrix I. This is not the same as calculating the square of each element. Use .^2 to calculate the square of each element.

4^2	16
$\{2,4,6\}^2$	{4,16,36}
[2 4 6] ²	[40 64 88] 49 79 109 58 94 130]
$\begin{bmatrix} 2 & 4 & 6 \\ 3 & 5 & 7 \\ 4 & 6 & 8 \end{bmatrix}^2$	49 79 109
4 6 8	[58 94 130]
$\begin{bmatrix} 2 & 4 & 6 \\ 3 & 5 & 7 \\ 4 & 6 & 8 \end{bmatrix} . ^ 2$	4 16 36 9 25 49
3 5 7 .^ 2	9 25 49
4 6 8	16 36 64

.+ (dot add)

 $Matrix 1 + Matrix 2 \Rightarrow matrix$

Expr .+ $Matrix l \Rightarrow matrix$

Matrix1.+Matrix2 returns a matrix that is the sum of each pair of corresponding elements in Matrix1 and Matrix2.

Expr.+Matrix 1 returns a matrix that is the sum of Expr and each element in Matrix 1.

$\begin{bmatrix} a & 2 \\ b & 3 \end{bmatrix} . + \begin{bmatrix} c & 4 \\ 5 & d \end{bmatrix}$	$\begin{bmatrix} a+c & 6 \\ b+5 & d+3 \end{bmatrix}$
$x + \begin{bmatrix} c & 4 \end{bmatrix}$	$\begin{bmatrix} x+c & x+4 \end{bmatrix}$
[5 d]	$\begin{bmatrix} x+5 & x+d \end{bmatrix}$

+ kevs

. | - | kevs

. (dot subt.)

Matrix1 .- Matrix2⇒ matrix

 $Expr - Matrix 1 \Rightarrow matrix$

Matrix 1.— Matrix 2 returns a matrix that is the difference between each pair of corresponding elements in Matrix 1 and Matrix 2.

Expr.-Matrix I returns a matrix that is the difference of Expr and each element in Matrix I.

$\begin{bmatrix} a & 2 \\ b & 3 \end{bmatrix} \begin{bmatrix} c & 4 \\ d & 5 \end{bmatrix}$	$\begin{bmatrix} a-c & -2 \\ b-d & -2 \end{bmatrix}$
$x \cdot \begin{bmatrix} c & 4 \\ d & 5 \end{bmatrix}$	$\begin{bmatrix} x-c & x-4 \\ x-d & x-5 \end{bmatrix}$

.•(dot mult.)

Matrix1 .• Matrix2⇒ matrix

 $Expr \cdot Matrix 1 \Rightarrow matrix$

Matrix1.• Matrix2 returns a matrix that is the product of each pair of corresponding elements in Matrix1 and Matrix2.

Expr. • Matrix I returns a matrix containing the products of Expr and each element in Matrix I.

[a 2].[c 4]	[a·c 8
$\begin{bmatrix} b & 3 \end{bmatrix} \cdot \begin{bmatrix} 5 & d \end{bmatrix}$	$\begin{bmatrix} a \cdot c & 8 \\ 5 \cdot b & 3 \cdot d \end{bmatrix}$
$x \cdot \begin{bmatrix} a & b \end{bmatrix}$	$a \cdot x b \cdot x$
$\begin{vmatrix} c & d \end{vmatrix}$	$c \cdot x = d \cdot x$

./(dot divide)

 $Matrix 1./Matrix 2 \Rightarrow matrix$

 $Expr./Matrix l \Rightarrow matrix$

Matrix1./Matrix2 returns a matrix that is the quotient of each pair of corresponding elements in Matrix1 and Matrix2.

Expr./Matrix1 returns a matrix that is the quotient of Expr and each element in Matrix1

	keys
$\begin{bmatrix} a & 2 \\ b & 3 \end{bmatrix} . / \begin{bmatrix} c & 4 \\ 5 & d \end{bmatrix}$	$\begin{bmatrix} \frac{a}{c} & \frac{1}{2} \end{bmatrix}$
	$\begin{bmatrix} \frac{a}{c} & \frac{1}{2} \\ \frac{b}{5} & \frac{3}{d} \end{bmatrix}$
$x \cdot \begin{pmatrix} c & 4 \\ 5 & d \end{pmatrix}$	$\begin{bmatrix} \frac{x}{c} & \frac{x}{4} \\ \frac{x}{5} & \frac{x}{d} \end{bmatrix}$
	$\begin{bmatrix} x & x \\ 5 & d \end{bmatrix}$

.^ (dot power)

 $Matrix1 \land Matrix2 \Rightarrow matrix$

 $Expr. \land Matrix 1 \Rightarrow matrix$

Matrix1. Matrix2 returns a matrix where each element in Matrix2 is the exponent for the corresponding element in Matrix1.

Expr. \land Matrix I returns a matrix where each element in Matrix I is the exponent for Expr.

	. ^ keys
$\begin{bmatrix} a & 2 \\ b & 3 \end{bmatrix} . \land \begin{bmatrix} c & 4 \\ 5 & d \end{bmatrix}$	$\begin{bmatrix} a^c & 16 \\ b^5 & 3^d \end{bmatrix}$
$x ildot \begin{bmatrix} c & 4 \\ 5 & d \end{bmatrix}$	$\begin{bmatrix} x^c & x^4 \\ x^5 & x^d \end{bmatrix}$

– (negate)

(-) kev

 $-Expr1 \Rightarrow expression$

 $-List1 \Rightarrow list$

 $-Matrix1 \Rightarrow matrix$

-2.43	-2.43
-{-1,0.4,1.2 e 19}	$\{1,-0.4,-1.2$ E19 $\}$
-a · -b	a· h

- (negate)



Returns the negation of the argument.

For a list or matrix, returns all the elements negated.

If the argument is a binary or hexadecimal integer, the negation gives the two's complement.

In Bin base mode:

Important: Zero, not the letter O.

To see the entire result, press ▲ and then use ◀ and ▶ to move the cursor.

% (percent)

ctrl 🕮 keys

Exprl% ⇒ expression

List1% ⇒ list

 $Matrix 1\% \Rightarrow matrix$

argument

Returns 100

For a list or matrix, returns a list or matrix with each element divided by 100.

Note: To force an approximate result,

Handheld: Press ctrl enter.

Windows®: Press Ctrl+Enter.

Macintosh®: Press #Enter.

iPad®: Hold enter, and select ≈ ..

13% 0.13

 $(\{1,10,100\})\%$ $\{0.01,0.1,1.\}$

= (equal)



 $Expr1=Expr2 \Rightarrow Boolean \ expression$

 $List1=List2 \Rightarrow Boolean \ list$

 $Matrix l=Matrix 2 \Rightarrow Boolean matrix$

Returns true if Expr1 is determined to be equal to Expr2.

Returns false if Expr1 is determined to not be equal to Expr2.

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

Example function that uses math test symbols: =, \neq , <, \leq , >, \geq

Define g(x)=Func

If $x \le -5$ Then

Return 5

ElseIf x > -5 and x < 0 Then

Return -x

ElseIf $x \ge 0$ and $x \ne 10$ Then

Return x

ElseIf x=10 Then

Return 3

EndIf

EndFunc


Done

= (equal)

= kev

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Result of graphing g(x)



≠ (not equal)

ctrl | = | keys

 $Expr1 \neq Expr2 \Rightarrow Boolean expression$

See "=" (equal) example.

 $List1 \neq List2 \Rightarrow Boolean\ list$

 $Matrix1 \neq Matrix2 \Rightarrow Boolean \ matrix$

Returns true if Expr1 is determined to be not equal to Expr2.

Returns false if *Expr1* is determined to be equal to Expr2.

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

Note: You can insert this operator from the keyboard by typing /=

< (less than)



 $Expr1 < Expr2 \Rightarrow Boolean expression$

See "=" (equal) example.

 $List1 < List2 \Rightarrow Boolean \ list$

 $Matrix 1 < Matrix 2 \Rightarrow Boolean matrix$

Returns true if Expr1 is determined to be less than *Expr2*.

< (less than)

ctrl = keys

Returns false if Expr1 is determined to be greater than or equal to Expr2.

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

≤ (less or equal)

ctrl = keys

 $Expr1 \leq Expr2 \Rightarrow Boolean \ expression$

See "=" (equal) example.

List1<List2 ⇒ Boolean list

 $Matrix1 \le Matrix2 \Rightarrow Boolean \ matrix$

Returns true if Expr1 is determined to be less than or equal to Expr2.

Returns false if Expr1 is determined to be greater than Expr2.

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

Note: You can insert this operator from the keyboard by typing <=

> (greater than)

ctrl = keys

 $Expr1>Expr2 \Rightarrow Boolean expression$

See "=" (equal) example.

List1>List2 ⇒ Boolean list

 $Matrix 1>Matrix 2 \Rightarrow Boolean matrix$

Returns true if Expr1 is determined to be greater than Expr2.

Returns false if Expr1 is determined to be less than or equal to Expr2.

Anything else returns a simplified form of the equation.

> (greater than)

ctrl = keys

For lists and matrices, returns comparisons element by element.

≥ (greater or equal)

ctrl = kevs

 $Expr1 \ge Expr2 \Rightarrow Boolean expression$

See "=" (equal) example.

List1>List2 ⇒ Boolean list

 $Matrix 1 > Matrix 2 \Rightarrow Boolean matrix$

Returns true if Expr1 is determined to be greater than or equal to Expr2.

Returns false if Expr1 is determined to be less than Expr2.

Anything else returns a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

Note: You can insert this operator from the keyboard by typing >=

⇒ (logical implication)

ctrl = kevs

BooleanExpr1 ⇒ BooleanExpr2 returns Boolean expression

BooleanList1 ⇒ BooleanList2 returns
Boolean list

BooleanMatrix1 ⇒ BooleanMatrix2 returns Boolean matrix

 $Integer1 \Rightarrow Integer2$ returns Integer

Evaluates the expression **not** <argument1> **or** <argument2> and returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

Note: You can insert this operator from the keyboard by typing =>

	in in ite
5>3 or 3>5	true
5>3 ⇒ 3>5	false
3 or 4	7
3 ⇒ 4	-4
{1,2,3} or {3,2,1}	{3,2,3}
$\{1,2,3\} \Rightarrow \{3,2,1\}$	{-1,-1,-3}

⇔ (logical double implication, XNOR)

 $BooleanExpr1 \Leftrightarrow BooleanExpr2$ returns Boolean expression

BooleanList1 ⇔ BooleanList2 returns Boolean list

BooleanMatrix1

⇔ BooleanMatrix2 returns Boolean matrix

Integer1 ⇔ *Integer2* returns *Integer*

Returns the negation of an **XOR** Boolean operation on the two arguments. Returns true, false, or a simplified form of the equation.

For lists and matrices, returns comparisons element by element.

Note: You can insert this operator from the keyboard by typing <=>

5>3 xor 3>5	true
5>3 ⇔ 3>5	false
3 xor 4	7
3 ⇔ 4	-8
{1,2,3} xor {3,2,1}	{2,0,2}
$\{1,2,3\} \Leftrightarrow \{3,2,1\}$	{-3,-1,-3}

! (factorial)

 $Matrix 1! \Rightarrow matrix$

Returns the factorial of the argument.

For a list or matrix, returns a list or matrix of factorials of the elements.

|?!**▶| kev** Expr1! ⇒ expression 120 11=1211 [100 04 6] $List1! \Rightarrow list$

$(\{5,4,3\})!$	{120,24,6}
$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$!	1 2
([2 ±])	[0 24]

& (append)

String1 & String2 ⇒ string

Returns a text string that is *String2* appended to String1.

"Hello "&"Nick" "Hello Nick"

ctrl 🕮 kevs

 $d(Expr1, Var[, Order]) \Rightarrow expression$

 $d(List1, Var[, Order]) \Rightarrow list$

 $d(Matrix 1, Var[, Order]) \Rightarrow matrix$

Returns the first derivative of the first argument with respect to variable *Var*.

Order, if included, must be an integer. If the order is less than zero, the result will be an anti-derivative.

Note: You can insert this function from the keyboard by typing **derivative** (...).

d() does not follow the normal evaluation mechanism of fully simplifying its arguments and then applying the function definition to these fully simplified arguments. Instead, d() performs the following steps:

- Simplify the second argument only to the extent that it does not lead to a non-variable.
- Simplify the first argument only to the extent that it does recall any stored value for the variable determined by step 1.
- 3. Determine the symbolic derivative of the result of step 2 with respect to the variable from step 1.

If the variable from step 1 has a stored value or a value specified by the constraint ("|") operator, substitute that value into the result from step 3.

Note: See also First derivative, page 5; Second derivative, page 6; or Nth derivative, page 6.

$\frac{d}{dx}(f(x)\cdot g(x))$	$\frac{d}{dx}(f(x))\cdot g(x)+\frac{d}{dx}(g(x))\cdot f(x)$
$\frac{d}{dy} \left(\frac{d}{dx} \left(x^2 \cdot y^3 \right) \right)$	$6 \cdot y^2 \cdot x$
$\frac{d}{dx} \left(\left\{ x^2, x^3, x^4 \right\} \right)$	$\left\{2\cdot x, 3\cdot x^2, 4\cdot x^3\right\}$

∫() (integral)		Catalog > 🗐
$[(Expr1, Var[,Lower,Upper]) \Rightarrow expression$	$\int_{x^2 dx}^{b}$	$\frac{b^3}{3} - \frac{a^3}{3}$
$[(Expr1,Var[,Constant]) \Rightarrow expression$	$\int a$	

Returns the integral of *Expr1* with respect to the variable *Var* from *Lower* to *Upper*.

Note: See also Definite or Indefinite integral template, page 6.

Note: You can insert this function from the keyboard by typing integral (...).

If Lower and Upper are omitted, returns an anti-derivative. A symbolic constant of integration is omitted unless you provide the Constant argument.

Equally valid anti-derivatives might differ by a numeric constant. Such a constant might be disguised—particularly when an antiderivative contains logarithms or inverse trigonometric functions. Moreover, piecewise constant expressions are sometimes added to make an antiderivative valid over a larger interval than the usual formula.

() returns itself for pieces of Expr1 that it cannot determine as an explicit finite combination of its built-in functions and operators.

When you provide Lower and Upper, an attempt is made to locate any discontinuities or discontinuous derivatives in the interval Lower < Var < Upper and to subdivide the interval at those places.

For the Auto setting of the Auto or Approximate mode, numerical integration is used where applicable when an antiderivative or a limit cannot be determined.

For the Approximate setting, numerical integration is tried first, if applicable. Antiderivatives are sought only where such numerical integration is inapplicable or fails.

$$\int x^2 dx \qquad \qquad \frac{x^3}{3}$$

$$\int (a \cdot x^2, x, c) \qquad \qquad \frac{a \cdot x^3}{3} + c$$

$$\int b \cdot e^{-x^2} + \frac{a}{x^2 + a^2} dx \quad b \cdot \int e^{-x^2} dx + \tan^{-1} \left(\frac{x}{a}\right)$$

Note: To force an approximate result,

Handheld: Press ctrl enter. Windows®: Press Ctrl+Enter. Macintosh®: Press #+Enter. iPad®: Hold enter, and select ≈ .

() can be nested to do multiple integrals. Integration limits can depend on integration variables outside them.

Note: See also nint(), page 122.

$$\int_{0}^{a} \int_{0}^{x} \ln(x+y) \, dy \, dx$$

$$\frac{a^{2} \cdot \ln(a)}{2} + \frac{a^{2} \cdot (4 \cdot \ln(2) - 3)}{4}$$

$\sqrt{\text{() (square root)}}$ $\sqrt{\text{ctrl } x^2 \text{ keys}}$ $\sqrt{(Exprl)} \Rightarrow expression$ $\sqrt{4}$ 2 $\sqrt{(Listl)} \Rightarrow list$ $\sqrt{9,a,4}$ $3,\sqrt{a},2$

Returns the square root of the argument.

For a list, returns the square roots of all the elements in *List1*.

Note: You can insert this function from the keyboard by typing **sqrt(...)**

Note: See also Square root template, page 1.

Π () (prodSeq)		Catalog > 😰
$\Pi(Expr1, Var, Low, High) \Rightarrow expression$	5	_1_
Note: You can insert this function from the keyboard by typing prodSeq() .		120
Evaluates $Expr1$ for each value of Var from Low to $High$, and returns the product of the results.	$\frac{n}{\prod_{k=1}^{n} \binom{k^2}{n}}$	(n!) ²
Note: See also Product template (Π), page 5.	$\frac{5}{\prod_{n=1}^{5} \left(\left\{ \frac{1}{n}, n, 2 \right\} \right)}$	$\left\{\frac{1}{120},120,32\right\}$

Π () (prodSeq)

Catalog > 🗐

 $\Pi(Expr1, Var, Low, Low-1) \Rightarrow 1$

 $\Pi(Exprl, Var, Low, High) \Rightarrow 1/\Pi(Exprl, Var, High+l, Low-l)$ if High < Low-l

The product formulas used are derived from the following reference:

Ronald L. Graham, Donald E. Knuth, and Oren Patashnik. *Concrete Mathematics: A Foundation for Computer Science*. Reading, Massachusetts: Addison-Wesley, 1994.

$\prod_{k=4}^{1} \left(\frac{1}{k}\right)$	6
$\frac{1}{\prod_{k=4}^{1} \left(\frac{1}{k}\right) \cdot \prod_{k=2}^{4} \left(\frac{1}{k}\right)}$	$\frac{1}{4}$

Σ () (sumSeq)

 $\Sigma(Expr1, Var, Low, High) \Rightarrow expression$

Note: You can insert this function from the keyboard by typing sumSeq(...).

Evaluates ExprI for each value of Var from Low to High, and returns the sum of the results.

Note: See also Sum template, page 5.

 $\Sigma(Expr1, Var, Low, Low-1) \Rightarrow 0$

 Σ (Expr1, Var, Low, High) $\Rightarrow \mu$

 Σ (Expr1, Var, High+1, Low-1) if High < Low-1

The summation formulas used are derived from the following reference:

Ronald L. Graham, Donald E. Knuth, and Oren Patashnik. *Concrete Mathematics: A Foundation for Computer Science*. Reading, Massachusetts: Addison-Wesley, 1994.

Catalog > 🕡

$$\sum_{n=1}^{5} \left(\frac{1}{n}\right) \qquad \frac{137}{60}$$

$$\sum_{k=1}^{n} \binom{n \cdot (n+1) \cdot (2 \cdot n+1)}{6}$$

$$\sum_{n=1}^{\infty} \left(\frac{1}{n^2}\right) \qquad \frac{\pi^2}{6}$$

$$\sum_{k=4}^{3} (k)$$

$$\sum_{k=4}^{1} (k) + \sum_{k=2}^{4} (k)$$

 Σ **int**(*NPmt1*, *NPmt2*, *N*, *I*, *PV*, [*Pmt*], [*FV*], [*PpY*], [*CpY*], [*PmtAt*], [roundValue]) ⇒ value

 $\Sigma Int(NPmt1,NPmt2,amortTable) \Rightarrow value$

Amortization function that calculates the sum of the interest during a specified range of payments.

NPmt1 and NPmt2 define the start and end boundaries of the payment range.

N, I, PV, Pmt, FV, PpY, CpY, and PmtAt are described in the table of TVM arguments, page 195.

- If you omit Pmt, it defaults to Pmt=tvmPmt (N,I,PV,FV,PpY,CpY,PmtAt).
- If you omit FV, it defaults to FV=0.
- The defaults for PpY, CpY, and PmtAt are the same as for the TVM functions.

roundValue specifies the number of decimal places for rounding. Default=2.

Σ**Int(**NPmt1,NPmt2,amortTable) calculates the sum of the interest based on amortization table amortTable. The amortTable argument must be a matrix in the form described under amortTbl(), page 8.

Note: See also Σ Prn(), below, and **Bal()**, page 17.

ΣInt(1,3,12,4.75,20000,,12,12) -213.48

tbl:=amortTbl(12,12,4.75,20000,,12,12) 0. 20000. 0. 1 -77.49 -1632.43 18367.6 -71.17 -1638.75 16728.8 3 -64.82-1645.115083.7 -58.44 -1651.48 13432.2 5 -52.05 -1657.87 11774.4 -45.62-1664.3 10110.1 6 7 -39.17 -1670.75 8439.32 8 -32.7-1677.22 6762.1 -26.2 -1683.72 5078.38 10 -19.68 -1690.24 3388.14 -13.13-1696.79 1691.35 11 12 -6.55 -1703.37-12.02

-213.48

 $\Sigma Int(1,3,tbl)$

 Σ Prn() Catalog > [3]

ΣPrn(NPmt1, NPmt2, N, I, PV, [Pmt], [FV], [PpY], [CpY], [PmtAt], [roundValue]) ⇒ value

 Σ Prn(NPmt1, NPmt2, amortTable) \Rightarrow value

Amortization function that calculates the sum of the principal during a specified range of payments.

ΣPrn(1,3,12,4.75,20000,,12,12) -4916.28

NPmt1 and *NPmt2* define the start and end boundaries of the payment range.

N, I, PV, Pmt, FV, PpY, CpY, and PmtAt are described in the table of TVM arguments, page 195.

- If you omit Pmt, it defaults to Pmt=tvmPmt (N,I,PV,FV,PpY,CpY,PmtAt).
- If you omit FV, it defaults to FV=0.
- The defaults for *PpY*, *CpY*, and *PmtAt* are the same as for the TVM functions.

roundValue specifies the number of decimal places for rounding. Default=2.

Σ**Prn(***NPmt1,NPmt2,amortTable***)** calculates the sum of the principal paid based on amortization table *amortTable*. The *amortTable* argument must be a matrix in the form described under **amortTbl()**, page 8.

Note: See also Σ Int(), above, and **Bal()**, page 17.

<i>tbl</i> :=amortTbl(12,12,4.75,20000,,12,12


0	0.	0.	20000.
1	-77.49	-1632.43	18367.57
2	-71.17	-1638.75	16728.82
3	-64.82	-1645.1	15083.72
4	-58.44	-1651.48	13432.24
5	-52.05	-1657.87	11774.37
6	-45.62	-1664.3	10110.07
7	-39.17	-1670.75	8439.32
8	-32.7	-1677.22	6762.1
9	-26.2	-1683.72	5078.38
10	-19.68	$^{-}1690.24$	3388.14
11	-13.13	-1696.79	1691.35
12	-6.55	-1703.37	-12.02

 $\Sigma Prn(1,3,tbl)$ -4916.28

(indirection)

varNameString

Refers to the variable whose name is varNameString. This lets you use strings to create variable names from within a function.



xyz

Creates or refers to the variable xyz.

#("x"&"v"&"z")

$10 \rightarrow r$	10
"r" → s1	"r"
#s1	10

Returns the value of the variable (r) whose name is stored in variable s1.

E (scientific notation)

mantissaEexponent

Enters a number in scientific notation. The number is interpreted as $mantissa \times 10^{exponent}$.

Hint: If you want to enter a power of 10 without causing a decimal value result, use 10^integer.

Note: You can insert this operator from the computer keyboard by typing @E. for example, type 2.3@E4 to enter 2.3E4.

23000.	23000.
2300000000.+4.1 E 15	4.1 E 15
3·10 ⁴	30000

g (gradian)

π▶ kev

 $Exprlg \Rightarrow expression$

 $List1g \Rightarrow list$

 $Matrix 18 \Rightarrow matrix$

In Degree, Gradian or Radian mode:

cos(509) cos({0,100g,200g}) $\{1.0.-1\}$

This function gives you a way to specify a gradian angle while in the Degree or Radian mode.

In Radian angle mode, multiplies Expr1 by $\pi/200$.

In Degree angle mode, multiplies *Expr1* by g/100.

In Gradian mode, returns *Expr1* unchanged.

Note: You can insert this symbol from the computer keyboard by typing @g.

r(radian)

|π⊷| kev

 $Exprl^{r} \Rightarrow expression$

 $Listl^r \Rightarrow list$

 $Matrix I^r \Rightarrow matrix$

In Degree, Gradian or Radian angle mode:

$$\frac{\cos\left(\frac{\pi}{4^{r}}\right)}{\cos\left\{0^{r}, \frac{\pi}{12}^{r}, (\pi)^{r}\right\}} \qquad \left\{1, \frac{(\sqrt{3}+1)\cdot\sqrt{2}}{4}, -1\right\}$$

r(radian)



This function gives you a way to specify a radian angle while in Degree or Gradian mode.

In Degree angle mode, multiplies the argument by $180/\pi$.

In Radian angle mode, returns the argument unchanged.

In Gradian mode, multiplies the argument by $200/\pi$.

Hint: Use r if you want to force radians in a function definition regardless of the mode that prevails when the function is used.

Note: You can insert this symbol from the computer keyboard by typing @r.

° (degree)

π∙ kev

 $Exprl^{\circ} \Rightarrow expression$

 $List1^{\circ} \Rightarrow list$

 $Matrix 1^{\circ} \Rightarrow matrix$

This function gives you a way to specify a degree angle while in Gradian or Radian mode.

In Radian angle mode, multiplies the argument by $\pi/180$.

In Degree angle mode, returns the argument unchanged.

In Gradian angle mode, multiplies the argument by 10/9.

Note: You can insert this symbol from the computer keyboard by typing @d.

In Degree, Gradian or Radian angle mode:

$$\cos(45^\circ)$$
 $\frac{\sqrt{2}}{2}$

In Radian angle mode:

Note: To force an approximate result,

Handheld: Press ctrl enter. Windows®: Press Ctrl+Enter. Macintosh®: Press #+Fnter. iPad®: Hold enter, and select ≈ .

$$\cos\left\{\left\{0, \frac{\pi}{4}, 90^{\circ}, 30.12^{\circ}\right\}\right\}$$

$$\left\{1., 0.707107, 0., 0.864976\right\}$$

°, ', " (degree/minute/second)



 $dd^{\circ}mm'ss.ss'' \Rightarrow expression$

In Degree angle mode:

°, ', " (degree/minute/second)

ctrl 🕮 keys

dd A positive or negative number mm A non-negative number ss.ss A non-negative number

25°13'17.5"	25.2215
25°30'	51
	2

Returns dd+(mm/60)+(ss.ss/3600).

This base-60 entry format lets you:

- Enter an angle in degrees/minutes/seconds without regard to the current angle mode.
- Enter time as hours/minutes/seconds.

Note: Follow ss.ss with two apostrophes ("), not a quote symbol (").

∠ (angle)

ctri 🕮 kevs

 $[Radius, \angle \theta_Angle] \Rightarrow vector$ (polar input)

 $[Radius, \angle \theta_Angle, Z_Coordinate] \Rightarrow vector$ (cylindrical input)

 $[Radius, ∠ \theta_Angle, ∠ \theta_Angle] \Rightarrow vector$ (spherical input)

Returns coordinates as a vector depending on the Vector Format mode setting: rectangular, cylindrical, or spherical.

Note: You can insert this symbol from the computer keyboard by typing @<.

 $(Magnitude \angle Angle) \Rightarrow complex Value$ (polar input)

Enters a complex value in $(r \angle \theta)$ polar form. The Angle is interpreted according to the current Angle mode setting.

In Radian mode and vector format set to: rectangular

$$\begin{bmatrix} 5 & \angle 60^{\circ} & \angle 45^{\circ} \end{bmatrix} \quad \begin{bmatrix} \underline{5 \cdot \sqrt{2}} & \underline{5 \cdot \sqrt{6}} & \underline{5 \cdot \sqrt{2}} \\ 4 & 4 & 2 \end{bmatrix}$$

cylindrical

$$\begin{bmatrix} 5 & \angle 60^{\circ} & \angle 45^{\circ} \end{bmatrix} \qquad \begin{bmatrix} \frac{5 \cdot \sqrt{2}}{2} & \angle \frac{\pi}{3} & \frac{5 \cdot \sqrt{2}}{2} \end{bmatrix}$$

spherical

$$\begin{bmatrix} 5 & \angle 60^{\circ} & \angle 45^{\circ} \end{bmatrix} \qquad \begin{bmatrix} 5 & \angle \frac{\pi}{3} & \angle \frac{\pi}{4} \end{bmatrix}$$

In Radian angle mode and Rectangular complex format:

$$5+3 \cdot i - \left(10 \angle \frac{\pi}{4}\right) \qquad 5-5 \cdot \sqrt{2} + \left(3-5 \cdot \sqrt{2}\right) \cdot i$$

Note: To force an approximate result,

Handheld: Press ctrl enter.

Windows®: Press Ctrl+Enter.

Macintosh®: Press #-Enter.

iPad®: Hold enter. and select ≈ .

∠ (angle)

ctrl 🕮 keys

$$5+3\cdot i - \left(10 \angle \frac{\pi}{4}\right)$$

-2.07107-4.07107·i

' (prime)

?!• kev

variable ' variable ''

Enters a prime symbol in a differential equation. A single prime symbol denotes a 1st-order differential equation, two prime symbols denote a 2nd-order, and so on.

deSolve
$$\left(y''=y^{-\frac{1}{2}}\right)$$
 and $y(0)=0$ and $y'(0)=0$, t,y

$$\frac{3}{2 \cdot y^{-\frac{4}{3}}} = t$$

_ (underscore as an empty element)

See "Empty (Void) Elements," page 251.

_ (underscore as unit designator)

rl 🗀 keys

9.84252·_ft

Expr_Unit

Designates the units for an *Expr*. All unit names must begin with an underscore.

You can use pre-defined units or create your own units. For a list of pre-defined units, open the Catalog and display the Unit Conversions tab. You can select unit names from the Catalog or type the unit names directly.

Variable

When *Variable* has no value, it is treated as though it represents a complex number. By default, without the _ , the variable is treated as real.

If *Variable* has a value, the _ is ignored and *Variable* retains its original data type.

Note: You can store a complex number to a

variable without using _ . However, for best results in calculations such as cSolve() and cZeros(), the is recommended.

Note: You can find the conversion symbol,

 \blacktriangleright , in the Catalog. Click $\boxed{\int \Sigma}$, and then click **Math Operators**.

Assuming z is undefined:

3·_m▶_ft

real(z)	
$real(z_{-})$	$real(z_{-})$
imag(z)	0
$imag(z_{\perp})$	imag(z_)

 $Expr_Unit1 \triangleright _Unit2 \Rightarrow Expr_Unit2$

3·_m▶_ft 9.84252·_ft

Converts an expression from one unit to another.

The _ underscore character designates the units. The units must be in the same category, such as Length or Area.

For a list of pre-defined units, open the Catalog and display the Unit Conversions tab:

- You can select a unit name from the list.
- You can select the conversion operator,
 from the top of the list.

You can also type unit names manually. To type "_" when typing unit names on the handheld, press ctrl ___.

Note: To convert temperature units, use **tmpCnv()** and Δ **tmpCnv()**. The \blacktriangleright conversion operator does not handle temperature units.

10^() Catalog > [2]

10^ (Exprl) \Rightarrow expression

10^ (List1) \Rightarrow list

Returns 10 raised to the power of the argument.

For a list, returns 10 raised to the power of the elements in List I.

10^(squareMatrix 1**)** \Rightarrow squareMatrix

Returns 10 raised to the power of squareMatrix I. This is not the same as calculating 10 raised to the power of each element. For information about the calculation method, refer to cos().

squareMatrix1 must be diagonalizable. The result always contains floating-point numbers

$$\begin{array}{ccc}
10^{1.5} & 31.6228 \\
10^{\left\{0, -2, 2, a\right\}} & \left\{1, \frac{1}{100}, 100, 10^{a}\right\}
\end{array}$$

^¹ (reciprocal)

ctri 🕮 kevs

 $Exprl \land ^{-1} \Rightarrow expression$

 $List1 \land^{-1} \Rightarrow list$

Returns the reciprocal of the argument.

For a list, returns the reciprocals of the elements in List1.

 $squareMatrix1 \land ^{-1} \Rightarrow squareMatrix$

Returns the inverse of *squareMatrix1*.

square Matrix 1 must be a non-singular square matrix.

$(3.1)^{-1}$	0.322581
$\{a,4,-0.1,x,-2\}^{-1}$	$\left\{\frac{1}{a}, \frac{1}{4}, -10, \frac{1}{x}, \frac{-1}{2}\right\}$

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}^{-1} \qquad \qquad \begin{bmatrix} -2 & 1 \\ \frac{3}{2} & \frac{-1}{2} \end{bmatrix}$$

$$\begin{bmatrix}
1 & 2 \\
a & 4
\end{bmatrix}^{-1} & \begin{bmatrix}
-2 & 1 \\
a-2 & a-2 \\
2 \cdot (a-2) & 2 \cdot (a-2)
\end{bmatrix}$$

| (constraint operator)

Expr | BooleanExpr1[and BooleanExpr2]...

Expr | BooleanExpr1[orBooleanExpr2]...

The constraint ("|") symbol serves as a binary operator. The operand to the left of | is an expression. The operand to the right of | specifies one or more relations that are intended to affect the simplification of the expression. Multiple relations after | must be joined by logical "and" or "or" operators.

The constraint operator provides three basic types of functionality:

- Substitutions
- · Interval constraints
- Exclusions

Substitutions are in the form of an equality, such as x=3 or y=sin(x). To be most effective, the left side should be a simple variable. $Expr \mid Variable = value$ will substitute value for every occurrence of Variable in Expr.

x+1 x=3	4
$x+y x=\sin(y)$	$\sin(y)+y$
$x+y \sin(y)=x$	x+y

$$\frac{x^3 - 2 \cdot x + 7 \rightarrow f(x)}{f(x)|x = \sqrt{3}} \qquad \qquad Done$$

$$\frac{f(x)|x = \sqrt{3}}{(\sin(x))^2 + 2 \cdot \sin(x) - 6|\sin(x) = d} \qquad d^2 + 2 \cdot d - 6$$

| (constraint operator)


Interval constraints take the form of one or more inequalities joined by logical "and" or "or" operators. Interval constraints also permit simplification that otherwise might be invalid or not computable.

$$\frac{\text{solve}(x^2 - 1 = 0, x)|x > 0 \text{ and } x < 2}{\sqrt{x} \cdot \sqrt{\frac{1}{x}}|x > 0}$$

$$\sqrt{x} \cdot \sqrt{\frac{1}{x}}$$

$$\sqrt{x} \cdot \sqrt{\frac{1}{x}}$$

$$\sqrt{x} \cdot \sqrt{\frac{1}{x}}$$



Exclusions use the "not equals" (/= or ≠) relational operator to exclude a specific value from consideration. They are used primarily to exclude an exact solution when using cSolve(), cZeros(), fMax(), fMin(), solve(), zeros(), and so on.

\rightarrow (store)		ctrl var key
$Expr \rightarrow Var$	$\frac{\pi}{4} \rightarrow myvar$	π
$List \rightarrow Var$	$\frac{4}{2 \cdot \cos(x) \to y I(x)}$	Done
$Matrix \rightarrow Var$	$\overline{\left\{1,2,3,4\right\} \to lst5}$	{1,2,3,4}
$Expr \rightarrow Function(Param1,)$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \rightarrow matg$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$
$List \rightarrow Function(Paraml,)$	"Hello" → str1	"Hello"

If the variable Var does not exist, creates it

 $Matrix \rightarrow Function(Param1,...)$

and initializes it to Expr, List, or Matrix. If the variable Var already exists and is not

If the variable Var already exists and is not locked or protected, replaces its contents with Expr, List, or Matrix.

→ (store) ctrl var key

Hint: If you plan to do symbolic computations using undefined variables, avoid storing anything into commonly used, one-letter variables such as a, b, c, x, y, z, and so on.

Note: You can insert this operator from the keyboard by typing =: as a shortcut. For example, type pi/4 =: myvar.

:= (assign)		ctrl [III] keys
Var := Expr	$myvar := \frac{\pi}{4}$	<u>π</u>
Var := List	$\frac{y_1(x):=2\cdot\cos(x)}{y_1(x):=2\cdot\cos(x)}$	Done
Var := Matrix	$lst5:=\{1,2,3,4\}$	{1,2,3,4}
Function(Param1,) := Expr	$matg:=\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$	$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix}$
Function(Param1,) := List	str1:="Hello"	"Hello"

Function(Param1,...) := Matrix

If variable Var does not exist, creates Var and initializes it to Expr, List, or Matrix.

If Var already exists and is not locked or protected, replaces its contents with Expr, List, or Matrix.

Hint: If you plan to do symbolic computations using undefined variables, avoid storing anything into commonly used, one-letter variables such as a, b, c, x, y, z, and so on.

© (comment)

ctrl 🕮 keys

© [*text*]

© processes *text* as a comment line, allowing you to annotate functions and programs that you create.

© can be at the beginning or anywhere in the line. Everything to the right of ©, to the end of the line. is the comment.

Note for entering the example: For instructions on entering multi-line program and function definitions, refer to the Calculator section of your product guidebook.

Define g(n)=Func

© Declare variables

Local i,result

result:=0

For i,1,n,1 ©Loop n times

result:=result+i²

EndFor

Return result

EndFunc

Done

14

g(3)

0b, 0h 0B keys, 0H keys

0b binaryNumber

0h hexadecimalNumber

Denotes a binary or hexadecimal number, respectively. To enter a binary or hex number, you must enter the 0b or 0h prefix regardless of the Base mode. Without a prefix, a number is treated as decimal (base 10).

Results are displayed according to the Base mode.

In Dec base mode:

0b10+0hF+10 27

In Bin base mode:

0b10+0hF+10 0b11011

In Hex base mode:

TI-Nspire[™] CX II - Draw Commands

This is a supplemental document for the TI-Nspire™ Reference Guide and the TI-Nspire™ CAS Reference Guide, All TI-Nspire™ CX II commands will be incorporated and published in version 5.1 of the TI-Nspire™ Reference Guide and the TI-Nspire™ CAS Reference Guide.

Graphics Programming

New commands have been added on TI-Nspire™ CX II Handhelds and TI-Nspire™ desktop applications for graphics programming.

The TI-Nspire™ CX II Handhelds will switch into this graphics mode while executing graphics commands and switch back to the context in which the program was executed after completion of the program.

The screen will display "Running..." in the top bar while the program is being executed. It will show "Finished" when the program completes. Any key-press will transition the system out of the graphics mode.

- The transition to graphics mode is triggered automatically when one of the Draw (graphics) commands is encountered during execution of the TI Basic program.
- This transition will only happen when executing a program from calculator; in a document or calculator in scratchpad.
- The transition out of graphics mode happens upon termination of the program.
- The graphics mode is only available on the TI-Nspire™ CX II Handhelds and the desktop TI-Nspire™ CX II Handhelds view. This means it is not available in the computer document view or PublishView (.tnsp) on the desktop nor on iOS.
 - If a graphics command is encountered while executing a TI Basic program from the incorrect context, an error message is displayed and the TI Basic program is terminated.

Graphics Screen

The graphics screen will contain a header at the top of the screen that cannot be written to by graphics commands.

The graphics screen drawing area will be cleared (color = 255,255,255) when the graphics screen is initialized.

Graphics Screen	Default
Height	212
Width	318
Color	white: 255,255,255

Default View and Settings

- The status icons in the top bar (battery status, press-to-test status, network indicator etc.) will not be visible while a graphics program is running.
- Default drawing color: Black (0.0.0)
- Default pen style normal, smooth
 - Thickness: 1 (thin), 2 (normal), 3 (thickest)
 - Style: 1 (smooth), 2 (dotted), 3 (dashed)
- All drawing commands will use the current color and pen settings; either default values or those which were set via TI-Basic commands.
- Text font is fixed and cannot be changed.
- Any output to the graphics screen will be drawn within a clipping window which is the size of the graphics screen drawing area. Any drawn output that extends outside of this clipped graphics screen drawing area will not be drawn. No error message will be displayed.
- All x,y coordinates specified for drawing commands are defined such that 0,0 is at the top left corner of the graphics screen drawing area.
 - Exceptions:
 - **DrawText** uses the coordinates as the bottom left corner of the bounding box for the text.
 - **SetWindow** uses the bottom left corner of the screen
- All parameters for the commands can be provided as expressions that evaluate to a number which is then rounded to the nearest integer.

Graphics Screen Errors Messages

If the validation fails, an error message will display.

Error Message	Description	View
Error Syntax	If the syntax checker finds any syntax errors, it displays an error message and tries to position the cursor near the first error so you can correct it.	Error 2:
Error Too few arguments	The function or command is missing one or more arguments	Error Too few arguments The function or command is missing one or more arguments. OK
Error Too many arguments	The function or command contains and excessive number of arguments and cannot be evaluated.	Too many arguments The function or command contains an excessive number of arguments and cannot be evaluated. OK
Error Invalid data type	An argument is of the wrong data type.	Error Invalid data type An argument is of the wrong data type. OK

Invalid Commands While in Graphics Mode

Some commands are not allowed once the program switches to graphics mode. If these commands are encountered while in graphics mode and error will be displayed and the program will be terminated.

Disallowed Command	Error Message
Request	Request cannot be executed in graphics mode
RequestStr	RequestStr cannot be executed in graphics mode
Text	Text cannot be executed in graphics mode

The commands that print text to the calculator - disp and dispAt - will be supported commands in the graphics context. The text from these commands will be sent to the Calculator screen (not on Graphics) and will be visible after the program exits and the system switches back to the Calculator app

Clear	Catalog > 🗐 CXII
Clear x, y, width, height	Clear
Clears entire screen if no parameters are specified.	Clears entire screen
If x , y , $width$ and $height$ are specified, the rectangle defined by the parameters will be cleared.	Clear 10,10,100,50
	Clears a rectangle area with top left corner on (10, 10) and with width 100, height 50

DrawArc

Catalog > 🔯

DrawArc x, y, width, height, startAngle, *arcAngle*

Draw an arc within the defined bounding rectangle with the provided start and arc angles.

x, y: upper left coordinate of bounding rectangle

width, height: dimensions of bounding rectangle


The "arc angle" defines the sweep of the

These parameters can be provided as expressions that evaluate to a number which is then rounded to the nearest integer.

DrawArc 20,20,100,100,0,90



DrawArc 50,50,100,100,0,180



See Also: FillArc

DrawCircle

Catalog > 🔯 CXII

DrawCircle x, y, radius

x, y: coordinate of center

radius: radius of the circle

DrawCircle 150,150,40



See Also: FillCircle

DrawLine

Catalog > 🔯


DrawLine x1, y1, x2, y2

Draw a line from x1, y1, x2, y2.

Expressions that evaluate to a number which is then rounded to the nearest integer.

Screen bounds: If the specified coordinates causes any part of the line to be drawn outside of the graphics screen, that part of the line will be clipped and no error message will be displayed.

DrawLine 10,10,150,200



DrawPoly



The commands have two variants:

DrawPolv xlist, vlist

or

DrawPoly *x1*, *y1*, *x2*, *y2*, *x3*, *y3*...*xn*, *yn*

Note: DrawPoly xlist, ylist

Shape will connect x1, y1 to x2, y2, x2, y2 to x3, y3 and so on.

Note: DrawPoly x1, y1, x2, y2, x3, y3...xn,

xn, yn will **NOT** be automatically connected

to *x1*, *y1*.

Expressions that evaluate to a list of real floats

xlist, ylist


Expressions that evaluate to a single real

x1, y1...xn, yn = coordinates for vertices of polygon

xlist:={0,200,150,0} ylist:={10,20,150,10} DrawPoly xlist, ylist



DrawPoly 0,10,200,20,150,150,0,10



Note: DrawPoly: Input size dimensions (width/height) relative to drawn lines. The lines are drawn in a bounding box around the specified coordinate and dimensions such that the actual size of the drawn polygon will be larger than the width and height.

See Also: FillPoly

DrawRect

Catalog > 🗐

DrawRect x, y, width, height

x, y: upper left coordinate of rectangle

width, height: width and height of rectangle (rectangle drawn down and right from starting coordinate).

Note: The lines are drawn in a bounding box around the specified coordinate and dimensions such that the actual size of the drawn rectangle will be larger than the width and height indicate.

See Also: FillRect

DrawRect 25,25,100,50



DrawText

Catalog > 🔯

DrawText x, y, exprOrString1 [,exprOrString2]...

x, y: coordinate of text output

Draws the text in exprOrString at the specified x, y coordinate location.

The rules for *exprOrString* are the same as for Disp - DrawText can take multiple arguments.

DrawText 50,50,"Hello World"



FillArc

Catalog > [3]

FillArc x, y, width, height startAngle, *arcAngle*

x, y: upper left coordinate of bounding rectangle

Draw and fill an arc within the defined bounding rectangle with the provided start and arc angles.

Default fill color is black. The fill color can be set by the SetColor command

The "arc angle" defines the sweep of the arc

FillArc 50,50,100,100,0,180



FillCircle

Catalog > 🔯 CXII


FillCircle x, y, radius

x, y: coordinate of center

Draw and fill a circle at the specified center with the specified radius.

Default fill color is black. The fill color can be set by the SetColor command.

FillCircle 150,150,40



Here!

FillPoly

Catalog > 🗐 CXII

FillPoly xlist, ylist or

FillPoly x1, y1, x2, y2, x3, y3...xn, yn


Note: The line and color are specified by SetColor and SetPen

xlist:={0,200,150,0} ylist:={10,20,150,10} FillPoly xlist, ylist





FillPoly 0,10,200,20,150,150,0,10



FillRect

Catalog > 23 **CXII**

FillRect x, y, width, height

x, y: upper left coordinate of rectangle width, height: width and height of rectangle

Draw and fill a rectangle with the top left corner at the coordinate specified by (x,y)

Default fill color is black. The fill color can be set by the SetColor command

Note: The line and color are specified by SetColor and SetPen



FillRect 25,25,100,50

getPlatform() Catalog > 📳 getPlatform() getPlatform() "dt" Returns:

[&]quot;dt" on desktop software applications

[&]quot;hh" on TI-Nspire™ CX handhelds

[&]quot;ios" on TI-Nspire™ CX iPad® app

PaintBuffer Catalog > 🗐

PaintBuffer

Paint graphics buffer to screen

This command is used in conjunction with UseBuffer to increase the speed of display on the screen when the program generates multiple graphical objects.

UseBuffer

For n,1,10

x:=randInt(0,300)

y:=randInt(0,200)

radius:=randInt(10,50)

Wait 0.5

DrawCircle x,y,radius

EndFor

PaintBuffer

This program will display all the 10 circles at once.

If the "UseBuffer" command is removed, each circle will be displayed as it is drawn.

See Also: UseBuffer

PlotXY x, y, shape

x, y: coordinate to plot shape

shape: a number between 1 and 13 specifying the shape

- 1 Filled circle
- 2 Empty circle
- 3 Filled square
- 4 Empty square
- 5 Cross
- 6 Plus
- 7 Thin
- 8 medium point, solid
- 9 medium point, empty
- 10 larger point, solid
- 11 larger point, empty
- 12 largest point, solid
- 13 largest point, empty

PlotXY 100,100,1




For n,1,13

DrawText 1+22*n,40,n

PlotXY 5+22*n,50,n

EndFor



SetColor

Catalog > 🔯

SetColor

Red-value, Green-value, Blue-value

Valid values for red, green and blue are between 0 and 255

Sets the color for subsequent Draw commands

SetColor 255,0,0

DrawCircle 150,150,100



SetPen



SetPen

thickness, style

thickness: 1 <= thickness <= 3 | 1 is thinnest. 3 is thickest

style: 1 = Smooth, 2 = Dotted, 3 = Dashed

Sets the pen style for subsequent Draw

commands

SetPen 3,3

DrawCircle 150,150,50



SetWindow



SetWindow

xMin, xMax, yMin, yMax

Establishes a logical window that maps to the graphics drawing area. All parameters are required.

If the part of drawn object is outside the window, the output will be clipped (not shown) and no error message is displayed. SetWindow 0,160,0,120

will set the output window to have 0,0 in the bottom left corner with a width of 160 and a height of 120

DrawLine 0,0,100,100

SetWindow 0,160,0,120

SetPen 3,3

DrawLine 0,0,100,100

SetWindow




If xmin is greater than or equal to xmax or ymin is greater than or equal to ymax, an error message is shown.

Any objects drawn before a SetWindow command will not be re-drawn in the new configuration.

To reset the window parameters to the default, use:

SetWindow 0,0,0,0



UseBuffer Catalog > 🔯

UseBuffer

Draw to an off screen graphics buffer instead of screen (to increase performance)

This command is used in conjunction with PaintBuffer to increase the speed of display on the screen when the program generates multiple graphical objects.

With UseBuffer, all the graphics are displayed only after the next PaintBuffer command is executed.

UseBuffer only needs to be called once in the program i.e. every use of PaintBuffer does not need a corresponding UseBuffer UseBuffer

For n,1,10

x:=randInt(0,300)

y:=randInt(0,200)

radius:=randInt(10,50)

Wait 0.5

DrawCircle x,y,radius

EndFor

PaintBuffer

This program will display all the 10 circles at

If the "UseBuffer" command is removed, each circle will be displayed as it is drawn.

See Also: PaintBuffer

Empty (Void) Elements

When analyzing real-world data, you might not always have a complete data set. TI-Nspire™ CAS Software allows empty, or void, data elements so you can proceed with the nearly complete data rather than having to start over or discard the incomplete cases.

You can find an example of data involving empty elements in the Lists & Spreadsheet chapter, under "Graphing spreadsheet data."

The delVoid() function lets you remove empty elements from a list. The isVoid() function lets you test for an empty element. For details, see delVoid(), page 49, and isVoid(), page 94.

Note: To enter an empty element manually in a math expression, type "" or the keyword void. The keyword void is automatically converted to a "_" symbol when

Calculations involving void elements

The majority of calculations involving a void input will produce a void result. See special cases below.

	_
gcd(100,_)	_
3+_	_
{5,_,10}-{3,6,9}	{2,_,1}

List arguments containing void elements

The following functions and commands ignore (skip) void elements found in list arguments.

count, countlf, cumulativeSum. freqTable ▶list, frequency, max, mean, median, product, stDevPop, stDevSamp, sum, sumif, varPop, and varSamp, as well as regression calculations, OneVar, TwoVar, and FiveNumSummary statistics, confidence intervals, and stat tests

sum({2,_,3,5,6.6})	16.6
median({1,2,_,_,3})	2
cumulativeSum($\{1,2,4,5\}$)	{1,3,_,7,12}
$ \begin{array}{c} \text{cumulativeSum} \begin{bmatrix} 1 & 2 \\ 3 & - \\ 5 & 6 \end{bmatrix} \end{array} $	$\begin{bmatrix} 1 & 2 \\ 4 & - \\ 9 & 8 \end{bmatrix}$

SortA and SortD move all void elements within the first argument to the bottom.

{5,4,3,_,1} → list1	{5,4,3,_,1}
$\{5,4,3,2,1\} \rightarrow list2$	{5,4,3,2,1}
SortA list1,list2	Done
list1	{1,3,4,5,_}
list2	{1,3,4,5,2}

List arguments containing void elements

$\{1,2,3,_,5\} \rightarrow list1$	{1,2,3,_,5}
$\{1,2,3,4,5\} \rightarrow list2$	{1,2,3,4,5}
SortD list1,list2	Done
list1	{5,3,2,1,_}
list2	{5,3,2,1,4}

In regressions, a void in an X or Y list introduces a void for the corresponding element of the residual.

<i>l1</i> :={1,2,3,4,5}: <i>l2</i> :={2,_,3,5,6.6}	}
	{2,_,3,5,6.6}
LinRegMx 11,12	Done
stat.Resid	
{0.434286,_,-0.862857,	-0.011429,0.44}
stat.XReg	{1.,_,3.,4.,5.}
stat.YReg	{2.,_,3.,5.,6.6}
stat.FreqReg	{1.,_,1.,1.,1.}

An omitted category in regressions introduces a void for the corresponding element of the residual.

A frequency of 0 in regressions introduces a void for the corresponding element of the residual.

11:={1,3,4,5}: 12:={2,3,5,6.6}	{2,3,5,6.6}
LinRegMx 11,12,{1,0,1,1}	Done
stat.Resid { 0.069231,_,-0.27	6923,0.207692
stat.XReg	{1.,_,4.,5.}
stat.YReg	{2.,_,5.,6.6}
stat.FreqReg	{1.,_,1.,1.}

Shortcuts for Entering Math Expressions

Shortcuts let you enter elements of math expressions by typing instead of using the Catalog or Symbol Palette. For example, to enter the expression $\sqrt{6}$, you can type sqrt (6) on the entry line. When you press [enter], the expression sqrt(6) is changed to $\sqrt{6}$. Some shortcuts are useful from both the handheld and the computer keyboard. Others are useful primarily from the computer keyboard.

From the Handheld or Computer Keyboard

To enter this:	Type this shortcut:
π	pi
θ	theta
∞	infinity
<u>≤</u> ≥	<=
2	>=
<i>≠</i>	/=
⇒ (logical implication)	=>
⇔ (logical double implication, XNOR)	<=>
→ (store operator)	=:
(absolute value)	abs ()
√()	sqrt()
<i>d</i> ()	derivative()
J()	integral()
Σ () (Sum template)	sumSeq()
Π () (Product template)	prodSeq()
sin ⁻¹ (), cos ⁻¹ (),	arcsin(), arccos(),
Δ List()	deltaList()
∆tmpCnv()	deltaTmpCnv()

From the Computer Keyboard

To enter this:	Type this shortcut:
c1, c2, (constants)	@c1, @c2,

To enter this:	Type this shortcut:
n1, n2, (integer constants)	@n1, @n2,
<i>i</i> (imaginary constant)	@i
e (natural log base e)	@ e
E (scientific notation)	@E
T (transpose)	@t
^r (radians)	@r
° (degrees)	@d
g (gradians)	@g
∠ (angle)	@<
► (conversion)	@>
► Decimal, ► approxFraction(), and so on.	<pre>@>Decimal, @>approxFraction(), and so on.</pre>

EOS™ (Equation Operating System) Hierarchy

This section describes the Equation Operating System (EOS™) that is used by the TI-Nspire™ CAS math and science learning technology. Numbers, variables, and functions are entered in a simple, straightforward sequence. EOS™ software evaluates expressions and equations using parenthetical grouping and according to the priorities described below.

Order of Evaluation

Level	Operator
	<u> </u>
1	Parentheses (), brackets [], braces { }
2	Indirection (#)
3	Function calls
4	Post operators: degrees-minutes-seconds (°,',"), factorial (!), percentage (%), radian (r), subscript ([]), transpose (T)
5	Exponentiation, power operator (^)
6	Negation (¯)
7	String concatenation (&)
8	Multiplication (•), division (/)
9	Addition (+), subtraction (-)
10	Equality relations: equal (=), not equal (\neq or /=), less than (<), less than or equal (\leq or <=), greater than (>), greater than or equal (\geq or >=)
11	Logical not
12	Logical and
13	Logical or
14	xor, nor, nand
15	Logical implication (⇒)
16	Logical double implication, XNOR (⇔)
17	Constraint operator (" ")
18	Store (\rightarrow)

Parentheses, Brackets, and Braces

All calculations inside a pair of parentheses, brackets, or braces are evaluated first. For example, in the expression 4(1+2), EOS™ software first evaluates the portion of the expression inside the parentheses, 1+2, and then multiplies the result, 3, by 4.

The number of opening and closing parentheses, brackets, and braces must be the same within an expression or equation. If not, an error message is displayed that indicates the missing element. For example, (1+2)/(3+4 will display the error message "Missing)."

Note: Because the TI-Nspire™ CAS software allows you to define your own functions, a variable name followed by an expression in parentheses is considered a "function call" instead of implied multiplication. For example a(b+c) is the function a evaluated by b+c. To multiply the expression b+c by the variable a, use explicit multiplication: a• (b+c).

Indirection

The indirection operator (#) converts a string to a variable or function name. For example, #("x"&"y"&"z") creates the variable name xyz. Indirection also allows the creation and modification of variables from inside a program. For example, if 10→r and "r" \rightarrow s1. then #s1=10.

Post Operators

Post operators are operators that come directly after an argument, such as 5!, 25%, or 60°15' 45". Arguments followed by a post operator are evaluated at the fourth priority level. For example, in the expression 4³!, 3! is evaluated first. The result, 6, then becomes the exponent of 4 to yield 4096.

Exponentiation

Exponentiation (^) and element-by-element exponentiation (.^) are evaluated from right to left. For example, the expression 2^3^2 is evaluated the same as 2^3^2 to produce 512. This is different from (2^3)^2, which is 64.

Negation

To enter a negative number, press (-) followed by the number. Post operations and exponentiation are performed before negation. For example, the result of $-x^2$ is a negative number, and $-9^2 = -81$. Use parentheses to square a negative number such as $(-9)^2$ to produce 81.

Constraint ("|")

The argument following the constraint ("|") operator provides a set of constraints that affect the evaluation of the argument preceding the operator.

TI-Nspire CX II - TI-Basic Programming Features

Auto-indentation in Programming Editor

The TI-Nspire™ program editor now auto-indents statements inside a block command.

Block commands are If/EndIf, For/EndFor, While/EndWhile, Loop/EndLoop, Try/EndTry

The editor will automatically prepend spaces to program commands inside a block command. The closing command of the block will be aligned with the opening command.

The example below shows auto-indentation in nested block commands.



Code fragments that are copied and pasted will retain the original indentation.

Opening a program created in an earlier version of the software will retain the original indentation.

Improved Error Messages for TI-Basic

Errors


Error Condition	New message
Error in condition statement (If/While)	A conditional statement did not resolve to TRUE or FALSE NOTE : With the change to place the cursor on the line with the error, we no longer need to specify if the error is in an "If" statement or a "While" statement.
Missing EndIf	Expected EndIf but found a different end statement
Missing EndFor	Expected EndFor but found a different end statement
Missing EndWhile	Expected EndWhile but found a different end statement
Missing EndLoop	Expected EndLoop but found a different end statement

Error Condition	New message
Missing EndTry	Expected EndTry but found a different end statement
"Then" omitted after If <condition></condition>	Missing IfThen
"Then" omitted after ElseIf <condition></condition>	Then missing in block: Elself.
When "Then", "Else" and "Elself" were encountered outside of control blocks	Else invalid outside of blocks: IfThenEndIf or TryEndTry
"Elself" appears outside of "IfThenEndIf" block	Elself invalid outside of block: IfThenEndIf
"Then" appears outside of "IfEndIf" block	Then invalid outside of block: IfEndIf

Syntax Errors

In case commands that expect one or more arguments are called with an incomplete list of arguments, a "Too few argument error" will be issued instead of "syntax" error





Note: When an incomplete list of arguments is not followed by a comma, the error message is: "too few arguments". This is the same as previous releases.



Constants and Values

The following table lists the constants and their values that are available when performing unit conversions. They can be typed in manually or selected from the Constants list in Utilities > Unit Conversions (Handheld: Press a).

Constant	Name	Value
_c	Speed of light	299792458 _m/_s
_Cc	Coulomb constant	8987551787.3682 _m/_F
_Fc	Faraday constant	96485.33289 _coul/_mol
_g	Acceleration of gravity	9.80665 _m/_s ²
_Gc	Gravitational constant	6.67408 E -11 _m ³ /_kg/_s ²
_h	Planck's constant	6.626070040 E -34_J_s
_k	Boltzmann's constant	1.38064852 E -23_J/_°K
_μ0	Permeability of a vacuum	1.2566370614359E-6_N/_A ²
_µb	Bohr magneton	9.274009994E-24 _J _m ² /_Wb
_Me	Electron rest mass	9.10938356E-31_kg
_Μμ	Muon mass	1.883531594E-28_kg
_Mn	Neutron rest mass	1.674927471E-27_kg
_Mp	Proton rest mass	1.672621898E-27_kg
_Na	Avogadro's number	6.022140857E23 /_mol
_q	Electron charge	1.6021766208E-19 _coul
_Rb	Bohr radius	5.2917721067 E -11_m
_Rc	Molar gas constant	8.3144598 _J/_mol/_°K
_Rdb	Rydberg constant	10973731.568508/_m
_Re	Electron radius	2.8179403227 E -15 _m
_u	Atomic mass	1.660539040 E -27_kg
_Vm	Molar volume	2.2413962 E -2 _m ³ /_mol
_£0	Permittivity of a vacuum	8.8541878176204E-12_F/_m
_σ	Stefan-Boltzmann constant	5.670367 E -8_W/_m ² /_°K ⁴
_φ0	Magnetic flux quantum	2.067833831E-15_Wb

Error Codes and Messages

When an error occurs, its code is assigned to variable *errCode*. User-defined programs and functions can examine errCode to determine the cause of an error. For an example of using errCode, See Example 2 under the Try command, page 191.

Note: Some error conditions apply only to TI-Nspire™ CAS products, and some apply only to TI-Nspire[™] products.

Error code	Description
10	A function did not return a value
20	A test did not resolve to TRUE or FALSE.
	Generally, undefined variables cannot be compared. For example, the test If a <b a="" b="" cause="" either="" error="" executed.<="" if="" is="" or="" statement="" td="" the="" this="" undefined="" when="" will="">
30	Argument cannot be a folder name.
40	Argument error
50	Argument mismatch
	Two or more arguments must be of the same type.
60	Argument must be a Boolean expression or integer
70	Argument must be a decimal number
90	Argument must be a list
100	Argument must be a matrix
130	Argument must be a string
140	Argument must be a variable name.
	Make sure that the name:
	does not begin with a digit
	does not contain spaces or special characters
	does not use underscore or period in invalid manner
	does not exceed the length limitations
	See the Calculator section in the documentation for more details.
160	Argument must be an expression
165	Batteries too low for sending or receiving
	Install new batteries before sending or receiving.
170	Bound
	The lower bound must be less than the upper bound to define the search interval.

Error code	Description
180	Break
	The esc or ផ្ដាំ on key was pressed during a long calculation or during program execution.
190	Circular definition
	This message is displayed to avoid running out of memory during infinite replacement of variable values during simplification. For example, a+1->a, where a is an undefined variable, will cause this error.
200	Constraint expression invalid
	For example, solve($3x^2-4=0,x$) $x<0$ or $x>5$ would produce this error message because the constraint is separated by "or" instead of "and."
210	Invalid Data type
	An argument is of the wrong data type.
220	Dependent limit
230	Dimension
	A list or matrix index is not valid. For example, if the list {1,2,3,4} is stored in L1, then L1[5] is a dimension error because L1 only contains four elements.
235	Dimension Error. Not enough elements in the lists.
240	Dimension mismatch
	Two or more arguments must be of the same dimension. For example, [1,2]+[1,2,3] is a dimension mismatch because the matrices contain a different number of elements.
250	Divide by zero
260	Domain error
	An argument must be in a specified domain. For example, rand(0) is not valid.
270	Duplicate variable name
280	Else and Elself invalid outside of IfEndIf block
290	EndTry is missing the matching Else statement
295	Excessive iteration
300	Expected 2 or 3-element list or matrix
310	The first argument of nSolve must be an equation in a single variable. It cannot contain a non-valued variable other than the variable of interest.
320	First argument of solve or cSolve must be an equation or inequality
	For example, solve(3x^2-4,x) is invalid because the first argument is not an equation.

Error code	Description
345	Inconsistent units
350	Index out of range
360	Indirection string is not a valid variable name
380	Undefined Ans
	Either the previous calculation did not create Ans, or no previous calculation was entered.
390	Invalid assignment
400	Invalid assignment value
410	Invalid command
430	Invalid for the current mode settings
435	Invalid guess
440	Invalid implied multiply
	For example, $x(x+1)$ is invalid; whereas, $x^*(x+1)$ is the correct syntax. This is to avoid confusion between implied multiplication and function calls.
450	Invalid in a function or current expression
	Only certain commands are valid in a user-defined function.
490	Invalid in TryEndTry block
510	Invalid list or matrix
550	Invalid outside function or program
	A number of commands are not valid outside a function or program. For example, Local cannot be used unless it is in a function or program.
560	Invalid outside LoopEndLoop, ForEndFor, or WhileEndWhile blocks
	For example, the Exit command is valid only inside these loop blocks.
565	Invalid outside program
570	Invalid pathname
	For example, \var is invalid.
575	Invalid polar complex
580	Invalid program reference
	Programs cannot be referenced within functions or expressions such as $1+p(x)$ where p is a program.

Error code	Description
600	Invalid table
605	Invalid use of units
610	Invalid variable name in a Local statement
620	Invalid variable or function name
630	Invalid variable reference
640	Invalid vector syntax
650	Link transmission
	A transmission between two units was not completed. Verify that the connecting cable is connected firmly to both ends.
665	Matrix not diagonalizable
670	Low Memory
	1. Delete some data in this document
	2. Save and close this document
	If 1 and 2 fail, pull out and re-insert batteries
672	Resource exhaustion
673	Resource exhaustion
680	Missing (
690	Missing)
700	Missing "
710	Missing]
720	Missing }
730	Missing start or end of block syntax
740	Missing Then in the IfEndIf block
750	Name is not a function or program
765	No functions selected
780	No solution found
800	Non-real result
	For example, if the software is in the Real setting, $\sqrt{(-1)}$ is invalid.

Error code	Description
	To allow complex results, change the "Real or Complex" Mode Setting to RECTANGULAR or POLAR.
830	Overflow
850	Program not found
	A program reference inside another program could not be found in the provided path during execution.
855	Rand type functions not allowed in graphing
860	Recursion too deep
870	Reserved name or system variable
900	Argument error
	Median-median model could not be applied to data set.
910	Syntax error
920	Text not found
930	Too few arguments
	The function or command is missing one or more arguments.
940	Too many arguments
	The expression or equation contains an excessive number of arguments and cannot be evaluated.
950	Too many subscripts
955	Too many undefined variables
960	Variable is not defined
	No value is assigned to variable. Use one of the following commands:
	• sto →
	:=Define
	to assign values to variables.
965	Unlicensed OS
970	Variable in use so references or changes are not allowed
980	Variable is protected
990	Invalid variable name
	Make sure that the name does not exceed the length limitations
	. 0

Error code	Description
1000	Window variables do main
1010	Zoom
1020	Internal error
1030	Protected memory violation
1040	Unsupported function. This function requires Computer Algebra System. Try TI-Nspire™ CAS.
1045	Unsupported operator. This operator requires Computer Algebra System. Try TI-Nspire™ CAS.
1050	Unsupported feature. This operator requires Computer Algebra System. Try TI-Nspire™ CAS.
1060	Input argument must be numeric. Only inputs containing numeric values are allowed.
1070	Trig function argument too big for accurate reduction
1080	Unsupported use of Ans. This application does not support Ans.
1090	Function is not defined. Use one of the following commands: • Define • :=
	• sto →
	to define a function.
1100	Non-real calculation
	For example, if the software is in the Real setting, $\sqrt{(-1)}$ is invalid.
	To allow complex results, change the "Real or Complex" Mode Setting to RECTANGULAR or POLAR.
1110	Invalid bounds
1120	No sign change
1130	Argument cannot be a list or matrix
1140	Argument error
	The first argument must be a polynomial expression in the second argument. If the second argument is omitted, the software attempts to select a default.
1150	Argument error
	The first two arguments must be polynomial expressions in the third argument. If the third argument is omitted, the software attempts to select a default.
1160	Invalid library pathname

Error code	Description
	A pathname must be in the form xxx\yyy, where: The xxx part can have 1 to 16 characters. The yyy part can have 1 to 15 characters. See the Library section in the documentation for more details.
1170	 Invalid use of library pathname A value cannot be assigned to a pathname using Define, :=, or sto →. A pathname cannot be declared as a Local variable or be used as a parameter in a function or program definition.
1180	Invalid library variable name. Make sure that the name: Does not contain a period Does not begin with an underscore Does not exceed 15 characters See the Library section in the documentation for more details.
1190	Library document not found: Verify library is in the MyLib folder. Refresh Libraries. See the Library section in the documentation for more details.
1200	Library variable not found: Verify library variable exists in the first problem in the library. Make sure library variable has been defined as LibPub or LibPriv. Refresh Libraries. See the Library section in the documentation for more details.
1210	Invalid library shortcut name. Make sure that the name: Does not contain a period Does not begin with an underscore Does not exceed 16 characters Is not a reserved name See the Library section in the documentation for more details.
1220	Domain error: The tangentLine and normalLine functions support real-valued functions only.
1230	Domain error.

Error code	Description
	Trigonometric conversion operators are not supported in Degree or Gradian angle modes.
1250	Argument Error
	Use a system of linear equations.
	Example of a system of two linear equations with variables x and y:
	3x+7y=5
	2y-5x=-1
1260	Argument Error:
	The first argument of nfMin or nfMax must be an expression in a single variable. It cannot contain a non-valued variable other than the variable of interest.
1270	Argument Error
	Order of the derivative must be equal to 1 or 2.
1280	Argument Error
	Use a polynomial in expanded form in one variable.
1290	Argument Error
	Use a polynomial in one variable.
1300	Argument Error
	The coefficients of the polynomial must evaluate to numeric values.
1310	Argument error:
	A function could not be evaluated for one or more of its arguments.
1380	Argument error:
	Nested calls to domain() function are not allowed.

Warning Codes and Messages

You can use the warnCodes() function to store the codes of warnings generated by evaluating an expression. This table lists each numeric warning code and its associated message. For an example of storing warning codes, see warnCodes(), page 200.

Warning code	Message
10000	Operation might introduce false solutions.
10001	Differentiating an equation may produce a false equation.
10002	Questionable solution
10003	Questio nable accuracy
10004	Operation might lose solutions.
10005	cSolve might specify more zeros.
10006	Solve may specify more zeros.
10007	More solutions may exist. Try specifying appropriate lower and upper bounds and/or a guess.
	Examples using solve(): solve(Equation, Var=Guess) lowBound <var<upbound solve(equation,="" var="Guess)</td" var) lowbound<var<upbound=""></var<upbound>
10008	Domain of the result might be smaller than the domain of the input.
10009	Domain of the result might be larger than the domain of the input.
10012	Non-real calculation
10013	∞ ^0 or undef^0 replaced by 1
10014	undef^0 replaced by 1
10015	1^∞ or 1^undef replaced by 1
10016	1^undef replaced by 1
10017	Overflow replaced by ∞ or $-\infty$
10018	Operation requires and returns 64 bit value.
10019	Resource exhaustion, simplification might be incomplete.
10020	Trig function argument too big for accurate reduction.
10021	Input contains an undefined parameter.
	Result might not be valid for all possible parameter values.

Warning code	Message
10022	Specifying appropriate lower and upper bounds might produce a solution.
10023	Scalar has been multiplied by the identity matrix.
10024	Result obtained using approximate arithmetic.
10025	Equivalence cannot be verified in EXACT mode.
10026	Constraint might be ignored. Specify constraint in the form "\" 'Variable MathTestSymbol Constant' or a conjunct of these forms, for example 'x<3 and x>-12'

General Information

Online Help

education.ti.com/eguide

Select your country for more product information.

Contact TI Support

education.ti.com/ti-cares

Select your country for technical and other support resources.

Service and Warranty Information

education.ti.com/warranty

Select your country for information about the length and terms of the warranty or about product service.

Limited Warranty. This warranty does not affect your statutory rights.

Index		^, power	213
_		-	
- let-ret		_, unit designation	230
-, subtract	210	1	
!		, constraint operator	232
!, factorial	220	,,	232
п		,	
" cocond notation	220	'minute notation	228
", second notation	228	', prime	230
#		+	
#, indirection	226	+, add	210
#, indirection operator	256	=	
%			
%, percent	216	≠, not equal ≤, less than or equal	217 218
•	210	≥, greater than or equal	219
&		>, greater than	218
&, append	220	=, equal	216
*		Π	
*, multiply	211	∏, product	223
		Σ	
, dot subtraction	214	Σ(), sum	224
.*, dot multiplication	215	∑Int()	225
./, dot division	215	ΣPrn()	225
.^, dot power			
	215	V	
.+, dot addition	215 214	-	•••
		v , square root	223
	214	-	223
.+, dot addition		v, square root	223
.+, dot addition/	214	V, square root∠ ∠ ∠ (angle)	
.+, dot addition	214	v, square root∠ ∠ ∠ (angle)	229
.+, dot addition // /, divide ::	214	V, square root∠ ∠ ∠ (angle)	

1

, convert units	231	10^(), power of ten	231
▶approxFraction()	13		
▶Base10, display as decimal integer	18	2	
▶Base16, display as hexadecimal	19	2-sample F Test	75
▶Base2, display as binary	17	2 sample rest	75
cos, display in terms of cosine	29	Α	
►Cylind, display as cylindrical vector	42		
DD, display as decimal angle	45	abs(), absolute value	8
Decimal, display result as decimal	45	absolute value	
►DMS, display as		template for	3-4
degree/minute/second	54	add, +	210
▶exp, display in terms of e	63	amortization table, amortTbl()	8, 17
Grad, convert to gradian angle	86	amortTbl(), amortization table	8, 17
▶Polar, display as polar vector	133	and, Boolean operator	9
Rad, convert to radian angle	143	angle(), angle	10
Rect, display as rectangular vector	146	angle, angle()	10
sin, display in terms of sine	166	ANOVA, one-way variance analysis	10
Sphere, display as spherical vector .	175	ANOVA2way, two-way variance	11
		analysis	11
⇒		Ans, last answer	13
⇒, logical implication219,	253	answer (last), Ans	13
,	233	append, &	220
\rightarrow		approx(), approximate	13-14
		approximate, approx()	13-14
→, store variable	233	approxRational()	14
⇔		arc length, arcLen()	15
•		arccos(), cos ⁻¹ ()	14
⇔, logical double implication220,	253	arccosh(), cosh ⁻¹ ()	14
		arccot(), cot ⁻¹ ()	14
©		arccoth(), coth ⁻¹ ()	14
©, comment	235	arccsc(), csc ⁻¹ ()	14
o, comment	233	arccsch(), csch ⁻¹ ()	14
0		arcLen(), arc length	15
		arcsec(), sec ⁻¹ ()	15
°, degree notation	228	arcsech(), csech ⁻¹ ()	15
°, degrees/minutes/seconds	228	arcsin(), sin ⁻¹ ()	15
0		arcsinh(), sinh ⁻¹ ()	15
U		arctan(), tan ⁻¹ ()	15
Ob, binary indicator	235	arctanh(), tanh ⁻¹ ()	15
Oh, hexadecimal indicator	235	arguments in TVM functions	195
		augment(), augment/concatenate	15
		augment/concatenate, augment() .	15

average rate of change, avgRC()	16	comment, ©	235
avgRC(), average rate of change	16	common denominator, comDenom	
D.		()	26
В		completeSquare(), complete square	27
binary		complex	20
display, ►Base2	17	conjugate, conj()	28
indicator, 0b	235	factor, cFactor()	21
binomCdf()	20, 92	solve, cSolve()	38
binomPdf()	20	zeros, cZeros()	43
Boolean operators		conj(), complex conjugate	28
⇒2	19, 253	constant	
⇔	220	in solve()	171
and	9	constants in cSolve()	20
nand	119	**	39
nor	123	in cZeros()	44
not	125	in deSolve()	49
or	129	in solve()	173
xor	201	in zeros()	203
	201	shortcuts for	253
C		constraint operator " "	232
- 15(1)		constraint operator, order of	255
Cdf()	68	evaluationconstructMat() .	255
ceiling(), ceiling	20	constructMat(), construct matrix	28
ceiling, ceiling()20		convert	28
centralDiff()	21	►Grad	86
cFactor(), complex factor	21	▶Rad	143
char(), character string	22	units	231
character string, char()	22	copy variable or function, CopyVar	_
characters		correlation matrix, corrMat()	29
numeric code, ord()	130	corrMat(), correlation matrix	29
string, char()	22	***	29
charPoly()	23	cos ⁻¹ , arccosine	31
χ ² 2way	23	cos(), cosine	30
clear		cosh ⁻¹ (), hyperbolic arccosine	32
error, ClrErr	25	cosh(), hyperbolic cosine	32
Clear	239	cosine display expression in terms of	20
ClearAZ	25		29
ClrErr, clear error	25	cosine, cos()	30
colAugment	26	cot ⁻¹ (), arccotangent	33
colDim(), matrix column dimension	26	cot(), cotangent	33
colNorm(), matrix column norm	26	cotangent, cot()	33
combinations, nCr()	120	coth ⁻¹ (), hyperbolic arccotangent.	34
comDenom(), common		coth(), hyperbolic cotangent	34
denominator	26	count days between dates, dbd()	44

count items in a list conditionally,		delete	
countif()	35	void elements from list	49
count items in a list, count()	34	deleting	
count(), count items in a list	34	variable, DelVar	48
countif(), conditionally count items		deltaList()	48
in a list	35	deltaTmpCnv()	48
cPolyRoots()	36	DelVar, delete variable	48
cross product, crossP()	36	delVoid(), remove void elements	49
crossP(), cross product	36	denominator	26
csc ⁻¹ (), inverse cosecant	37	derivative or nth derivative	
csc(), cosecant	36	template for	6
csch ⁻¹ (), inverse hyperbolic cosecant	37	derivative()	49
csch(), hyperbolic cosecant	37	derivatives	
cSolve(), complex solve	38	first derivative, d()	221
cubic regression, CubicReg	40	numeric derivative, n $Deriv() \dots 1$	21-122
CubicReg, cubic regression	40	numeric derivative, nDerivative(
cumulative sum, cumulativeSum() .	41)	121
cumulativeSum(), cumulative sum	41	deSolve(), solution	49
cycle, Cycle	42	det(), matrix determinant	51
Cycle, cycle	42	diag(), matrix diagonal	51
cylindrical vector display, ►Cylind	42	dim(), dimension	52
cZeros(), complex zeros	43	dimension, dim()	52
	_	Disp, display data	52. 158
			,
D		DispAt	52
-	224	DispAt display as	52
d(), first derivative	221	DispAt display as binary, ►Base2	52 17
d(), first derivative	44	DispAt display as binary, ►Base2 cylindrical vector, ►Cylind	52 17 42
d(), first derivative		DispAt display as binary, ►Base2 cylindrical vector, ►Cylind decimal angle, ►DD	52 17 42 45
d(), first derivative	44 44	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10	52 17 42
d(), first derivative	44 44 45	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS	52 17 42 45
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10	44 44 45 18	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16	52 17 42 45 18
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, DD integer display, Base10 Define	44 44 45 18 46	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16 polar vector, ▶Polar	52 17 42 45 18 54
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, DD integer display, Base10 Define Define LibPriv	44 44 45 18 46 47	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16 polar vector, ▶Polar rectangular vector, ▶Rect	52 17 42 45 18 54 19
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, DD integer display, Base10 Define Define LibPriv Define LibPub	44 44 45 18 46 47 47	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16 polar vector, ▶Polar rectangular vector, ▶Rect spherical vector, ▶Sphere	52 17 42 45 18 54 19 133
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define Define LibPriv Define LibPub define, Define	44 44 45 18 46 47 47 46	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16 polar vector, ▶Polar rectangular vector, ▶Rect spherical vector, ▶Sphere display data, Disp	52 17 42 45 18 54 19 133 146
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define	44 44 45 18 46 47 47	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16 polar vector, ▶Polar rectangular vector, ▶Rect spherical vector, ▶Sphere display data, Disp distribution functions	52 17 42 45 18 54 19 133 146 175 52, 158
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining	44 44 45 18 46 47 47 46 46	DispAt display as binary, ▶Base2 cylindrical vector, ▶Cylind decimal angle, ▶DD decimal integer, ▶Base10 degree/minute/second, ▶DMS hexadecimal, ▶Base16 polar vector, ▶Polar rectangular vector, ▶Rect spherical vector, ▶Sphere display data, Disp distribution functions binomCdf()	52 17 42 45 18 54 19 133 146 175
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program	44 44 45 18 46 47 47 46 46	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf()	52 17 42 45 18 54 19 133 146 175 52, 158
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program public function or program	44 44 45 18 46 47 47 46 46	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf() invNorm()	52 17 42 45 18 54 19 133 146 175 52, 158
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program public function or program definite integral	44 44 45 18 46 47 46 46 47	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf() invNorm() invt()	52 17 42 45 18 54 19 133 146 175 52, 158 20, 92 20 92 92
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program public function or program definite integral template for	44 44 45 18 46 47 47 46 46 47 47	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf() invNorm() invt() lnvx²()	52 17 42 45 18 54 19 133 146 175 52, 158 20, 92 20 92
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program public function or program definite integral template for degree notation, °	44 44 45 18 46 47 46 46 47	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf() invNorm() invt() Invx²() normCdf()	52 17 42 45 18 54 19 133 146 175 52, 158 20, 92 20 92 92
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program public function or program definite integral template for degree notation, ° degree/minute/second display,	44 44 45 18 46 47 47 46 46 47 47	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf() invNorm() invt() Invx²() normCdf() normPdf()	52 17 42 45 18 54 19 133 146 175 52, 158 20, 92 20 92 92 91
d(), first derivative days between dates, dbd() dbd(), days between dates decimal angle display, *DD integer display, *Base10 Define Define LibPriv Define LibPub define, Define Define, define defining private function or program public function or program definite integral template for degree notation, °	44 44 45 18 46 47 47 46 46 47 47 6 228	DispAt display as binary, *Base2 cylindrical vector, *Cylind decimal angle, *DD decimal integer, *Base10 degree/minute/second, *DMS hexadecimal, *Base16 polar vector, *Polar rectangular vector, *Rect spherical vector, *Sphere display data, Disp distribution functions binomCdf() binomPdf() invNorm() invt() Invx²() normCdf()	52 17 42 45 18 54 19 133 146 175 52, 158 20, 92 20 92 92 91 125

poissPdf()	132	if, EndIf	86
tCdf()	185	loop, EndLoop	110
tPdf()	190	program, EndPrgm	137
χ ² 2way()	23	try, EndTry	191
χ ² Cdf()	24	while, EndWhile	201
χ²GOF()	24	end function, EndFunc	75
χ²Pdf()	24	end if, EndIf	86
divide, /	212	end loop, EndLoop	110
domain function, domain()	55	end while, EndWhile	201
domain(), domain function	55	EndTry, end try	191
dominant term, dominantTerm()	55	EndWhile, end while	201
dominantTerm(), dominant term	55	EOS (Equation Operating System)	255
dot	33	equal, =	233
addition, .+	214	Equation Operating System (EOS)	_
division, ./	215	error codes and messages26	255
multiplication, .*	215	errors and troubleshooting	1, 269
power, .^	215	clear error, ClrErr	25
product, dotP()	213 57	pass error, PassErr	131
subtraction,	_	euler(), Euler function	
dotP(), dot product	214	evaluate polynomial, polyEval()	60 125
	57	evaluation, order of	135
draw2	40-242		255
E		exact (), exact	62
E		exact, exact()	62
e exponent		exact, exact()exclusion with " " operator	62 232
e exponent template for	2	exact, exact()exclusion with " " operatorexit, Exit	62 232 63
e exponent template for e to a power, e^()	2 57, 63	exact, exact() exclusion with " " operator exit, Exit Exit, exit	62 232 63 63
e exponent template for e to a power, e^() e, display expression in terms of		exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power	62 232 63 63 63
e exponent template for e to a power, e^() e, display expression in terms of E, exponent	57, 63	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list	62 232 63 63 63 64
e exponent template for e to a power, e^() e, display expression in terms of	57, 63 63	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand	62 232 63 63 63 64 64
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective	57, 63 63 227 57	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand()	62 232 63 63 63 64 64 64
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate	57, 63 63 227 57	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E	62 232 63 63 63 64 64 64 227
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff()	57, 63 63 227 57 58 58	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg	62 232 63 63 63 64 64 64
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigvl()	57, 63 63 227 57	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents	62 232 63 63 64 64 64 227 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVl()	57, 63 63 227 57 58 58	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), eto a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for	62 232 63 63 64 64 64 227 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVI() eigenvector, eigVc()	57, 63 63 227 57 58 58 59	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression	62 232 63 63 64 64 64 227 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVI() eigenvector, eigVc() eigVc(), eigenvector eigVI(), eigenvalue	57, 63 63 227 57 58 58 59 58	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression ExpReg, exponential regession	62 232 63 63 64 64 64 227 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVl() eigenvector, eigVc() eigVc(), eigenvector eigVl(), eigenvalue else if, Elself	57, 63 63 227 57 58 58 59 58 58	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions	62 232 63 63 64 64 64 227 66 15, 107 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVl() eigvc(), eigenvector eigVl(), eigenvalue else if, Elself else, Else	57, 63 63 227 57 58 58 59 58 58 59	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions expression to list, exp*list()	62 232 63 63 64 64 227 66 155, 107 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVl() eigenvector, eigVc() eigVc(), eigenvector eigVl(), eigenvalue else if, Elself	57, 63 63 227 57 58 58 59 58 59 59	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions	62 232 63 63 64 64 227 66 155, 107 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVl() eigvc(), eigenvector eigVl(), eigenvalue else if, Elself else, Else	57, 63 63 227 57 58 58 59 58 59 59 59	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions expressions expression to list, exp*list() string to expression, expr()	62 232 63 63 64 64 227 66 155, 107 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVI() eigevc(), eigenvector eigVI(), eigenvalue else if, Elself else, Else Elself, else if empty (void) elements end	57, 63 63 227 57 58 58 59 58 59 59 59	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions expression to list, exp*list()	62 232 63 63 64 64 227 66 155, 107 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVI() eigenvector, eigVc() eigVl(), eigenvector eigVI(), eigenvalue else if, Elself else, Else Elself, else if empty (void) elements end for, EndFor	57, 63 63 227 57 58 58 59 58 59 59 59	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions expressions expression to list, exp*list() string to expression, expr()	62 232 63 63 64 64 227 66 155, 107 66
e exponent template for e to a power, e^() e, display expression in terms of E, exponent e^(), e to a power eff(), convert nominal to effective rate effective rate, eff() eigenvalue, eigVI() eigevc(), eigenvector eigVI(), eigenvalue else if, Elself else, Else Elself, else if empty (void) elements end	57, 63 63 227 57 58 58 59 58 59 59 86 59 251	exact, exact() exclusion with " " operator exit, Exit Exit, exit exp(), e to a power exp*list(), expression to list expand(), expand expand, expand() exponent, E exponential regession, ExpReg exponents template for expr(), string to expression expressions expression to list, exp*list() string to expression, expr()	62 232 63 63 64 64 64 227 66 1 55, 107 66 64

factorial, !	220	get/return	
fill24	_	denominator, getDenom()	78
Fill, matrix fill	69	number, getNum()	84
financial functions, tvmFV()	193	variables injformation,	
financial functions, tvmI()	193	getVarInfo()	82, 85
financial functions, tvmN()	194	getDenom(), get/return	
financial functions, tvmPmt()	194	denominator	78
financial functions, tvmPV()	194	getKey()	78
first derivative	194	getLangInfo(), get/return language	
template for	5	information	82
FiveNumSummary	69	getLockInfo(), tests lock status of	0.2
floor(), floor	70	variable or variable group.	82
floor, floor()	70 70	getMode(), get mode settings	83
fMax(), function maximum	_	getNum(), get/return number	84
	70	GetStr	84
fMin(), function minimum	71	getType(), get type of variable	84
For	72	getVarInfo(), get/return variables	
for, For	72	information	85
For, for	72	go to, Goto	86
format string, format()	72	Goto, go to	86
format(), format string	72	gradian notation, g	227
fpart(), function part	73	greater than or equal, ≥	219
fractions		greater than, >	218
propFrac	139	greatest common divisor, gcd()	76
template for	1	groups, locking and unlocking1	06, 197
freqTable()	73	groups, testing lock status	82
frequency()	74		
Frobenius norm, norm()	124	Н	
Func, function	75	hexadecimal	
Func, program function	75	display, ►Base16	19
functions		indicator, 0h	235
maximum, fMax()	70	hyperbolic	233
minimum, fMin()	71	arccosine, cosh ⁻¹ ()	32
part, fpart()	73	arcsine, sinh ⁻¹ ()	168
program function, Func	75	arctangent, tanh ⁻¹ ()	184
user-defined	46	cosine, cosh()	32
functions and variables		sine, sinh()	168
copying	29	tangent, tanh()	184
		ζ, ,,,,	10-
G		1	
g, gradians	227	identity matrix, identity()	0.0
gcd(), greatest common divisor	76	identity (), identity matrix	86
geomCdf()	76	if, If	86
geomPdf()			86
gcomm an()	77		
Get		If, if	86

ifFn()	88	less than or equal, ≤	218
imag(), imaginary part	88	LibPriv	47
imaginary part, imag()	88	LibPub	47
ImpDif(), implicit derivative	89	library	47
implicit derivative, Impdif()	89	create shortcuts to objects	96
indefinite integral	69	libShortcut(), create shortcuts to	30
template for	6	library objects	96
indirection operator (#)	256	limit	
indirection, #	226	lim()	96
input, Input	89	limit()	96
Input, input	89	template for	6
inString(), within string	89	limit() or lim(), limit	96
int(), integer	90	linear regression, LinRegAx	98
intDiv(), integer divide	90	linear regression, LinRegBx	97, 99
integer divide, intDiv()	90	LinRegBx, linear regression	97
integer part, iPart()		LinRegMx, linear regression	98
integer, int()	93	LinRegtIntervals, linear regression	99
integral, [90	LinRegtTest	101
interpolate(), interpolate	221	linSolve()	102
inverse cumulative normal	90	Δlist(), list difference	103
distribution (invNorm()	92	list to matrix, list ►mat()	103
inverse, ^-1	232	list, conditionally count items in	35
invF()	91	list, count items in	34
invNorm(), inverse cumulative	31	list ► mat(), list to matrix	103
normal distribution)	92	lists	
invt()	92	augment/concatenate,	
Invχ²()	91	augment()	15
iPart(), integer part	93	cross product, crossP()	36
irr(), internal rate of return		cumulative sum,	
internal rate of return, irr()	93	cumulativeSum()	41
isPrime(), prime test	93	differences in a list, Δlist()	103
isVoid(), test for void	94	dot product, dotP()	57
		empty elements in	251
L		expression to list, exp list()	64
label, Lbl	95	list to matrix, list►mat()	103
language	95	matrix to list, mat list()	111
get language information	82	maximum, max()	111
Lbl, label	95	mid-string, mid()	114
lcm, least common multiple	95 95	minimum, min()	115
least common multiple, lcm	95 95	new, newList()	121
left(), left	95 95	product, product()	138
left, left()	95 95	sort ascending, SortA	174
length of string		sort descending, SortD	175
icingth or string	52	summation, sum()	180

103	lower-upper decomposition, LU	110
104	matrix to list, mat ►list()	111
105	maximum, max()	111
105	minimum, min()	115
105	new, newMat()	121
106	product, product()	138
106	QR factorization, QR	139
	random, randMat()	145
2	reduced row echelon form, rref(
104)	156
103	row addition, rowAdd()	155
220	row dimension, rowDim()	156
253	row echelon form, ref()	147
107	row multiplication and addition,	
108	mRowAdd()	116
107		156
108	row operation, mRow()	116
110	row swap, rowSwap()	156
110	submatrix, subMat()18	0-181
-	summation, sum()	180
110	transpose, T	182
	matrix (1 × 2)	
		4
111	matrix (2 × 1)	
111	•	4
	, ,	
15		4
26	` ,	
26		4
-		111
41		111
51		111
51		112
52		112
214	* **	112
21E	median, median()	112
213		
215	medium-medium line regression,	112
_	MedMed	113
215	MedMed	
215 215	MedMed	113
215 215 214	MedMed	113 114
215 215 214 59	MedMed	113 114 114
215 215 214 59 58 69	MedMed MedMed, medium-medium line regression mid-string, mid() mid(), mid-string min(), minimum	113 114 114 115
215 215 214 59 58	MedMed	113 114 114
	104 105 105 106 106 2 104 103 220 253 107 108 110 110 111 15 26 41 51 52 214	matrix to list, mat▶list() maximum, max() minimum, min() new, newMat() random, randMat() random, randMat() reduced row echelon form, rref() row addition, rowAdd() row dimension, rowDim() row echelon form, ref() row multiplication and addition, mRowAdd() row norm, rowNorm() row operation, mRow() row swap, rowSwap() submatrix, subMat() 10 transpose, T matrix (1 × 2) template for matrix (2 × 1) template for matrix (2 × 2) template for matrix (ax n) template for matrix (bist, mat▶list() max(), maximum maximum, max() mean(), mean mean, mean() median(), median median, median()

mirr(), modified internal rate of		normalLine()	124
return	115	normCdf()	125
mixed fractions, using propFrac()		normPdf()	125
with	139	not equal, ≠	217
mod(), modulo	116	not, Boolean operator	125
mode settings, getMode()	83	nPr(), permutations	126
modes		npv(), net present value	126
setting, setMode()	162	nSolve(), numeric solution	127
modified internal rate of return, mirr		nth root	127
()	115	template for	1
modulo, mod()	116	numeric	_
mRow(), matrix row operation	116	derivative, nDeriv()12	1-122
mRowAdd(), matrix row	446	derivative, nDerivative()	121
multiplication and addition	116	integral, nInt()	122
Multiple linear regression t test	118	solution, nSolve()	127
multiply, *	211	, , , , , , , , , , , , , , , , , , , ,	12,
MultReg	117	0	
MultRegIntervals()	117		
MultRegTests()	118	objects	
N		create shortcuts to library	96
N		one-variable statistics, OneVar	128
nand, Boolean operator	119	OneVar, one-variable statistics	128
natural logarithm, ln()	103	operators	
nCr(), combinations	120	order of evaluation	255
nDerivative(), numeric derivative	121	or (Boolean), or	129
negation, entering negative numbers	256	or, Boolean operator	129
net present value, npv()	126	ord(), numeric character code	130
new	120	P	
list, newList()	121	r	
matrix, newMat()	121	P▶Rx(), rectangular x coordinate	130
newList(), new list	121	P▶Ry(), rectangular y coordinate	131
newMat(), new matrix	121	pass error, PassErr	131
nfMax(), numeric function	121	PassErr, pass error	131
maximum	121	Pdf()	73
nfMin(), numeric function minimum	122	percent, %	216
nInt(), numeric integral	122	permutations, nPr()	126
nom), convert effective to nominal		piecewise function (2-piece)	120
rate	123	template for	2
nominal rate, nom()	123	piecewise function (N-piece)	_
nor, Boolean operator	123	template for	3
norm(), Frobenius norm	124	piecewise()	132
normal distribution probability,		poissCdf()	132
normCdf()	125	poissPdf()	132
normal line, normalLine()	124		

polar		QR, QR factorization	139
coordinate, R►Pr()	143	quadratic regression, QuadReg	140
coordinate, R►Pθ()	142	QuadReg, quadratic regression	140
vector display, ▶Polar	133	quartic regression, QuartReg	141
polyCoef()	133	QuartReg, quartic regression	141
polyDegree()	134	5, 1	
polyEval(), evaluate polynomial	135	R	
polyGcd() 135	5-136	D. redien	
polynomials		R, radian	227
evaluate, polyEval()	135	R Pr(), polar coordinate	143
random, randPoly()	145	R►Pθ(), polar coordinate	142
PolyRoots()	136	radian, R	227
power of ten, 10^()	231	rand(), random number	143
power regression,		randBin, random number	144
PowerReg 136, 149, 151	., 187	randInt(), random integer	144
power, ^	213	randMat(), random matrix	145
PowerReg, power regression	136	randNorm(), random norm	145
Prgm, define program	137	random	
prime number test, isPrime()	93	matrix, randMat()	145
prime, '	230	norm, randNorm()	145
probability densiy, normPdf()	125	number seed, RandSeed	146
prodSeq()	138	polynomial, randPoly()	145
product(), product	138	random sample	145
product, ∏()	223	randPoly(), random polynomial	145
template for	5	randSamp()	145
product, product()	138	RandSeed, random number seed	146
programming		real(), real	146
define program, Prgm	137	real, real()	146
display data, Disp 52	2, 158	reciprocal, ^-1	232
pass error, PassErr	131	rectangular-vector display, ▶Rect	146
programs		rectangular x coordinate, P▶Rx()	130
defining private library	47	rectangular y coordinate, P▶Ry()	131
defining public library	47	reduced row echelon form, rref()	156
programs and programming		ref(), row echelon form	147
clear error, ClrErr	25	RefreshProbeVars	148
display I/O screen, Disp 52	, 158	regressions	
end program, EndPrgm	137	cubic, CubicReg	40
end try, EndTry	191	exponential, ExpReg	66
try, Try	191	linear regression, LinRegAx	98
proper fraction, propFrac	139	linear regression, LinRegBx	97, 99
propFrac, proper fraction	139	logarithmic, LnReg	104
		Logistic	107
Q		logistic, Logistic	108
QR factorization, QR	139	medium-medium line, MedMed	113

MultReg	117	seqGen()	159
power regression,		seqn()	160
PowerReg _ 136, 149, 151	l, 187	sequence, seq()	9-160
quadratic, QuadReg	140	series(), series	161
quartic, QuartReg	141	series, series()	161
sinusoidal, SinReg	169	set	
remain(), remainder	149	mode, setMode()	162
remainder, remain()	149	setMode(), set mode	162
remove		settings, get current	83
void elements from list	49	shift(), shift	163
Request	149	shift, shift()	163
RequestStr	151	sign(), sign	165
result		sign, sign()	165
display in terms of cosine	29	simult(), simultaneous equations	165
display in terms of e	63	simultaneous equations, simult()	165
display in terms of sine	166	sin ⁻¹ (), arcsine	167
result values, statistics	177	sin(), sine	166
results, statistics	176	sine	
return, Return	152	display expression in terms of	166
Return, return	152	sine, sin()	166
right(), right	152	sinh ⁻¹ (), hyperbolic arcsine	168
right, right()27, 60, 90), 152	sinh(), hyperbolic sine	168
rk23(), Runge Kutta function	152	SinReg, sinusoidal regression	169
rotate(), rotate	154	sinusoidal regression, SinReg	169
rotate, rotate()	154	solution, deSolve()	49
round(), round	155	solve(), solve	170
round, round()	155	solve, solve()	170
row echelon form, ref()	147	SortA, sort ascending	174
rowAdd(), matrix row addition	155	SortD, sort descending	175
rowDim(), matrix row dimension	156	sorting	
rowNorm(), matrix row norm	156	ascending, SortA	174
rowSwap(), matrix row swap	156	descending, SortD	175
rref(), reduced row echelon form	156	spherical vector display, ▶Sphere	175
_		sqrt(), square root	176
S		square root	
sec ⁻¹ (), inverse secant	157	template for	1
sec(), secant	157	square root, √()176	
sech ⁻¹ (), inverse hyperbolic secant	158	standard deviation, stdDev()178	8, 198
sech(), hyperbolic secant	158	stat.results	176
second derivative	130	stat.values	177
template for	6	statistics	
second notation, "	228	combinations, nCr()	120
seq(), sequence	159	factorial, !	220
		mean, mean()	112

median, median()	112	sum of principal payments	225
one-variable statistics, OneVar	128	sum(), summation	180
permutations, nPr()	126	sum, ∑()	224
random norm, randNorm()	145	template for	5
random number seed,		sumIf()	180
RandSeed	146	summation, sum()	180
standard deviation, stdDev()178	, 198	sumSeq()	181
two-variable results, Two Var	195	system of equations (2-equation)	
variance, variance()	198	template for	3
stdDevPop(), population standard		system of equations (N-equation)	
deviation	178	template for	3
stdDevSamp(), sample standard	470	_	
deviation	178	т	
Stop command	179	t test, tTest	192
store variable (\rightarrow)	233	T, transpose	182
storing symbol, &	224	tan ⁻¹ (), arctangent	183
•	234	tan(), tangent	182
string dimension, dim()	52	tangent line, tangentLine()	183
length	52 52	tangent, tan()	182
string(), expression to string	52 179	tangentLine()	183
strings	1/9	tanh ⁻¹ (), hyperbolic arctangent	184
append, &	220	tanh(), hyperbolic tangent	184
character code, ord()	130	Taylor polynomial, taylor()	185
character string, char()	22	taylor(), Taylor polynomial	185
expression to string, string()	179	tCdf(), studentt distribution	192
format, format()	72	probability	185
formatting	72 72	tCollect(), trigonometric collection .	186
indirection, #	226	templates	100
left, left()	95	absolute value	3-4
mid-string, mid()	114	definite integral	6
right, right()27, 60, 90		derivative or nth derivative	6
rotate, rotate()	154	e exponent	2
shift, shift()	163	exponent	1
string to expression, expr() 65		first derivative	5
using to expression, expr() 65,	256	fraction	1
within, InString	250 89	indefinite integral	6
student-t distribution probability,	89	limit	6
tCdf()	185	Log	2
student-t probability density, tPdf()	190	matrix (1 × 2)	4
subMat(), submatrix180		matrix (2 × 1)	4
submatrix, subMat()180		matrix (2 × 2)	4
substitution with " " operator	232	matrix (m × n)	4
subtract, -	210	nth root	1
sum of interest payments	225	piecewise function (2-piece)	2
Tame to the payments	223	, , , , , , , , , , , , , , , , , , , ,	_

piecewise function (N-piece)	3	unit vector, unitV()	197
product, ∏()	5	units	
second derivative	6	convert	231
square root	1	unitV(), unit vector	197
sum, ∑()	5	unLock, unlock variable or variable	
system of equations (2-		group	197
equation)	3	unlocking variables and variable	
system of equations (N-		groups	197
equation)	3	user-defined functions	46
test for void, isVoid()	94	user-defined functions and	
Test_2S, 2-sample F test	75	programs	47
tExpand(), trigonometric expansion	186	V	
Text command	187	•	
time value of money, Future Value	193	variable	
time value of money, Interest	193	creating name from a character	
time value of money, number of		string	256
payments	194	variable and functions	
time value of money, payment		copying	29
amount	194	variables	
time value of money, present value.	194	clear all single-letter	25
tInterval, t confidence interval	187	delete, DelVar	48
tInterval_2Samp, twosample t		local, Local	105
confidence interval	188	variables, locking and unlocking 82, 10	6, 197
ΔtmpCnv()	189	variance, variance()	198
tmpCnv()	189	varPop()	198
tPdf(), student probability density.	190	varSamp(), sample variance	198
trace()	190	vectors	
transpose, T	182	cross product, crossP()	36
trigonometric collection, tCollect().	186	cylindrical vector display,	
trigonometric expansion, tExpand()	186	►Cylind	42
Try, error handling command	191	dot product, dotP()	57
tTest, t test	192	unit, unitV()	197
tTest_2Samp, two-sample t test	192	void elements	251
TVM arguments	195	void elements, remove	49
tvmFV()	193	void, test for	94
tvmI()	193	w	
tvmN()	194	VV	
tvmPmt()	194	Wait command	199
tvmPV()	194	warnCodes(), Warning codes	200
two-variable results, TwoVar	195	warning codes and messages	269
Two Var, two-variable results	195	when(), when	200
		when, when()	200
U		while, While	201
underscore	220	While, while	201
underscore,	230		

with, within string, inString()	232 89
x	
x², square	214
XNOR	220
xor, Boolean exclusive or	201
Z	
zeroes(), zeroes	202
zeroes, zeroes()	202
zInterval, z confidence interval	204
zInterval_1Prop, one-proportion z	
confidence interval	205
zInterval_2Prop, two-proportion z	
confidence interval	205
zInterval_2Samp, two-sample z	201
confidence interval	206
zTest 18	206
zTest_1Prop, one-proportion z test	207
zTest_2Prop, two-proportion z test	207
zTest_2Samp, two-sample z test	208
X	
χ ² Cdf()	24
$\chi^2 GOF$	24
χ ² Pdf()	24