Trigonometry Test 1A



Name:

Question: 1

Answers









9 10 11 12

A trigonometric function is given by $f: R \to R$, $f(x) = -4\sin\left(\frac{\pi x}{A}\right)$

The amplitude and period of f are respectively:

4 , 4 b)
$$-4$$
 , $\frac{\pi}{4}$ c) -4 , 8 d) 4 , $\frac{\pi}{4}$ e)

d) 4,
$$\frac{\pi}{4}$$

Question: 2

The minimum and maximum values for $y = 4 - 5\sin(x - \pi)$ respectively are:

c) 1 and 9 d)
$$-9$$
 and -1 e) -5 and 4

e)
$$-5$$
 and 4

Question: 3

The function with rule: $f(x) = 2 \tan \left(\frac{3\pi x}{5} \right)$ has period

a)
$$\frac{5}{3}$$

b)
$$\frac{3}{5}$$

c)
$$\frac{10}{3}$$

d)
$$\frac{3}{10}$$

b)
$$\frac{3}{5}$$
 c) $\frac{10}{3}$ d) $\frac{3}{10}$ e) $\frac{3\pi^2}{5}$

Question: 4

The equation to the graph shown could be:


a)
$$f(x) = 2\cos(x) + 1$$

b)
$$f(x) = 1 - \cos(x)$$

c)
$$f(x) = 1 + 2\sin(x - \pi)$$

$$d) \quad f(x) = 1 + 2\sin(x + \pi)$$

e)
$$f(x) = 1 + 2\sin\left(x - \frac{\pi}{2}\right)$$



Question: 5

If $\cos x = 0.4$, the value of: $\cos(\pi + x) + \sin(\frac{\pi}{2} - x)$ is:

- 0.8
- c) $\pi + 0.4$
- d) 0

Texas Instruments 2015. You may copy, communicate and modify this material for non-commercial educational purposes provided all acknowledgements associated with this material are maintained.

Question: 6

For the graph of $y = 50 \tan \left(\frac{x}{5}\right)$ which of the following is correct.

- The range is [-50,50] and the period is 10π
- The range is [-50,50] and the period is 5π b)
- The range is R and the period is 10π c)
- The range is R and the period is 5π d)
- The domain and range are both Re)

Question: 7

If $tan(x) = \sqrt{2}$ and $cos(x) = \frac{-\sqrt{3}}{3}$ then sin(x) is equal to:

a)
$$\frac{\sqrt{6}}{3}$$

a)
$$\frac{\sqrt{6}}{3}$$
 b) $\frac{-\sqrt{6}}{3}$ c) $\frac{\sqrt{6}}{6}$ d) $\frac{-\sqrt{6}}{6}$ e) $-2\sqrt{6}$

c)
$$\frac{\sqrt{6}}{6}$$

d)
$$\frac{-\sqrt{6}}{6}$$

e)
$$-2\sqrt{6}$$

Question: 8

For a given function $f: [-\pi, \pi] \to R$, f(x), it is known that f(x) = 0 has 4 solutions and f(0) = 3. The function could be:

a)
$$f(x) = 3\sin(2x)$$

b)
$$f(x) = 3\cos(x)$$

c)
$$f(x) = 3\sin(2x) + 3$$

d)
$$f(x) = 2\cos(2x) + 2$$

e)
$$f(x) = 2\sin\left(2x + \frac{\pi}{2}\right) + 1$$

Question: 9

Sunrise time in a particular city can be approximated by: $t(d) = 1.5 \cos\left(\frac{2\pi d}{365}\right) + 6.5$ where t is

the time of morning in hours and d is the day of the year after January 1^{st} . Trish recorded the sun rise time yesterday as 6:15am and noticed it was even earlier this morning. What month is it?

- March a)
- b) April c) May
- d) August
- September e)

Question: 10

If $x = \frac{17\pi}{16}$ which of the following expressions would produce a positive answer?

 $tan(x)sin(x)cos^{2}(x)$ a)

 $tan(x)sin^{2}(x)cos(x)$ b)

c) tan(x)sin(x)cos(2x) d) $(\tan(x)\sin(x))^2\cos(x)$

tan(x)sin(x)cos(x)e)