

## Aim

The aim of this investigation is to learn different methods for finding the common factors of algebraic expressions.

## Equipment

For this activity you will need:

• TI-Nspire (or TI-Nspire)

# Introduction – Setting up the calculations

For this activity, use a **Calculator** page or the **Scratchpad**.

To access a Calculator page, press **home** and select **Add Calculator**.

To access the Scratchpad, press **home** and select **Scratchpad** (or press **A**). Alternatively, press the 👜 key (this key is not available on a Clickpad).







© Texas instruments, 2010 (except where otherwise indicated). You may copy,
communicate and modify this material for non-commercial educational
purposes provided you retain all acknowledgements associated with the material.

#### **Factors**

A **factor** is whole number that divides evenly into another whole number. For example, the factors of 12 are 1, 2, 3, 4, 6 and 12 because there is no remainder when 12 is divided by one of these numbers.

#### **Common Factors**

Common factors are factors that are common to two or more numbers. The factors of 12 and 18 are:

12 – **1**, **2**, **3**, 4, **6**, 12

18 **– 1, 2, 3, 6,** 9

The common factors are shown in boldface.

Therefore 1, 2, 3 and 6 are the common factors of 12 and 18.

## **Highest Common Factor**

The highest common factor (HCF) is the largest factor that is common to two or more numbers. From the list of common factors above, the HCF of 12 and 18 is **6**. The TI npire **Greatest Common Divisor** command will find the HCF of two numbers. The terms **greatest common divisor** and **highest common factor** have the same meaning.

From the Scratchpad or a Calculator page, press menu > Number > Greatest Common Divisor.



Once the **gcd** command appears on the screen, input two numbers separated by a comma. For this example, use **12,18**. The result confirms the highest common factor of **6** that we found previously.

۳V	Scratchpad 🗢	<li>X</li>
2,18)		6
	<b>A</b>	Arr And Arr A

Use the **Greatest Common Divisor** command to find the highest common factor of the following pairs of numbers. The first entry has been completed for you.

Numbers	Highest Common Factor	
12 & 18	gcd(12,18) = 6	
12 & 20	gcd(12,20) = 4	
30 & 45	gcd(30,45) = 15	
25 & 75	gcd(25,75) = 25	
48 & 72	gcd(48,72) = 24	
96 & 144	gcd(96,144) = 48	

#### **Prime Factors**

Another way to find the highest common factor is to use the **factor** command. This command gives you the prime factors of a number. Multiply the common prime factors together to find the highest common factor.

From the Scratchpad or a Calculator page, press **menu > Number > Factor**.

(you can also press menu > Algebra > Factor)



 Image: Secret chipad
 Scratchpad
 Image: Secret chipad
 <thImage: Secret chipad</th>
 Image: Secret chipad
 Image: Secret chipa

The prime factors are:

 $48 = 2^4 \cdot 3 = \mathbf{2} \times \mathbf{2} \times \mathbf{2} \times \mathbf{2} \times \mathbf{3}$ 

 $72 = 2^3 \cdot 3^2 = 2 \times 2 \times 2 \times 3 \times 3$ 

The common prime factors are shown in boldface.

Therefore the highest common factor is  $2 \times 2 \times 2 \times 3 = 24$ .

This confirms the answer found previously.

Use the factor command to confirm the highest common factors that you found in the previous table.

Numbers	Factors	HCF
12 & 18	12 = <b>2</b> ×2× <b>3</b> 18= <b>2</b> × <b>3</b> ×3	2×3 = 6
12 & 20	12 = <b>2</b> × <b>2</b> ×3 20 = <b>2</b> × <b>2</b> ×5	2×2 = 4
30 & 45	30 =2× <b>3×5</b> 45 = <b>3</b> ×3× <b>5</b>	3×5 =15
25 & 75	25 = <b>5</b> × <b>5</b> 75 = 3× <b>5</b> × <b>5</b>	5×5 = 25
48 & 72	48 = <b>2</b> × <b>2</b> × <b>2</b> ×2×3 72 = <b>2</b> × <b>2</b> × <b>2</b> ×3×3	2×2×2×3 = 24
96 & 144	96 = <b>2</b> × <b>2</b> × <b>2</b> × <b>2</b> × <b>3</b> 144 = <b>2</b> × <b>2</b> × <b>2</b> × <b>3</b> ×3	2×2×2×2×3 = 48

### **Common Factors in Algebra**

When we factorise algebraic expressions, the first thing to look for is to see if there are any common factors. The TI Nspire factor command does this automatically. For example, to factorise 12x + 18, do the following steps:

communicate and modify this material for non-commercial educational purposes provided you retain all acknowledgements associated with the n

46

From the Scratchpad or a Calculator page, press menu > Algebra > Factor.

TX I: Actions	
12.5 2: Number	1: Solve
x= 3: Algebra	2: Factor
f⊗4: Calculus	3: Expand
🗊 5: Probability	4: Zeros
X 6: Statistics	5: Complete the Square
🔠 7: Matrix & \	6: Numerical Solve
€8: Finance	7: Solve System of Equations 🕨
1	8: Polynomial Tools 🛛 🕨
	9: Fraction Tools 🛛 🕨
	A: Convert Expression 🛛 🕨
	Scratchpad 🗢
factor(12· x+1	Scratchpad マ         Image: Constraint of the second
factor(12·x+1	Scratchpad     Image: Constraint of the second secon
factor(12: x+1	Scratchpad マ         Image: Constraint of the second
factor(12·x+1	Scratchpad マ (■ × ) 8) 6· (2· x+3) ▲
factor(12·x+1	Scratchpad マ (■ × ) 8) 6· (2· x+3)
factor{12·x+1	Scratchpad マ 8) 6·(2·x+3) ←
factor{12·x+1	Scratchpad マ (
factor(12·x+1	Scratchpad マ 8) 6· (2· x+3) ✓

Input 12x+18 and press enter. The result is 6(2x+3). The highest common factor of 6 has been factorised out.

Confirm the answer by expanding it by hand or by using the expand command.

$$6(2x+3) = 6 \times 2x + 6 \times 3$$
$$= 12x + 18$$



Author: Neale Woods © Texas instruments, 2010 (except where otherwise indicated). You may copy

Using the Scratchpad or a Calculator page, factorise the following expressions using the **Factor** command. Check your answers by using the **Greatest Common Divisor** command to find the highest common factor of the numbers in the expression. The first entry has been completed for you.

Expression	Factorise	Highest Common Factor
8 <i>a</i> + 12	4(2a+3)	gcd(8,12) = 4
18 <i>b</i> + 30	6(3b+5)	gcd(18,30) = 6
75 <i>c</i> – 45	15(5c-3)	gcd(75,45) = 15
12 <i>d</i> + 30	6(2d+5)	gcd(12,30) = 6
35 <i>e</i> – 98	7(5 <i>e</i> -14)	gcd(35,98) = 7
200 <i>f</i> + 140	20(10f+7)	gcd(200,140) = 20

### **Least Common Multiple**

The **least common multiple** (LCM) is a related command. The LCM is the lowest number that will divide evenly by two or more numbers. When adding and subtracting fractions, you often need to find the **lowest common denominator**, which is the same as finding the least common multiple.

From the Scratchpad or a Calculator page, press menu > Number > Least Common Multiple.

<sup></sup> <sup></sup> <sup></sup> <sup></sup> <sup></sup> <sup></sup> <sup>1</sup> : Actions <sup>−</sup>	
<sup>1</sup> ₂•₅2: Number	1: Convert to Decimal
x= 3: Algebra	2: Approximate to Fraction
f⊗4: Calculus	3: Factor
🗊 5: Probability	4: Least Common Multiple
X 6: Statistics	5: Greatest Common Divisor
🔠 7: Matrix & V	6: Remainder
€8: Finance	7: Fraction Tools 🛛 🕨
1	8: Number Tools 🛛 🕨 🕨
	9: Complex Number Tools 🛛 🕨
	0/99

<i>.B</i>	₩ <del>V</del>	Scratchpad 🗢	<li>X</li>
lcm(12	2, 18)		36
			1/99

The least common multiple of 12 and 18 is 36.

Use the **Least Common Multiple** command to find the least common multiple of the following pairs of numbers. The first entry has been completed for you.

Numbers	Least Common Multiple	
12 & 18	lcm(12,18) = 36	
12 & 20	lcm(12,20) = 60	
30 & 45	lcm(30,45) = 90	
25 & 75	lcm(25,75) = 150	
48 & 72	lcm(48,72) = 144	
96 & 144	lcm(96,144) = 288	

#### **Extension Activity**

You can also use the **factor** command to find the least common multiple. After you find the common prime factors, multiply them by the remaining prime factors that are not common. The factors of 48 and 72 are:

 $48 = 2^{4} \cdot 3 = 2 \times 2 \times 2 \times 2 \times 3$  $72 = 2^{3} \cdot 3^{2} = 2 \times 2 \times 2 \times 3 \times 3$ 

The common prime factors in boldface are  $2 \times 2 \times 2 \times 3$ . The remaining prime factor of 48 is 2 and the remaining prime factor of 72 is 3. Therefore, the least common multiple will be  $2 \times 2 \times 2 \times 3 \times 2 \times 3 = 144$ . This verifies the previous answer.

Use the **factor** command to confirm the least common multiples that you found in the table on the previous page.

Numbers	Factors	LCM
12 & 18	12 = <b>2</b> ×2× <b>3</b> 18= <b>2</b> × <b>3</b> ×3	<b>2</b> × <b>3</b> ×2×3 = 36
12 & 20	12 = <b>2</b> × <b>2</b> ×3 20 = <b>2</b> × <b>2</b> ×5	<b>2</b> × <b>2</b> ×3×5 = 60
30 & 45	30 =2× <b>3</b> × <b>5</b> 45 = <b>3</b> ×3× <b>5</b>	<b>3</b> × <b>5</b> ×2×3 = 90
25 & 75	25 = <b>5</b> × <b>5</b> 75 = 3× <b>5</b> × <b>5</b>	<b>5</b> × <b>5</b> ×3 = 75
48 & 72	48 = <b>2</b> × <b>2</b> × <b>2</b> ×2×3 72 = <b>2</b> × <b>2</b> × <b>2</b> × <b>3</b> ×3	<b>2×2×2×3</b> ×2×3 = 144
96 & 144	96 = <b>2×2×2×2×2×3</b> 144 = <b>2×2×2×2×3</b> ×3	<b>2×2×2×2×3</b> ×2×3 = 288