















# Find the Sum of Numbers [SUM]

 Example: Add these numbers: 3, 5, 11

<b>Press</b>	<b>Display</b>
3  [SUM] 1	3
5  [SUM] 1	5
11  [SUM] 1	11
 1	19

 Example: Add these numbers:  $2 + 4$ ,  $8 \div 16$ ,  $3^2$

<b>Press</b>	<b>Display</b>
2  4   [SUM] 1	6
8  16   [SUM] 1	0.5
3  2   [SUM] 1	9
 1	15.5

Note: You can [SUM] to 1, 2, or 3.

# Find the Sum of Numbers **SUM**

 Example: Add these numbers: 3, 5, 11

**Press**

**Display**

3 **SUM**

3

5 **SUM**

5

11 **SUM**

11

**RCL**

19

 Example: Add these numbers:  $2 + 4$ ,  $8 \div 16$ ,  $3^2$

**Press**

**Display**

2 **+** 4 **=** **SUM**

6

8 **÷** 16 **=** **SUM**

0.5

3 **y<sup>x</sup>** 2 **=** **SUM**

9

**RCL**

15.5

# Store and Recall

**STO** **RCL**

## Values

 Example: Store and recall the value 8

<b>Press</b>	<b>Display</b>
8 <b>STO</b> 1	8
0	0
<b>RCL</b> 1	8

 Example: Compute  $5 + 3$ ,  $7 + 3$ ,  $9 + 3$

<b>Press</b>	<b>Display</b>
3 <b>STO</b> 1	3
5 <b>+</b> <b>RCL</b> 1 <b>=</b>	8
7 <b>+</b> <b>RCL</b> 1 <b>=</b>	10
9 <b>+</b> <b>RCL</b> 1 <b>=</b>	12

Note: You can **[SUM]** to 1, 2, or 3.

# Store and Recall

**STO** **RCL**

## Values

 Example: Store and recall the value 8

**Press**

8 **STO**

0

**RCL**

**Display**

8

0

8

 Example: Compute  $5 + 3$ ,  $7 + 3$ ,  $9 + 3$

**Press**

3 **STO**

5 **+** **RCL** **=**

7 **+** **RCL** **=**

9 **+** **RCL** **=**

**Display**


3

8

10

12


# Exchange Memory with [EXC] Display

-  Example: Store 5 in memory, put 8 in the display, exchange the values, and exchange the values again

<b>Procedure</b>	<b>Press</b>	<b>Display</b>
Store 5 in memory	5 <b>[STO]</b> 1	5
Put 8 in the display	8	8
Exchange the values	<b>[2nd]</b> <b>[EXC]</b> 1	5
Exchange the values again	<b>[2nd]</b> <b>[EXC]</b> 1	8

Note: You can store (**[STO]**) using 1, 2, or 3.

# Exchange Memory with [EXC] Display

-  Example: Store 5 in memory, put 8 in the display, exchange the values, and exchange the values again

<b>Procedure</b>	<b>Press</b>	<b>Display</b>
Store 5 in memory	5 <b>[STO]</b>	5.
Put 8 in the display	8	8.
Exchange the values	<b>[2nd]</b> <b>[EXC]</b>	5.
Exchange the values again	<b>[2nd]</b> <b>[EXC]</b>	8.