

Charging your TI-Nspire™ handhelds using the TI-Nspire™ Wall Adapter

The TI-Nspire™ Wall Adapter (not supplied) can be used to charge the TI-Nspire™ handhelds. The TI-Nspire™ Wall adapter provides a USB outlet and is connected to the handheld via the USB computer-to-handheld cable.

Make sure the TI-Nspire™ Wall Adapter is designed for Australian mains supply. Other wall adapters including those designed for overseas may not charge the handheld or in extreme situations, damage the unit. (Warranty is void if the product is damaged by an unapproved wall adapter.)



The TI-Nspire™ Wall Adapters can be purchased from our educational dealers:

Abacus Calculators

Tel: 1800 998 424

Email: school@abacus.com.au

Website: www.abacuscalculators.com.au

Calculator King

Tel: 1800 246 226

Email: sales@calculatorking.com.au

Website: www.calculatorking.com.au

Haines Educational

Tel: 03 8736 6004

Email: sales@haines.com.au

Website: www.haines.com.au

Charging your TI-Nspire™ handhelds using the TI-Nspire™ Docking Station

The TI-Nspire™ Docking Station is designed for classroom use where multiple handhelds require charging. Information about charge and status is displayed using a series of LEDs on the TI-Nspire™ Docking Station. The TI-Nspire™ Docking Station must be connected to a mains power supply.

The TI-Nspire™ Docking Station can also be used to send files to multiple handhelds when connected to a computer with the TI-Nspire™ Teacher Edition software or TI-Nspire™ Navigator™ software installed.



Charging Troubleshooting for TI-Nspire™ handhelds

The most common error when attempting to charge the TI Rechargeable Battery is via a computer. Termination of power supply to the USB port due to the computer or computer settings prevents the handheld unit from charging. Charging the TI-Nspire™ handheld for the first time takes between 4 and 6 hours, thereafter charge time depends largely on the status prior to charging. If charging from a computer does not produce the desired result try:

- Using the approved TI-Nspire™ Wall Adapter
- Resetting the handheld device using the reset button on the reverse. (Shown opposite)



TI Rechargeable Battery maintenance for TI-Nspire™ handhelds

Lithium-ion batteries have a limited life, which is affected by several factors: environment, storage, the number of charge/discharge cycles, and level of discharge/charge. To extend the TI Rechargeable Battery lifespan and battery life, we recommend following these simple guidelines:

1. Avoid heat and humidity:
 - TI Rechargeable Battery is designed to operate optimally at room temperature.
 - Heat can reduce lithium-ion battery life.
 - High humidity environments should be avoided.
2. Usage and Charging:
 - As lithium-ion batteries age, they lose capacity. When properly maintained and under normal usage, batteries are expected to last at least several years.
 - If you use the TI-Nspire™ handheld regularly, recharge the TI Rechargeable Battery often. Avoid waiting until it is fully discharged.
 - If you do not use the TI-Nspire™ handheld regularly, fully recharge the TI Rechargeable Battery at least once per month.
 - Do not leave the TI-Nspire™ handheld connected to a charging device for longer than 3 days.
 - Use only TI Rechargeable Battery approved for the TI-Nspire™ handhelds.
 - Use only charging devices approved for the TI-Nspire™ handhelds.
3. Recommendations for storing TI-Nspire™ handhelds with lithium-ion TI Rechargeable Battery for 3 months or longer:
 - The best temperature for proper care and storage of lithium-ion batteries is between 0–25°
 - Extended storage can cause batteries to discharge deeply, which can deteriorate the lithium-ion cell and reduce the TI Rechargeable Battery capacity, service life and ability to recharge. It is recommended the TI Rechargeable Battery be fully charged before putting the handheld in extended storage and that it be recharged fully every three months while in storage.
4. Update your TI-Nspire™ handheld Operating System (OS) as new updates become available. OS updates may contain new programs to optimize TI Rechargeable Battery life.